



33A SAINT DAVID ST  
FITZROY VIC 3065

T: +61 3 9419 5666 F: +61 3 9419 6292

E: [mes@mes.net.au](mailto:mes@mes.net.au)

## MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services)  
Medical Emergency: **131126** (Poisons information)

### Sennelier Artists' Acrylics Tint White (119)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Sennelier Artists' Acrylics Tint White (119)
OTHER NAMES:	Extra Fine Artists' Acrylics Extra Fine Artists' Acrylic Paint Acryliques Extra Fines Blanc À Nuancer
APPLICATION OF SUBSTANCE:	Professional fine art painting
MANUFACTURED BY:	Max Sauer SAS. 2 Rue Lamarck CS30204 22000 Saint Brieuc.France
CONTACT NUMBERS:	Telephone : 0033(0)296682000 Fax : 0033(0)296770065 mail@raphael.fr
2. HAZARDOUS INFORMATION	
<p>May produce an allergic reaction (EUH208). Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411). This mixture does not present a physical hazard. EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction. EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND 2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) &gt;= 0.1% published by the European Chemicals Agency (ECHA) under article 57 of REACH: <a href="http://echa.europa.eu/fr/candidate-list-table">http://echa.europa.eu/fr/candidate-list-table</a> The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.</p>	
MANUFACTURER'S CODE:	N120021.119
UN NUMBER:	3082
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	9
HAZCHEM CODE:	M6
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	III
HAZARD CATEGORY:	Environmentally hazardous material

<b>2. HAZARDOUS INFORMATION</b>	
CLASS:	9

<b>3. COMPOSITION / INFORMATION ON INGREDIENTS</b>	
<p>Zinc Oxide (10 ≤ x % &lt; 25)  INDEX: 030-013-00-7  CAS: 1314-13-2  EC: 215-222-5  (EC) 1272/2008: GHS09; Wng; Aquatic Acute 1, H400; M Acute = 1; Aquatic Chronic 1, H410; M Chronic = 1</p> <p>Ethylene Glycol (2.5 ≤ x % &lt; 10)  INDEX: 603-027-00-1  CAS: 107-21-1  EC: 203-473-3  (EC) 1272/2008: GHS07; Wng; Acute Tox. 4, H302</p> <p>1,2-Benzisothiazol-3(2H)-One (0 ≤ x % &lt; 1)  INDEX: 613-088-00-6  CAS: 2634-33-5  EC: 220-120-9  (EC) 1272/2008: GHS05, GHS07, GHS09; Dgr; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318; Skin Sens. 1, H317; Aquatic Acute 1, H400; M Acute = 1</p> <p>Mixture of: 5-Chloro-2-Methyl-4-Isothiazolin-3- One [EC No. 247-500-7] and 2-Methyl-2-Isothiazol-3-One [EC No. 220-239-6] (3:1) (0 ≤ x % &lt; 1)  INDEX: 613-167-00-5  CAS: 55965-84-9  (EC) 1272/2008: GHS06, GHS05, GHS09; Dgr; Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1, H317; Aquatic Acute 1, H400; M Acute = 1; Aquatic Chronic 1, H410; M Chronic = 1</p>	

<b>4. FIRST AID MEASURES</b>	
GENERAL:	As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.
INHALATION:	In the event of an allergic reaction, seek medical attention.
EYE CONTACT:	Remove contact lenses if possible and irrigate with water for 15 minutes. If irritation persists, seek medical attention.
SKIN CONTACT:	In the event of an allergic reaction, seek medical attention.
INGESTION:	Seek medical attention, showing the label.

<b>5. FIRE FIGHTING MEASURES</b>	
EXTINGUISHING MEDIA:	Not given.
DO NOT USE:	Not given.
DEGREE OF FIRE RISK:	Non-flammable.

<b>5. FIRE FIGHTING MEASURES</b>	
RECOMMENDATIONS:	A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, the following may be formed : - carbon monoxide (CO) - carbon dioxide (CO <sub>2</sub> )
<b>6. ACCIDENTAL RELEASE MEASURES</b>	
First aid workers will be equipped with suitable personal protective equipment. Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways. Clean preferably with a detergent, do not use solvents.	
<b>7. HANDLING AND STORAGE</b>	
HANDLING:	Always wash hands after handling. Observe precautions stated on label and also industrial safety regulations. No smoking, eating or drinking in areas where the mixture is used.
STORAGE:	Keep out of reach of children. Always keep in packaging made of an identical material to the original.
<b>8. EXPOSURE CONTROL AND PERSONAL PROTECTION</b>	
ENGINEERING MEASURES:	Use personal protective equipment that is clean and has been properly maintained. Store personal protective equipment in a clean place, away from the work area. Never eat, drink or smoke during use. Ensure that there is adequate ventilation, especially in confined areas.
<i>PERSONAL PROTECTION</i>	
RESPIRATORY PROTECTION:	N/A
HAND PROTECTION:	Wear suitable protective gloves in the event of prolonged or repeated skin contact. Type of gloves recommended: Natural latex, Impervious Gloves
EYE PROTECTION:	Avoid contact with eyes. Use eye protectors designed to protect against liquid splashes. Before handling, wear safety goggles in accordance with standard EN166.
SKIN PROTECTION:	Wash with soap and water. Remove and wash contaminated clothing before re-using.
<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
APPEARANCE:	Viscous liquid.
FLASH POINT:	N/A
BOILING POINT:	N/A
VAPOUR PRESSURE:	101.00°C

<b>9. PHYSICAL AND CHEMICAL PROPERTIES</b>	
VAPOUR DENSITY:	> 1
SPECIFIC GRAVITY:	N/A
SOLUBILITY IN WATER:	Dilutable
MELTING POINT:	N/A

<b>10. STABILITY AND REACTIVITY</b>
This mixture is stable under the recommended handling and storage conditions. The thermal decomposition may release/form : carbon monoxide (CO), carbon dioxide (CO <sub>2</sub> )

<b>11. TOXICOLOGICAL INFORMATION</b>
No toxicological data available for the substances. Contains at least one sensitising substance. May cause an allergic reaction.

<b>12. ECOLOGICAL INFORMATION</b>
Toxic to aquatic life with long lasting effects. The product must not be allowed to run into drains or waterways.

<b>13. DISPOSAL CONSIDERATIONS</b>
Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals. Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company. Do not contaminate the ground or water with waste, do not dispose of waste into the environment. Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

<b>14. TRANSPORT INFORMATION</b>
Not subject to transport regulation if Q ≤ 5 l / 5 kg (ADR 3.3.1 - DS 375)

<b>15. REGULATORY INFORMATION</b>
The following regulations have been used: EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013. EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013. EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013. EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014. EU Regulation No. 1272/2008 amended by EU Regulation No. 1297/2014.

## 16. OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.