



33A SAINT DAVID ST
 FITZROY VIC 3065
 T: +61 3 9419 5666 F: +61 3 9419 6292
 E: mes@mes.net.au

MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services)
 Medical Emergency: **131126** (Poisons information)

Speedball Diazo Photo Emulsion Remover (4557)

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Speedball Diazo Photo Emulsion Remover
OTHER NAMES:	
APPLICATION OF SUBSTANCE:	Cleaner for art materials
MANUFACTURED BY:	Speedball Art Products Co. 2301 Speedball Road Statesville , NC 28677 USA
CONTACT NUMBERS:	Phone: 704-978-4166 Fax: 1-704-838-1472 Email: budmartin@speedballart.com
2. HAZARDOUS INFORMATION	
Classification in accordance with paragraph (d) of 29 cfr 1910.1200. There are no GHS label elements. Primary routes of entry: inhalation, ingestion, eye, skin Effects and symptoms of acute exposure: eye irritant Effects and symptoms of chronic exposure: none expected Carcinogen listing: NTIP: no IARC: no OSHA: no Medical conditions usually aggravated by over exposure to this product: none	
MANUFACTURER'S CODE:	4557
UN NUMBER:	N/A
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	N/A
HAZCHEM CODE:	N/A
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	N/A
HAZARD CATEGORY:	N/A
CLASS:	N/A

3. COMPOSITION / INFORMATION ON INGREDIENTS

Sodium meta-periodate
CAS/EC#: 7790-28-5
PEL/TLV (MG/M#): N/A
Max % Weight: 1.86000
NTP: N
IARC: N

4. FIRST AID MEASURES

GENERAL:	Medical Conditions Generally Aggravated by Exposure: Pre-existing eye, skin, and respiratory disorders
INHALATION:	Move to fresh air. Excessive inhalation of vapours can cause nasal and respiratory irritation.
EYE CONTACT:	If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. Can be an irritant.
SKIN CONTACT:	Flush with water. Can be an irritant.
INGESTION:	Dilute by giving water. See doctor. Low order of acute oral toxicity.

5. FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:	N/A
DO NOT USE:	N/A
DEGREE OF FIRE RISK:	Material can spatter above 100°C (212°F)
RECOMMENDATIONS:	Wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Floor may be slippery; use care to avoid falling. Absorb spillage with non-combustible, absorbent material.

7. HANDLING AND STORAGE

HANDLING:	N/A
STORAGE:	Keep out of reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

ENGINEERING MEASURES:	Adequate ventilation.
<i>PERSONAL PROTECTION</i>	

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
RESPIRATORY PROTECTION:	When exposure cannot be adequately controlled through engineering measures, personal respiratory protection should be employed.
HAND PROTECTION:	Impervious gloves.
EYE PROTECTION:	Safety Glasses or goggles.
SKIN PROTECTION:	Use protective cream where excessive skin contact is likely.

9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Transparent liquid with slight detergent odour.
FLASH POINT:	N/A
BOILING POINT:	100°C (212°F)
VAPOUR PRESSURE:	N/A
VAPOUR DENSITY:	< 1
SPECIFIC GRAVITY:	1.02
SOLUBILITY IN WATER:	Dilutable
MELTING POINT:	< 0°C (32°F)

10. STABILITY AND REACTIVITY	
Stable. Avoid contact with strong oxidising agents. Hazardous Polymerisation will not occur.	

11. TOXICOLOGICAL INFORMATION	
This product has been evaluated by a Toxicologist only as per intended usage.	
The summated LD50 is >50000 mg/kg	
This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA	

12. ECOLOGICAL INFORMATION	
No harmful effects known other than those associated with suspended inert solids in water.	

13. DISPOSAL CONSIDERATIONS	
Observe all Federal, State and local laws concerning health and environment.	

14. TRANSPORT INFORMATION	
N/A	

15. REGULATORY INFORMATION

Contents of this SDS comply with OSHA Hazard Communication Standard 29 CFR 1901.1200
EPA SARA title 3 chemical listings: none
Section 302.4 Extremely Hazardous Substances (40 CFR 355): none
Section 313 Toxic Chemicals (40 CFR 372): none

16. OTHER INFORMATION

N/A