



33A SAINT DAVID ST
FITZROY VIC 3065
T: +61 3 9419 5666 F: +61 3 9419 6292
E: mes@mes.net.au

MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services)
Medical Emergency: **131126** (Poisons information)

Speedball Professional Relief Printing Inks

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Speedball Professional Relief Printing Inks
OTHER NAMES:	Block Printing Ink
APPLICATION OF SUBSTANCE:	Artwork: printing ink
MANUFACTURED BY:	Speedball Art Products, LLC 2226 Speedball Road Statesville, NC 28677 USA
CONTACT NUMBERS:	Phone: 704-978-4166 Fax: 1-704-838-1472

2. HAZARDOUS INFORMATION	
Classification in accordance with paragraph (d) of 29 CFR 1910.1200. Skin Sensitization - Category 1 Carcinogenicity - Category 2 May cause an allergic skin reaction. Suspected of causing cancer.	
MANUFACTURER'S CODE:	N/A
UN NUMBER:	N/A
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	N/A
HAZCHEM CODE:	N/A
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	N/A
HAZARD CATEGORY:	N/A
CLASS:	N/A

3. COMPOSITION / INFORMATION ON INGREDIENTS	
Methyl Ethyl Ketoxime : 0.11600% CAS #: 96-29-7	

4. FIRST AID MEASURES	
GENERAL:	N/A

4. FIRST AID MEASURES	
INHALATION:	N/A
EYE CONTACT:	Contact with eyes may cause slight irritation: Flush with water for 15 minutes. Consult doctor if irritation persists.
SKIN CONTACT:	N/A
INGESTION:	N/A

5. FIRE FIGHTING MEASURES	
EXTINGUISHING MEDIA:	N/A
DO NOT USE:	N/A
DEGREE OF FIRE RISK:	Not combustible, not explosive
RECOMMENDATIONS:	No special fire fighting procedures required.

6. ACCIDENTAL RELEASE MEASURES	
Clean up in accordance with all applicable regulations. Absorb spillage with noncombustible, absorbent material.	

7. HANDLING AND STORAGE	
HANDLING:	Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.
STORAGE:	N/A

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
ENGINEERING MEASURES:	Adequate ventilation.
<i>PERSONAL PROTECTION</i>	
RESPIRATORY PROTECTION:	N/A
HAND PROTECTION:	N/A
EYE PROTECTION:	N/A
SKIN PROTECTION:	Use protective cream where excessive skin contact is likely.

9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Thick coloured paste
FLASH POINT:	N/A
BOILING POINT:	N/A

9. PHYSICAL AND CHEMICAL PROPERTIES	
VAPOUR PRESSURE:	N/A
VAPOUR DENSITY:	N/A
SPECIFIC GRAVITY:	N/A
REACTIVITY IN WATER:	Non reactive
MELTING POINT:	N/A

10. STABILITY AND REACTIVITY
Stable.

11. TOXICOLOGICAL INFORMATION
Acute effects associated with use of this material: none expected The summated LD50 is 13772 mg/kg. The summated LC50 is 60225 mg/cubic meter. This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA

12. ECOLOGICAL INFORMATION
No harmful effects known other than those associated with suspended inert solids in water.

13. DISPOSAL CONSIDERATIONS
Non hazardous. Observe all Federal, State and local laws concerning health and environment.

14. TRANSPORT INFORMATION
N/A

15. REGULATORY INFORMATION
N/A

16. OTHER INFORMATION
Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.