



Date of issue: 12.01.2026

Safety Data Sheet

in accordance with HSNO

Version number 10

Page 1/6

Revision: 12.01.2026

1 Identification of the substance or mixture and of the supplier

- Other means of identification

- Trade name: **MP Cutting Polish**

- Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Polishing agent/ Burnishing compound

- Details of the supplier of the safety data sheet

- Manufacturer/Supplier:

MIPA SE

Am Oberen Moos 1

D-84051 Essenhach

Tel.: +49(0)8703-922-0

Fax.: +49(0)8703-922-100

e-mail: sdb-registratur@mipa-paints.com **24hr Emergency Assistance in New Zealand**

www.mipa-paints.com National Poison Control Centre: 0800 POISON [764 766]

- Emergency telephone number: International emergency number: +49(0)700 24112112 (MIP)

IMPORTER IN NEW ZEALAND:

RJP Performance Coatings

(RA Johnstone & Co Ltd)

33 Ha Crescent, Wiri

Auckland 2104 New Zealand

Phone 09 25000 90

Email sales@raj.co.nz

Web www.raj.co.nz

2 Hazards identification

- Classification of the substance or mixture

The product is not classified, according to the Globally Harmonised System (GHS).

- Label elements

- GHS label elements Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

- Other hazards

- Results of PBT and vPvB assessment

- PBT: Not applicable.

- vPvB: Not applicable.

3 Composition/Information on ingredients

- Chemical characterisation: Mixtures

- Description: Mixture of substances listed below with nonhazardous additions.

- Dangerous components:

	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics ◆ Aspiration hazard Category 1, H304; Flammable liquids Category 4, H227	10-25%
56-81-5	glycerol	2.5-<10%
8042-47-5	White mineral oil (petroleum) ◆ Aspiration hazard Category 1, H304	2.5-<10%
102-71-6	Triethanolamine	2.5-<10%
52-51-7	bronopol (INN) ◆ Serious eye damage Category 1, H318; ◆ Hazardous to the aquatic environment acute Category 1, H400; Hazardous to the aquatic environment chronic Category 1, H410; ◆ Acute oral toxicity Category 4, H302; Acute dermal toxicity Category 4, H312; Skin irritation Category 2, H315; Specific target organ toxicity - single exposure Category 3, H335	≥0.025-<0.1%

- Additional information: For the wording of the listed hazard phrases refer to section 16.

NZ

(Contd. on page 2)



Date of issue: 12.01.2026

Safety Data Sheet

in accordance with HSNO

Version number 10

Page 2/6

Revision: 12.01.2026

Trade name: MP Cutting Polish

(Contd. of page 1)

4 First aid measures

- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire fighting measures

- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
No special measures required.
No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Storage class:** 10
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Appropriate engineering controls** No further data; see section 7.

(Contd. on page 3)

NZ

**Trade name: MP Cutting Polish**

(Contd. of page 2)

· Ingredients with limit values that require monitoring at the workplace:**56-81-5 glycerol**WES (New Zealand) Long-term value: 10 mg/m³
mist**102-71-6 Triethanolamine**WES (New Zealand) Long-term value: 1 mg/m³**· Additional information:** The lists valid during the making were used as basis.**· Personal protective equipment:****· General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

· Protection of hands:

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Breakthrough time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling**9 Physical and chemical properties****· General Information****· Appearance:****· Form:** Fluid**· Colour:** According to product specification**· Odour:** Characteristic**· Odour threshold:** Not determined.**· pH-value:** Not determined.**· Change in condition****· Melting point/freezing point:** Undetermined.**· Initial boiling point and boiling range:** 186-214 °C**· Flash point:** >93 °C (DIN EN ISO 1523:2002)**· Flammability:** Not applicable.**· Auto-ignition temperature:** 233 °C (DIN 51794)**· Decomposition temperature:** Not determined.**· Ignition temperature:** Product is not selfigniting.**· Explosive properties:** Product does not present an explosion hazard.**· Explosion limits:****· Lower:** 0.6 Vol %**· Upper:** 6 Vol %**· Vapour pressure at 20 °C:** 0.5 hPa**· Vapour pressure at 50 °C:** ~0 hPa**· Density at 20 °C:** 1.012 g/cm³ (DIN EN ISO 2811-1)**· Relative density**

Not determined.

· Vapour density

Not determined.

(Contd. on page 4)

NZ



Safety Data Sheet

in accordance with HSNO

Date of issue: 12.01.2026

Version number 10

Revision: 12.01.2026

Trade name: MP Cutting Polish

(Contd. of page 3)

· Evaporation rate	Not determined.
· Solubility in / Miscibility with water:	<i>Fully miscible.</i>
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic at 40 °C:	>21 mm ² /s
· Solvent content:	
· VOC (EC)	24.99 %
· Solids content (weight-%):	75.0 %
· Other information	
· Particle characteristics	<i>Not applicable.</i>
· Physical state	Liquid

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values relevant for classification:**

56-81-5 glycerol
Oral LD50 12,600 mg/kg (rat)
102-71-6 Triethanolamine
Oral LD50 8,000 mg/kg (rat)
52-51-7 bronopol (INN)
Oral LD50 305 mg/kg (rat)
- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.

(Contd. on page 5)

NZ



Date of issue: 12.01.2026

Safety Data Sheet

in accordance with HSNO

Version number 10

Page 5/6

Revision: 12.01.2026

Trade name: MP Cutting Polish

(Contd. of page 4)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (German Regulation) : slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Smaller quantities can be disposed of with household waste.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

· UN-Number	
· NZS, ADN, IMDG, IATA	Void
· UN proper shipping name	
· NZS, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· NZS, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· NZS, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· UN "Model Regulation":	Void

NZ

(Contd. on page 6)



Date of issue: 12.01.2026

Safety Data Sheet

in accordance with HSNO

Version number 10

Page 6/6

Revision: 12.01.2026

Trade name: MP Cutting Polish

(Contd. of page 5)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture

- HSNO Approval numbers

52-51-7	bronopol (INN)	HSR003563
---------	----------------	-----------

- GHS label elements Void

- Hazard pictograms Void

- Signal word Void

- Hazard statements Void

- Directive 2012/18/EU

- Named dangerous substances - ANNEX I None of the ingredients is listed.

- National regulations:

- Additional classification according to Decree on Hazardous Materials, Annex II:

Class	Share in %
NK	25-50

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H227 Combustible liquid.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

- Contact:

- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids Category 4: Flammable liquids – Category 4

Acute oral toxicity Category 4: Acute toxicity – Category 4

Skin irritation Category 2: Skin corrosion/irritation – Category 2

Serious eye damage Category 1: Serious eye damage/eye irritation – Category 1

Specific target organ toxicity - single exposure Category 3: Specific target organ toxicity (single exposure) – Category 3

Aspiration hazard Category 1: Aspiration hazard – Category 1

Hazardous to the aquatic environment acute Category 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Hazardous to the aquatic environment chronic Category 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

NZ