



SAFETY DATA SHEET – Black Label Cut

Section 1: Identification of the Substance and of the Supplier

Product Name: Truckers Pride Black Label Cut
Product Use: Metal Cutting Paste
Company Name: Truckers Pride Ltd
Address: 9C Westech Place, Glen Eden, Auckland, New Zealand
Telephone: +64 277 222 583 [8.00 am to 4.30pm – Monday to Friday]
Emergency Telephone: National Poison Centre (24 hours): 0800 POISON
HSNO Number: None Applicable
Date of preparation 17 November 2020

Section 2: Hazard Identification

Hazardous Substances (Classification) Regulations 2001 Pictogram



Exclamation
mark

Signal word Warning
Hazard statements H317 May cause an allergic skin reaction.

Precautionary statements

General None

Prevention

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P280 Wear protective gloves. Response
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P321 Specific treatment (see supplemental first aid instructions on this label).
- P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
- P363 Wash contaminated clothing before reuse.

Storage None

Disposal

- P501 Dispose of contents / container in accordance with local regulations.



SAFETY DATA SHEET – Black Label Cut

Section 3: Composition on Ingredients

Ingredients

<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
DISTILLATES (PETROLEUM), HYDROTREATED	64742-47-8	To 100
RHODOLINE 1541	9003-04-7	<5
Aluminium Oxide	1344-28-1	<15
Barium Sulphate	231-784-4	<5
Magnesium Silicate	1348-88-0	<5

Section 4: First Aid Measures

EYES:	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation persists.
SKIN:	Remove contaminated clothing immediately. Wash the affected areas with soap or mild detergent and large amounts of water for at least 15 minutes.
INGESTION:	Get medical aid immediately. Induce vomiting by giving one teaspoon of Syrup of Ipecac. Do not induce vomiting if the person is unconscious.
INHALATION:	Move individual to fresh air immediately. If breathing is difficult, give oxygen. If breathing has stopped, administer artificial respiration. Get medical attention.

For Further Information Telephone (24 Hours) The National Poison Centre: 0800 Poison [764 766]

Section 5: Fire Fighting Measures

EXTINGUISHING MEDIA: Small fire – use DRY chemical powder or CO. Large fire – use, water spray or fog

SPECIAL FIRE FIGHTING PROCEDURES: None known

UNUSUAL FIRE AND EXPLOSION HAZARDS: Thermal decomposition may produce toxic fumes.

PRODUCTS OF COMBUSTION: Unknown

HAZARDOUS DECOMPOSITION PRODUCTS: Strong vapors and irritants, carbon monoxide, carbon dioxide

Section 6: Accidental Release Measure

Personal Precautions: Wear appropriate personal protection equipment to prevent contact with skin and eyes, and inhalation of vapours.



SAFETY DATA SHEET – Black Label Cut

Emergency procedures: Stop the source of the leak if safe to do so. Remove or isolate potential sources of ignition. Clear area of unprotected personnel. Contain spill and prevent from entering drains, sewer or any water course. In event of large spill (>100L) notify the Fire Brigade. If contamination of waterway (drain, sewer, water course), immediately contact the Regional Council.

Methods and materials for containment Contain liquid spillage with earth, clay, sand, vermiculite or similar absorbent material. Do not use sawdust or rags. Collect into labelled container or drum that can be sealed for disposal to approved landfill.

Section 7: Handling and Storage

Handling Advice: Avoid contact with eyes and skin. Do not breathe vapor or mist. Avoid prolonged or repeated contact with skin. If potential for splashing exists, protect skin by using sleeve protectors, aprons and face-shield. Immediately remove contaminated clothing. Wash thoroughly after handling. Keep containers closed and out of reach of children. Ground all equipment containing material. Store in a well-ventilated area, away from sources of ignition and direct sunlight.

Storing Procedures: Store at 59F to 86F (15C – 30C) Keep away from heat, sparks and flame

Section 8: Exposure Controls / Personal Protection

ENGINEERING CONTROLS: Use exhaust ventilation or laboratory hood.
Ensure that eyewash stations and quick drench showers are proximal to the workstation or tissue processor.

VENTILATION : Use exhaust ventilation or laboratory hood

RESPIRATORY PROTECTION:

EYE PROTECTION: Goggles

SKIN PROTECTION: Latex or nitrile gloves

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Laboratory coat

WORK HYGIENIC PRACTICES: Wash thoroughly after handling

Source	Form	Limit / Standard			NOTE	Source
DISTILLATES (PETROLEUM), HYDROTREATED LIGHT	Vapor.	RCP - TWA	184 ppm	1200 mg/m ³	Total Hydrocarbon s	ExxonMobil

Aluminium Oxide	WEL (8hr TWA)
Total inhalable dust	10 mg/m ³
Respirable dust	4 mg/m ³

Barium Sulphate	WEL (8hr TWA)
Total inhalable dust	10 mg/m ³
Respirable dust	4 mg/m ³

Magnesium Silicate	WEL (8hr TWA)
Total inhalable dust	1 mg/m ³
Respirable dust	-



SAFETY DATA SHEET – Black Label Cut

Section 9: Physical and Chemical Properties

Appearance	Yellow solution
Odour	Typical
Boiling Point	190C - 211C
pH	NA
Solubility in Water	Soluble in water
Specific Gravity (H₂O = 1)	0.80+/- 0.2
Physical State	Water like solution
Flash Point	>62C
Flammability	flammable
Flammable Limits LEL	.7%
Flammable Limits UEL	5.4%

Section 10: Stability and Reactivity

STABILITY: Product is stable under normal conditions of use.

CONDITIONS TO AVOID (STABILITY): N/A

INCOMPATIBILITY (MATERIAL TO AVOID): Reactive with oxidizing materials, acids and alkalis

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Strong vapors and irritants, carbon monoxide, carbon dioxide

HAZARDOUS POLYMERIZATION: No hazardous polymerization

CONDITIONS TO AVOID (POLYMERIZATION): N/A

Section 11: Toxicological Information

TOXICOLOGICAL INFORMATION: Reproductive Toxicity: Animal embryotoxic Teratogenic and Mutagenic Effects: N/A

ROUTES OF ENTRY: Skin/eye contact, inhalation, and ingestion.

POTENTIAL HEALTH EFFECTS

EYES: Hazardous in case of eye contact (irritant). May cause burns. May cause chemical conjunctivitis or corneal damage.

SKIN: Hazardous in case of skin contact (irritant, corrosive, sensitizer). Skin contact may produce burns. May cause skin sensitization which becomes evident upon re-exposure. Skin inflammation is characterized by itching, scaling, reddening or occasionally blistering.

INGESTION: May be fatal if swallowed. May cause burns to mouth, throat and stomach.

INHALATION: Hazardous in case of inhalation (lung irritant and sensitizer).

Inhalation of spray mist may produce severe irritation of respiratory tract characterized by coughing, choking or shortness of breath. May cause asthmatic attacks due to allergic sensitization.

ACUTE HEALTH HAZARDS: See above, potential health effects.

CHRONIC HEALTH HAZARDS: Effects may be delayed.

Section 12: Ecological Information

Not Known



SAFETY DATA SHEET – Black Label Cut

Section 13: Disposal Considerations

Dispose of waste according to federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Section 14: Transport Information

UN. Number	1268
Proper Shipping Name	PETROLEUM DISTILLATES, N.O.S.
DG Class	3
Hazchem Code	None available
Packing Group	III
EPG Number	None allocated
IERG Number	None allocated

Section 15: Regulatory Information

Hazard Phrases

H302 Harmful if swallowed. H315 Causes skin irritation.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
H335 May cause respiratory irritation. H350 May cause cancer.
H370 Causes damage to nervous system and eyes

Precautionary Phrases

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P260 Do not breath fumes/mist/vapors/spray.
P264 Wash thoroughly after handling.
P270 Do not eat, drink, or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/protective clothing/eye protection/face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician. P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P307 + P311 IF exposed: Call a POISON CENTER or doctor/physician. P333 + P313 If skin irritation or rash occurs: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse.
P308 + P313 IF exposed or concerned: Get medical advice/attention. P405 Store locked up.
P501 Dispose of contents/container in accordance with local and national regulations

Section 16: Other Information

The information herein is given in good faith, but no warranty, express or implied is made. Please contact the New Zealand proprietor, Truckers Pride.
End of Safety Data Sheet.