

1. PRODUCT AND COMPANY IDENTIFICATION

Product Code:	LFGWP40160	
Product Name:	Wicked Metal Polish	
Trade Name:	WICKED PRODUCTS	
Company Name:	Maverick Abrasives 4340 E. Miraloma Ave Anaheim, CA 92087	Phone Number: Office (714)854-9531
Web site address:	www.wickedproducts.com	
Email address:	sales@wickedproducts.com	
Emergency Contact:	INFOTRAC - 24 Hr. Emergency	(800)535-5053
Information:	Contract #914-39	
Part Number:	LFGWP40128, LFGWP40005	

2. HAZARDS IDENTIFICATION

Serious Eye Damage/Eye Irritation, Category 2A
Skin Corrosion/Irritation, Category 3
Specific Target Organ Toxicity (single exposure), Category 3
Acute Toxicity: Inhalation, Category 5
Flammable Liquids, Category 4



GHS Signal Word:	Warning
GHS Hazard Phrases:	H227 - Combustible liquid. H316 - Causes mild skin irritation. H319 - Causes serious eye irritation. H333 - May be harmful if inhaled. H335 - May cause respiratory irritation.
GHS Precautionary Phrases:	P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
GHS Response Phrases:	P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P332+313 - If skin irritation occurs, get medical advice/attention. P337+313 - If eye irritation persists, get medical advice/attention.
GHS Storage and Disposal Phrases:	P403+235 - Store in cool/well-ventilated place. P405 - Store locked up. P501 - Dispose of contents/container to in accordance with all applicable local, state, and federal regulations.

OSHA Regulatory Status:	While this material is not classified as hazardous under OSHA regulations, this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Potential Health Effects (Acute and Chronic):	Hazards not otherwise classified (HNOC) or not covered by GHS -none. Prolonged or repeated skin contact may cause dermatitis. Chronic:
Inhalation:	The toxicological properties of this substance have not been fully investigated. High vapor/aerosol concentrations are irritating to the respiratory tract and may cause headaches, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects including death.
Skin Contact:	Prolonged and/or repeated contact may cause irritation and/or dermatitis. Skin contact may aggravate existing dermatitis.
Eye Contact:	Not available. High vapor/aerosol concentrations are irritating to the eyes.
Ingestion:	Aspiration hazard. May cause irritation of the digestive tract. The toxicological properties of this substance have not been fully investigated. Low viscosity material-if swallowed may enter the lungs and cause lung damage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration	
1344-28-1	Aluminum oxide	30.0 -60.0 %	
64742-47-8	Hydrotreated light distillate (petroleum)	20.0 -30.0 %	

4. FIRST AID MEASURES

Emergency and First Aid Procedures:	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
In Case of Inhalation:	If breathed in, move person into fresh air. Consult a physician. If inhaled, remove to fresh air. If breathing is difficult, give oxygen. Get medical aid.
In Case of Skin Contact:	Wash off with soap and plenty of water. Consult a physician. In case of contact, flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops and persists. Wash clothing before reuse.
In Case of Eye Contact:	Flush eyes with water as a precaution. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical aid.
In Case of Ingestion:	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Get medical aid.
Signs and Symptoms of Exposure:	The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
Indication of any immediate medical attention and special treatment needed:	No data available.
Note to Physician:	Treat symptomatically and supportively.

5. FIRE FIGHTING MEASURES

Flash Pt:	40.00 C (104.0 F) Method Used: Estimate
Explosive Limits:	LEL: No data. UEL: No data.
Autoignition Pt:	> 230.00 C (446.0 F)
Suitable Extinguishing Media:	Use water spray, dry chemical, carbon dioxide, or appropriate foam.
Fire Fighting Instructions:	<p>Wear self contained breathing apparatus for fire fighting if necessary.</p> <p>Further information: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.</p> <p>Vapors can travel to a source of ignition and flash back. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Flammable liquid and vapor. Vapors may be heavier than air. They can spread along the ground and collect in low or confined areas. May accumulate static electrical charges, and may cause ignition of its own vapors. Runoff from fire control or dilution water may cause pollution.</p>
Flammable Properties and Hazards:	No data available.
Hazardous Combustion Products:	No data available.

6. ACCIDENTAL RELEASE MEASURES

Protective Precautions, Protective Equipment and Emergency Procedures:	<p>Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.</p>
Environmental Precautions:	<p>Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.</p>
Steps To Be Taken In Case Material Is Released Or Spilled:	<p>Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Use proper personal protective equipment as indicated in Section 8.</p> <p>Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills immediately, observing precautions in the Protective Equipment section. Remove all sources of ignition. Use a spark-proof tool. Provide ventilation.</p>

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling:	<p>Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Wash thoroughly after handling. Use with adequate ventilation. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Avoid contact with eyes, skin, and clothing. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep container tightly closed. Avoid ingestion and inhalation. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Keep away from heat, sparks and flame.</p>
Precautions To Be Taken in Storing:	<p>Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.</p> <p>Storage class 510): Combustible liquids Non Combustible. Keep away from sources of ignition. Do not store in direct sunlight. Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Flammables-area.</p>

Other Precautions: Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
1344-28-1	Aluminum oxide	PEL: 15 (dust); 5 (resp.) mg/m3	TLV: 10 mg/m3 (E)	No data.
64742-47-8	Hydrotreated light distillate (petroleum)	No data.	TLV: 200 mg/m3	No data.

CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
1344-28-1	Aluminum oxide	Ontario, CA	TWA: 1 ppm (Inhalable aerosol)	
		Québec, CA	TWA: 10 mg/m3	
		Mexico OEL	TWA: 10 mg/m3 () STEL: ()	

Personal Protective Equipment Symbols:



Respiratory Equipment (Specify Type):

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Eye Protection:

Face shield and safety glasses. Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Protective Gloves:

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Wear appropriate protective gloves to prevent skin exposure.

Other Protective Clothing:

Complete suit protecting against chemicals. Wear appropriate protective clothing to prevent skin exposure.

Engineering Controls (Ventilation etc.):

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate general or local explosion-proof ventilation to keep airborne levels to acceptable levels.

Environmental Exposure Controls:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical States:	[] Gas [X] Liquid [] Solid
Appearance and Odor:	Opaque. Piña Colada Odor. Cherry Scent.
pH:	0.00
Melting Point:	-48.99 C (-56.2 F)
Boiling Point:	162.80 C (325.0 F) - 245.00 C (473.0 F)
Flash Pt:	40.00 C (104.0 F) Method Used: Estimate
Evaporation Rate:	No data.
Flammability (solid, gas):	No data available.
Explosive Limits:	LEL: No data. UEL: No data.
Vapor Pressure (vs. Air or mm Hg):	No data.
Vapor Density (vs. Air = 1):	No data.
Specific Gravity (Water = 1):	~ 0.95
Density:	~ 0.82 G/CM3
Solubility in Water:	No data.
Octanol/Water Partition Coefficient:	No data.
Autoignition Pt:	> 230.00 C (446.0 F)
Decomposition Temperature:	No data.
Viscosity:	No data.

10. STABILITY AND REACTIVITY

Reactivity:	No data available.
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	Heat, flames and sparks. ignition sources, Excess heat.
Incompatibility - Materials To Avoid:	Strong oxidizing agents.
Hazardous Decomposition or Byproducts:	No data available. In the event of fire: see section 5. Product does not decompose at ambient temperatures.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	No data available.

11. TOXICOLOGICAL INFORMATION

Toxicological Information: No data available. Inhalation: Dermal. Genotoxicity in vitro - mouse - S.typhimurium: Host-mediated assay. Result: negative. Reproductive toxicity. Aspiration hazard: Epidemiology: No information found. Teratogenicity: No information available. Reproductive Effects: Mutagenicity: Neurotoxicity:

Irritation or Corrosion: Skin corrosion/irritation. Result: Tumorigenic:Tumors at site or application. No skin irritation -4. Serious eye damage/eye irritation: Eyes: Rabbit.

Sensitization: Standard Draize Test. Species: Guinea pig. Result: Tumorigenic:Tumors at site or application.

Chronic Toxicological Effects: Specific target organ toxicity -single exposure (Globally Harmonized System) No data available. Specific target organ toxicity -repeated exposure: no data available.

Carcinogenicity/Other Information: IARC: Group 3: Not classifiable as to its carcinogenicity to humans 3. NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. CAS# 64742-48-9: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
1344-28-1	Aluminum oxide	n.a.	n.a.	A4	n.a.
64742-47-8	Hydrotreated light distillate (petroleum)	n.a.	n.a.	A4	n.a.

12. ECOLOGICAL INFORMATION

Results of PBT and vPvB assessment: No data available. PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Dispose of contents/container to in accordance with all applicable local, state, and federal regulations. The generations of waste should be avoided or minimized wherever possible. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incinerators or landfill should be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drain and sewers. See

Section 8 for information on appropriate personal protective equipment.

14. TRANSPORT INFORMATION

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: NOT REGULATED PER 49 CFR 173.150.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: No information available.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Petroleum distillates, n.o.s. [or] Petroleum products, n.o.s.

UN Number: 1268

Packing Group: III

Hazard Class:

15. REGULATORY INFORMATION

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
1344-28-1	Aluminum oxide	No	No	Yes
64742-47-8	Hydrotreated light distillate (petroleum)	No	No	No

This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Explosive	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric (liquid or solid)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Pyrophoric gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Corrosive to metal	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Combustible Dust		
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	(Physical) Hazard Not Otherwise Classified (HNOC)		

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
1344-28-1	Aluminum oxide	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No
64742-47-8	Hydrotreated light distillate (petroleum)	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No

16. OTHER INFORMATION

Revision Date: 05/01/2019

Hazard Rating System:

HEALTH	<input type="checkbox"/>	1
FLAMMABILITY	<input type="checkbox"/>	1
PHYSICAL	<input type="checkbox"/>	0
PPE	<input type="checkbox"/>	E

HMIS:

Additional Information About No data available.

This Product:

Company Policy or

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are

Disclaimer:

beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product. The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.