

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2020/878; US OSHA HCS 2015; and Canadian WHMIS 2015.

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product Code:** LFGWP67055  
**Product Name:** Renegade ReCoat B-67  
**Trade Name:** WICKED PRODUCTS
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- 1.3 Details of the Supplier of the Safety Data Sheet:**  
**Company Name:** Maverick Abrasives **Phone Number:** Office (714)854-9531  
4340 E. Miraloma Ave  
Anaheim, CA 92087 United States of America  
**Web site address:** www.wickedproducts.com  
**Email address:** cs@renegadeproductsusa.com  
**Information:** Contract #914-39
- 1.4 Emergency telephone number:**  
**Emergency Contact:** INFOTRAC - 24 Hr. Emergency (800)535-5053

### SECTION 2. HAZARDS IDENTIFICATION

- 2.1 Classification of the Substance or Mixture:**  
Flammable Liquids, Category 3  
Skin Corrosion/Irritation, Category 2  
Serious Eye Damage/Eye Irritation, Category 2  
Germ Cell Mutagenicity, Category 1B  
Carcinogenicity, Category 1B  
Specific Target Organ Toxicity (single exposure), Category 3  
Aspiration Toxicity, Category 1

**2.2 Label Elements:**



**GHS Signal Word:** **Danger**

**Hazard-determining components of labelling:**

4-Chlorobenzotrifluoride

SC-100 Solvent

**GHS Hazard Phrases:**

H226 - Flammable liquid and vapor.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

H340 - May cause genetic defects .

H350 - May cause cancer .

H3UN - 15.00 % of the mixture consists of an ingredient or ingredients of unknown acute toxicity.

**GHS Precautionary Phrases:**

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

- P233 - Keep container tightly closed.
- P240 - Ground/bond container and receiving equipment.
- P241 - Use explosion-proof electrical/ventilating/lighting/.../ equipment.
- P242 - Use only non-sparking tools.
- P243 - Take precautionary measures against static discharge.
- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 - Wash hands thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P235 - Keep cool.

**GHS Response Phrases:**

- P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P302+352 - IF ON SKIN: Wash with plenty of soap and water.
- P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+313 - IF exposed or concerned: Get medical attention/advice.
- P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
- P321 - Specific treatment see ... on this label.
- P331 - Do NOT induce vomiting.
- P332+313 - If skin irritation occurs, get medical advice/attention.
- P337+313 - If eye irritation persists, get medical advice/attention.
- P362+364 - Take off contaminated clothing and wash it before reuse.
- P370+378 - In case of fire, use ... to extinguish.

**GHS Storage and Disposal Phrases:**

- P403+233 - Store container tightly closed in well-ventilated place.
- P405 - Store locked up.
- P501 - Dispose of contents/container to ...

**UFI:**

**2.3 Adverse Human Health Hazards** not otherwise classified (HNOC) or not covered by GHS -none.

**Effects and Symptoms:**

- May cause skin dryness or cracking. May cause narcotic effects and respiratory irritation.
- May result in aspiration into the lungs, causing chemical pneumonia or delayed pulmonary edema.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
98-56-6	4-Chlorobenzotrifluoride 01-2119857280-40	60.0 -70.0 %	202-681-1 NA	Flam. Liq. 3: H226 Skin Corr. 2: H315 Eye Damage 2: H319 STOT (SE) 3: H335
25086-15-1	Acrylic resin	5.0 -15.0 %	NA NA	No data available.
64742-95-6	SC-100 Solvent 01-2119455851-35	8.0 -14.0 %	265-199-0 649-356-00-4	Asp. Toxic. 1: H304 Mutagen 1B: H340

Carcinogen 1B: H350

**SECTION 4. FIRST AID MEASURES**

- 4.1 Description of First Aid Measures:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
- In Case of Inhalation:** If breathed in, move person into fresh air. Consult a physician. If inhaled, remove to fresh air. Monitor pulmonary function closely. If there is breathing difficulty, provide oxygen. Seek medical attention. Take this SDS.
- In Case of Skin Contact:** Wash off with soap and plenty of water. Consult a physician. Remove contaminated clothing and shoes. Wash affected area with plenty of water for at least 15 minutes. Wash contaminated clothing and shoes before reuse. Seek medical attention. Take this SDS.
- In Case of Eye Contact:** Flush eyes with water as a precaution. Wash immediately with running water for at least 15 minutes, keeping the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention. Take this SDS.
- In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Give plenty of water to drink. Seek medical attention.
- 4.2 Important Symptoms and Effects, Both Acute and Delayed:** The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- 4.3 Indication of any immediate medical attention and special treatment needed:** No data available. Keep warm and at rest. Avoid any direct contact with the product. Never give anything by mouth to an unconscious person. Symptomatic treatment should include, above all, measured of support as correction of hydro electrolytic and metabolic disturbances and respiratory failure.

**SECTION 5. FIRE FIGHTING MEASURES**

- 5.1 Suitable Extinguishing Media:** Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.
- Unsuitable Extinguishing Media:** Do not use water jet. Burning liquid may float on water.
- 5.2 Flammable Properties and Hazards:** Carbon oxides, Hydrogen chloride gas, Vapors can travel to a source of ignition and flash back. Closed containers may rupture violently when exposed to fire or excessive heat.
- Risk of explosion if heated under confinement. Gas/vapor explosive with air within explosion limits.
- Hazardous Combustion Products:** Toxic vapors may be formed. Incomplete combustion is likely to give rise to a complex mixture of airborne solid and liquid particulates and gases, including carbon monoxide and unidentified organic and inorganic compounds.
- Flash Point:** > 43.00 C (109.4 F) Method Used: Estimate
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** 600.00 C (1112.0 F)
- 5.3 Fire Fighting Instructions:** Wear self contained breathing apparatus for fire fighting if necessary. Further information: Self-contained breathing apparatus (SCBA) operated in positive pressure mode and complete protective clothing.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Protective Precautions, Protective Equipment and Emergency Procedures:** Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8. Avoid dust formation. Use personal protective equipment as described on section 8.
- 6.2 Environmental Precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Avoid spillage reaches watercourses and sewerage systems. It is recommended the installation of fire alarm system and leak detection in storage and handling sites.
- Do not discharge directly into the environment or into the sewer system. The dilution water from fire fighting can cause pollution.
- 6.3 Methods and Material For Containment and Cleaning Up:** Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Sweep up and shovel. Keep in suitable, closed containers for disposal. Isolate the leak from sources of ignition. Prevent sparks or flames.
- Use natural barriers or containment of spillage. Collect spilled product and place in appropriate containers. Prevent spreading over great surfaces (e.g. by damming or installing oil booms). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Dispose of this material and its container to hazardous or special waste collection point.

### SECTION 7. HANDLING AND STORAGE

- 7.1 Precautions To Be Taken in Handling:** Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection. Handle in accordance with good industrial hygiene and safety practice. Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Keep away from clothing as well as other incompatible materials. Use personal protective equipment as required.
- 7.2 Precautions To Be Taken in Storing:** Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class 510) Keep in a dry place. Provide adequate ventilation. Use explosion-proof ventilation equipment.
- Store in well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition source. No smoking. Keep container tightly closed. The floor of the storage room must be impermeable, non-oxidizing and with contentment dikes to retain the product in case of leakage. Store in adequate storage tanks placed in containment basin to retain product in case of leakage.
- Floors should be impenetrable, resistant to liquids and easy to clean. The floor of the depot should be impermeable and designed to form a tight basin. Engineering specifications should meet local regulations.
- Other Precautions:** Apart from the uses mentioned in section 1.2 no other specific uses are stipulated. Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Exposure Parameters:**

**8.2 Exposure Controls:**

**8.2.1 Engineering Controls (Ventilation etc.):** Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. General industrial hygiene practice. Provide adequate ventilation. Provide local exhaust or general room ventilation to minimize vapor concentrations. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not wear contact lenses when working with chemicals.

**8.2.2 Personal protection equipment:**

**Personal Protective Equipment Symbols:**



**Eye Protection:**

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Chemical safety goggles. Do not wear contact lenses when working with chemicals.

**Protective Gloves:**

Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact.

This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario. Protective gloves made of PVC.

**Other Protective Clothing:**

Complete suit protecting against chemicals. Flame retardant antistatic protective clothing. Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Wear suitable protective clothing.

**Respiratory Equipment (Specify Type):**

If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Wear respiratory protection. Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Wear appropriate breathing apparatus if air renewal not sufficient to maintain vapor under TLV.

It is recommended to use a respirator for organic vapors for exposures above half of the TLV-TWA. In cases which exposure exceed three times TLV-TWA values, use supplied air respirator (SCBA), full face-piece operated in positive pressure mode > > TLV.

**8.2.3 Environmental**

**Exposure Controls:**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

**Exposure Scenarios:**

Discharge into the environment must be avoided.

No data available.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>9.1 Information on Basic Physical and Chemical Properties</b>	
<b>Physical States:</b>	[ ] Gas [ X ] Liquid [ ] Solid
<b>Appearance and Odor:</b>	liquid. Color: No data available. Odor Threshold:
<b>pH:</b>	Not established
<b>Melting Point:</b>	-102.10 C (-151.8 F) - -33.00 C (-27.4 F) - Range of ingredient values (sparse data)
<b>Boiling Point:</b>	68.9 C (156.00 F) - 142.2 C (288.00 F)
<b>Flash Point:</b>	> 43.00 C (109.4 F) Estimate
<b>Evaporation Rate:</b>	Not determined
<b>Saturated Vapor Concentration:</b>	No data.
<b>Flammability (solid, gas):</b>	No data available.
<b>Explosive Limits:</b>	LEL: No data. UEL: No data.
<b>Vapor Pressure:</b>	Not determined
	No data.
<b>Vapor Density (vs. Air=1):</b>	> 1.0
<b>Specific Gravity (Water=1):</b>	No data.
<b>Density:</b>	~ 1.353 G/CM3
<b>Solubility in Water:</b>	Not determined
<b>Solubility Notes:</b>	SOLUBLE IN ORGANIC SOLVENTS.
<b>Octanol/Water Partition Coefficient:</b>	No data.
<b>Autoignition Pt:</b>	600.00 C (1112.0 F)
<b>Decomposition Temperature:</b>	No data.
<b>Viscosity:</b>	No data.
<b>Explosive Properties:</b>	Not explosive. No data available.
<b>Information on other hazards:</b>	No data available.

<b>9.2 Other Information</b>	
<b>9.2.1 Information with regard to physical hazard classes</b>	
Information with regard to primary physical hazard:	
<b>9.2.2 Other safety characteristics</b>	
<b>VOC / Volume:</b>	466.1300 G/L



**SECTION 10. STABILITY AND REACTIVITY**

- 10.1 Reactivity:** No data available. Stable under normal conditions of storage and handling as recommended in section 7.  
Vapors may form explosive mixtures with air.
- 10.2 Stability:** Unstable [ ] Stable [ X ]
- 10.3 Conditions To Avoid - Hazardous Reactions:** No data available. The product is stable at normal handling and storage conditions.  
**Possibility of Hazardous Reactions:** Product will not undergo polymerization.  
Will occur [ ] Will not occur [ X ]
- 10.4 Conditions To Avoid - Instability:** Heat, flames and sparks. No data available. Strong oxidizing agents, concentrated oxygen and dinitrogen tetraoxide). Pure oxygen. Do not expose to heat or ignition sources.
- 10.5 Incompatibility - Materials To Avoid:** Strong bases, Strong oxidizing agents. Pure oxygen.
- 10.6 Hazardous Decomposition or Byproducts:** No data available. In the event of fire: see section 5. On burning: combustion may produce irritating and toxic gases.

**SECTION 11. TOXICOLOGICAL INFORMATION**

- 11.1 Information on Toxicological Effects:** Acute toxicity.  
Germ cell mutagenicity: Ames test.  
Bacteria - Salmonella typhimurium, Result: Tumorigenic:Tumors at site or application.  
Not mutagenic in Ames Test. Chromosome aberration test in vitro. Hamster. Cell Type: ovary. Result: negative.  
No data available.  
Aspiration hazard: Acute toxicity: no data available. Inhalation: Dermal. Not classified.  
  
This product presents positive results of mutagenicity in in vitro studies.  
  
Suspected human reproductive toxicant.
- Irritation or Corrosion:** Skin corrosion/irritation.  
  
Result: Tumorigenic:Tumors at site or application. No data available. Serious eye damage/eye irritation: no data available. Causes slightl skin irritation (in vivo assay data)
- Symptoms related to Toxicological Characteristics:** May be fatal if swallowed and enters airways.
- Sensitization:** in vivo assay. Mouse. May cause sensitisation by skin contact. No data available. Not classified.
- Chronic Toxicological Effects:** Specific target organ toxicity -single exposure (Globally Harmonized System) No data available.  
Specific target organ toxicity -repeated exposure: no data available. Specific target organ toxicity - single exposure:
- Carcinogenicity/Other Information:** IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. There are in vivo studies that indicate positive results of kidney cancer.

**11.2 Information on other hazards:** No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
98-56-6	4-Chlorobenzotrifluoride	n.a.	2B	n.a.	n.a.
25086-15-1	Acrylic resin	n.a.	n.a.	n.a.	n.a.
64742-95-6	SC-100 Solvent	n.a.	n.a.	n.a.	n.a.

**SECTION 12. ECOLOGICAL INFORMATION**

**12.1 Toxicity:** No data available. Toxic to aquatic life with long lasting effects.

**12.2 Persistence and Degradability:** Biodegradability: Result: 2 % -According to the results of tests of biodegradability this product is not readily biodegradable. No data available. According to the results of tests of biodegradability this product is not readily biodegradable.

**12.3 Bioaccumulative Potential:** No data available. Most of the hydrocarbon blocks comprising gasoline have a Log Kow > 3,, indicating these constituents have a potential to bioaccumulate.

**12.4 Mobility in Soil:** No data available.

**12.5 Results of PBT and vPvB assessment:** PBT/vPvB assessment not available as chemical safety assessment not required/not conducted. This substance/mixture does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** No data available.

**12.7 Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects. No data available.

**SECTION 13. DISPOSAL CONSIDERATIONS**

**13.1 Waste Disposal Method:**

Product:  
Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging: Regional legislation (waste):  
Federal, state and local laws should be consulted.

Waste treatment methods:  
Treatment should be carried out as established for the product, recommending routes of co-processing in cement kilns and incineration.

Waste disposal recommendations:  
Waste should be disposed as hazardous waste according to local regulations. The treatment and disposal should be evaluated specifically for each product.



**SECTION 14. TRANSPORT INFORMATION**

**14.1 LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Flammable liquids, n.o.s. (SC-100 Solvent)  
**DOT Hazard Class:** 3 FLAMMABLE LIQUID  
**UN/NA Number:** UN1993 **Packing Group:** III



**14.1 LAND TRANSPORT (Canadian TDG):**

**TDG Shipping Name:** Flammable liquids, n.o.s.  
**UN Number:** UN1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID **TDG Classification:**

**14.1 LAND TRANSPORT (European ADR/RID):**

**ADR/RID Shipping Name:** Flammable liquids, n.o.s.  
**UN Number:** UN1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID

**14.3 AIR TRANSPORT (ICAO/IATA):**

**ICAO/IATA Shipping Name:** Flammable liquids, n.o.s.  
**UN Number:** UN1993 **Packing Group:** III  
**Hazard Class:** 3 - FLAMMABLE LIQUID

**SECTION 15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:**

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
98-56-6	4-Chlorobenzotrifluoride	No	No	No
25086-15-1	Acrylic resin	No	No	No
64742-95-6	SC-100 Solvent	No	No	No

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**

<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Explosive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Acute toxicity (any route of exposure)
<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Flammable (gases, aerosols, liquid, or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Skin Corrosion or Irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Oxidizer (liquid, solid or gas)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Serious eye damage or eye irritation
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-reactive	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Respiratory or Skin Sensitization
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric (liquid or solid)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Germ cell mutagenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric gas	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Carcinogenicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-heating	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Reproductive toxicity
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Organic peroxide	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Specific target organ toxicity (single or repeated exposure)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Corrosive to metal	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Aspiration Hazard
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Gas under pressure (compressed gas)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Simple Asphyxiant
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No In contact with water emits flammable gas	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Health) Hazard Not Otherwise Classified (HNOC)
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Combustible Dust	
<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Physical) Hazard Not Otherwise Classified (HNOC)	

CAS #	Hazardous Components (Chemical Name)	Canadian NPRI	Canadian Toxic	Canadian DSL
98-56-6	4-Chlorobenzotrifluoride	No	No	Yes
25086-15-1	Acrylic resin	No	No	Yes
64742-95-6	SC-100 Solvent	Yes: Part 5	No	Yes

**California Proposition 65**



**WARNING**

This product can expose you to chemicals including p-chloro-á,á,á-trifluorotoluene (para-Chlorobenzotrifluoride, PCBTF), which is known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

CAS #	Hazardous Components (Chemical Name)	Other US EPA or State Lists
98-56-6	4-Chlorobenzotrifluoride	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: Yes: Canc.
25086-15-1	Acrylic resin	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No
64742-95-6	SC-100 Solvent	CAA HAP,ODC: No; CWA NPDES: No; CA PROP.65: No

**15.2 Chemical Safety**

**Assessment:**

**SECTION 16. OTHER INFORMATION**

**Revision Date:** 01/17/2024

**Hazard Rating System:**

<b>HEALTH</b>	2
<b>FLAMMABILITY</b>	3
<b>PHYSICAL</b>	0
<b>PPE</b>	J

**HMIS:**

**Additional Information About This Product:**

The information contained herein is based on data considered to be accurate. However, the information is provided without any warranty, expressed or implied, regarding its correctness. The conditions of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use or disposal of this product.