



According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 29-07-2022 Product code: 1905 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DPF and Catalyst Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

cleaning solvent for diesel particulate filter

1.3. Details of the supplier of the safety data sheet

Company name: Bluechem Australia

Street: Unit 2, 102-110 NORTH VIEW DRIVE Place: 3020 SUNSHINE, VICTORIA, AUSTRALIA

Telephone: (03) 9311 4456 Telefax: (03) 9311 7712

e-mail: admin@bluechemaustralia.com.au

Contact person: Neil Cochrane

Internet: www.bluechemaustralia.com.au

1.4. Emergency telephone Emergency 24 HOUR: Neil Cochrane (03) 9311 4456 or 0498 880 115

number:

Further Information

Article Number: 33151

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS CHEMICAL ACCORDING TO SAFE WORK AUSTRALIA AND WHS CRITERIA.

CLASSIFIED AS DANGEROUS GOODS ACCORDING TO THE ADG CODE.

POISON SCHEDULE: none allocated

Classification according to WHS

Hazard categories:

Aerosol: Aerosol 3 (Additional information –UN-GHS)

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Pressurised container: May burst if heated.

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements

Labeling according to WHS

Component(s) to be indicated on the label

2-aminoethanol, ethanolamine 3 -< 5 % non-hazardous ingredients > 60 %

Signal word: Danger

Pictograms:



corrosion

Hazard statements

H229 Pressurised container: May burst if heated. (Additional information –UN-GHS)

H315 Causes skin irritation.





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 2 of 9

H318 Causes serious eye damage.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of this material and its container to hazardous or special waste collection point.

Special labelling of certain mixtures

18,0 % by mass of the contents are flammable.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aerosols, non-flammable

non-hazardous ingredients > 60 %

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according to WHS	•			
34590-94-8	(2-methoxymethylethoxy)propanol				
	252-104-2		01-2119450011-60		
141-43-5	2-aminoethanol, ethanolamine		3 -< 5 %		
	205-483-3	603-030-00-8			
	Acute Tox. 4, Acute Tox. 4, Acute				
7320-34-5	tetra-potassium-diphosphate (potassium-pyro-phosphate)				
	230-785-7				
	Eye Irrit. 2A; H319				

Full text of H and AUH phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down.

Change contaminated clothing.





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 3 of 9

After inhalation

Provide fresh air. If victim is at risk of losing consciousness, position and transport on their side.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

In case of skin irritation, seek medical treatment.

After contact with eyes

If product gets into the eye, keep e4yelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an opthalmologist.

After ingestion

Do NOT induce vomiting. Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

The following symptoms may occur:

unconsciousness. Intoxication. vomiting. drowsiness. Headache.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Extinguishing powder.

Carbon dioxide (CO2).

Water fog.

alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Swims on the water. Vapours are heavier than air and will spread at floor level.

5.3. Advice for firefighters

HAZCHEM: none allocated

Additional information

Cool endangered container in case of fire.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Wear suitable solvent-proof protective clothing according to EN 465. Keep away from sources of ignition. - No smoking. Avoid contact with skin and eyes.

Do not breathe gas/fumes/vapour/spray.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Information for safe handling look up chapter 7.

Information for personal protective equipment look up chapter 8.

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 4 of 9

Advice on safe handling

Keep only in the original container in a cool, well-ventilated place. Have to care for a good Ventilation at workplace.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

The floor should be leak tight, jointless and not absorbent. Keep only in the original container in a cool, well-ventilated place. Do not store at temperatures over: 50 °C Heating causes rise in pressure with risk of bursting.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits (OEL) - Australia

CAS No	Substance	ppm	mg/m3	Category
34590-94-8	(2-Methoxymethylethoxy)propanol	50	308	TWA
34590-94-8	(2-Methoxymethylethoxy)propanol	-	-	STEL
141-43-5	Ethanolamine	3	7.5	TWA
141-43-5	Ethanolamine	6	15	STEL

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs.

Remove contaminated, saturated clothing immediately. Wash hands before breaks and after work.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin and eyes.

Eye/face protection

Wear tightly sealed safety glasses against possible splashes into the eyes.

Hand protection

Tested protective gloves are to be worn: FKM (Fluoroelastomer (Viton)).NBR (Nitrile rubber).

Respiratory protection

Have to care for a good Ventilation at workplace.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: aerosole
Colour: transparent
Odour: characteristic

Test method

pH-Value (at 20 °C): 11,4

Changes in the physical state





According to the Model WHS Regulations and the ADG code

Revision date: 12.05.2017 Product code: 1905 Page 5 of 9

Initial boiling point and boiling range: Flash point: 75 °C Lower explosion limits: 1,1 vol. % Upper explosion limits: 14,0 vol. %

270 °C Ignition temperature: Vapour pressure: 8000 hPa

(at 20 °C)

Density (at 20 °C): 1,011 g/cm³ Solvent content: Organic solvents: 18 %

Water .: 80 %

100 °C

9.2. Other information

Solid content: 1,0 %

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

No dangerous reactions are known.

10.4. Conditions to avoid

Do not store at temperatures over: 50 °C Keep away from heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name						
	Exposure route	Dose		Species	Source		
141-43-5	2-aminoethanol, ethanolamine						
	oral	LD50	1515 mg/kg	Rat			
	dermal	LD50	1025 mg/kg	Rabbit	IUCLID		
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation. Irritation of eyes: Irritant effect possible.





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 6 of 9

SECTION 12: Ecological information

12.1. Toxicity

No information available.

CAS No	Chemical name							
	Aquatic toxicity	Dose	Dose		Species	Source		
141-43-5	2-aminoethanol, ethanolamine							
	Acute fish toxicity	LC50	150 mg/l	96 h	Onchorhynchus mykiss	IUCLID		
	Acute algae toxicity	ErC50	22 mg/l	72 h	Desmodesmus subspicatus			
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna			
7320-34-5	tetra-potassium-diphosphate	tetra-potassium-diphosphate (potassium-pyro-phosphate)						
	Acute fish toxicity	LC50	>750 mg/l	96 h	Leuciscus idus			

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-43-5	2-aminoethanol, ethanolamine	-1,91 (25°C)

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not dispose with household waste.

Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Waste disposal number of used product

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADG)

14.1. UN number: UN 1950





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 7 of 9

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es):214.4. Packing group:-Hazard label:2.2



Special Provisions: 63 190 277 327 344

Limited quantity: 1 L

Other applicable information (land transport)

HAZCHEM: none allocated

Marine transport (IMDG)

14.1. UN number:UN 195014.2. UN proper shipping name:AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2



Marine pollutant:

Special Provisions: 63, 190, 277, 327, 344, 959

Limited quantity: 1000 mL Excepted quantity: E0 EmS: F-D, S-U

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1950
14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es):2.214.4. Packing group:-Hazard label:2.2



Special Provisions: A98 A145 A167 A802

Limited quantity Passenger: 30 kg G Passenger LQ: Y203 Excepted quantity: E0

IATA-packing instructions - Passenger:203IATA-max. quantity - Passenger:75 kgIATA-packing instructions - Cargo:203IATA-max. quantity - Cargo:150 kg

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 8 of 9

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 15 %

Additional information

Contains:

< 5 % Phosphate

< 5 % nonionic tensides

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

Additional information

POISON SCHEDULE: none allocated

All components of this mixture are listed on or exempted from AICS.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADG = Australian Code for the Transport of Dangerous Goods by Road & Rail

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

HAZCHEM = HAZardous CHEMicals

WHS = Work Health and Safety

NOHSC = National Occupational Health and Safety Commission (Australia)

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and AUH phrases (number and full text)

H229 Pressurised container: May burst if heated.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.





According to the Model WHS Regulations and the ADG code

DPF and Catalyst Cleaner

Revision date: 12.05.2017 Product code: 1905 Page 9 of 9

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)