

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Diesel Organic Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Cleaning agent for Fuel Systems

1.3. Details of the supplier of the safety data sheet

Company name:	Bluechem Australia	
Street:	UNIT 4, 63 BRUNEL ROAD	
Place:	SEAFORD VICTORIA 3198 AUSTRALIA	
Telephone:	(03) 9311 4456	Telefax: (03) 9311 7712
e-mail:	admin@bluechemaustralia.com.au	
Contact person:	Neil Cochrane	
Internet:	www.bluechemaustralia.com.au	

1.4. Emergency telephone number:

Emergency 24 HOUR: Neil Cochrane (03) 9311 4456 or 0498 880 115

Further Information

Article Number: 33650

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

CLASSIFIED AS HAZARDOUS CHEMICAL ACCORDING TO SAFE WORK AUSTRALIA AND WHS CRITERIA.
CLASSIFIED AS DANGEROUS GOODS ACCORDING TO THE ADG CODE.
POISON SCHEDULE: none allocated

Classification according to WHS

Hazard categories:
Flammable liquid: Flam. Liq. 2
Serious eye damage/eye irritation: Eye Irrit. 2A
Specific target organ toxicity - single exposure: STOT SE 3
Hazard Statements:
Highly flammable liquid and vapour.
Causes serious eye irritation.
May cause drowsiness or dizziness.

2.2. Label elements**Labeling according to WHS****Component(s) to be indicated on the label**

propan-2-ol; isopropyl alcohol; isopropanol 80 -< 100 %
isotridecanole, ethoxylised 3 -< 8 %

Signal word: Danger**Pictograms:**

flame - exclamation mark

Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 2 of 9

H336 May cause drowsiness or dizziness.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.
P242 Use non-sparking tools.
P243 Take action to prevent static discharges.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312 Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P233 Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of this material and its container to hazardous or special waste collection point.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to WHS criteria			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			80 - 100 %
	200-661-7		01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2A, STOT SE 3; H225 H319 H336			
69011-36-5	isotridecanole, ethoxylised			3 - 8 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and AUH phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 3 of 9

After inhalation

Following inhalation: Move victim to fresh air. Consult physician.
In case of respiratory tract irritation, consult a physician.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.
Seek medical attention if problems persist.

After contact with eyes

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 5 minutes. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water.
Let water be drunk in little sips (dilution effect).
Consult physician.

4.2. Most important symptoms and effects, both acute and delayed

Frequently or prolonged contact with skin may cause dermal irritation.
Irritation of eyes: Irritant effect possible.
Vapours may cause drowsiness and dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

After ingestion of absorption substances:
Give activated carbon, in order to reduce the resorption in the gastro-enteric tract.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Water fog.
alcohol resistant foam.
Carbon dioxide (CO₂).
Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Cool endangered container in case of fire.
Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
HAZCHEM: ●2YE

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Wear personal protection equipment.
Provide adequate ventilation.

6.2. Environmental precautions

Do not empty into drains or the aquatic environment.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Collect in closed containers for disposal.

6.4. Reference to other sections

Information for safe handling look up chapter 7.
Information for personal protective equipment look up chapter 8.
Information for disposal see section 13.

SECTION 7: Handling and storage

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 4 of 9

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation.
Avoid contact with skin and eyes.

Advice on protection against fire and explosion

Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.
Use explosion-proof machinery, apparatus, ventilation facilities, tools etc.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.
Keep away from moisture.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits (OEL) - Australia

CAS No	Substance	ppm	mg/m ³	Category
67-63-0	Isopropyl Alcohol	400	983	TWA
67-63-0	Isopropyl Alcohol	500	1.230	STEL

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Protective and hygiene measures

Provide adequate ventilation.
Do not breathe gas/fumes/vapour/spray.
Avoid contact with skin and eyes.
Remove contaminated, saturated clothing immediately.
When using do not eat, drink or smoke.
Protect skin by using skin protective cream.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

Suitable material: Butyl rubber, FKM (Fluoroelastomer (Viton)).
Material thickness: 0.4 – 0.5 mm
penetration time \geq 480 min
For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values aerosol or mist generation.
Wear suitable breathing apparatus (filter typ ABEK).



Safety Data Sheet

bluechem
GROUP

According to the Model WHS Regulations and the ADG code

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 5 of 9

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless cloudy
Odour:	product-specific

Test method

pH-Value:	not applicable
-----------	----------------

Changes in the physical state

Initial boiling point and boiling range:	82 °C
Flash point:	12 °C DIN 51755
Lower explosion limits:	2 vol. %
Upper explosion limits:	12 vol. %

Auto-ignition temperature

Gas:	425 °C
Density (at 20 °C):	0,795 g/cm ³ DIN 51757
Viscosity / dynamic: (at 20 °C)	2,5 mPa·s DIN 53015

9.2. Other information

No data

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

Reacts violently with: Oxidizing agents, strong.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

none
thermal decomposition: standard pressure decomposition distillable
Reacts violently with: Oxidizing agents, strong.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Vapours may cause drowsiness and dizziness.

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 6 of 9

CAS No	Chemical name				
	Exposure route	Dose		Species	Source
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50	5280 mg/kg	Rat	
	dermal	LD50	12800 mg/kg	Rabbit	
	inhalation (4 h) vapour	LC50	47,5 mg/l	Rat	
69011-36-5	isotridecanole, ethoxylised				
	oral	LD50	>2000 mg/kg	Rat	
	dermal	LD50	>2000 mg/kg	Rabbit	

Irritation and corrosivity

Frequently or prolonged contact with skin may cause dermal irritation.
Irritation of eyes: Irritant effect possible.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name				
	Aquatic toxicity	Dose	[h] [d]	Species	Source
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	Acute fish toxicity	LC50 9640 mg/l	96 h	Pimephales promelas	
	Acute algae toxicity	ErC50 1000 mg/l	72 h	Algae	
	Acute crustacea toxicity	EC50 13299 mg/l	48 h	Daphnia magna	
69011-36-5	isotridecanole, ethoxylised				
	Acute fish toxicity	LC50 1-10 mg/l	96 h	Cyprinus carpio (Carp)	
	Acute algae toxicity	ErC50 1-10 mg/l	72 h	Fish	
	Acute crustacea toxicity	EC50 1-10 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

Easily biodegradable (concerning to the criteria of the OECD)

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
69011-36-5	isotridecanole, ethoxylised			
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	> 60 %	28	
	OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A	> 70 %	28	

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 7 of 9

Advice on disposal

Carry out a burning of hazardous waste according to official regulations.
For this product, the waste identity number according to the European waste catalogue can not be defined because the designated use by the consumer allows the classification first.
Arrange about the exact waste code with the local waste disposal expert.

SECTION 14: Transport information

Land transport (ADG)

14.1. UN number: UN 1219
14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Special Provisions: 601
Limited quantity: 1 L

Other applicable information (land transport)

HAZCHEM: •2YE

Marine transport (IMDG)

14.1. UN number: UN 1219
14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Marine pollutant: -
Special Provisions: -
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1219
14.2. UN proper shipping name: Isopropyl alcohol
14.3. Transport hazard class(es): 3
14.4. Packing group: II
Hazard label: 3



Special Provisions: A180
Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2



Safety Data Sheet

According to the Model WHS Regulations and the ADG code

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 8 of 9

IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Contains:
5 - 15 % nonionic tensides

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

Additional information

POISON SCHEDULE: none allocated
All components of this mixture are listed on or exempted from AICS.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADG = Australian Code for the Transport of Dangerous Goods by Road & Rail
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
HAZCHEM = HAZardous CHEMicals

WHS = Work Health and Safety
NOHSC = National Occupational Health and Safety Commission (Australia)
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration



Safety Data Sheet

bluechem 
GROUP

According to the Model WHS Regulations and the ADG code

Diesel Organic Cleaner

Revision date: 29.07.2022

Product code: 2286

Page 9 of 9

Relevant H and AUH phrases (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights.

The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)