

Catalogue number: **CVS EUR**□□□□/□□
CVS EUR□□□□/□□-OR




CVS Eureka IP55 Mild Steel Free Standing Enclosures



CVS Eureka IP55 Mild Steel Free Standing Enclosures

- Colour Options: RAL 7035 grey, X15 Orange
- IP55 Mild Steel Enclosures
- Enclosure heights from 1600mm to 2000mm
- Enclosure depth 300/400mm
- Rigid Construction
- High resistance to impact
- C-Rails welded on the internal body for mounting accessories
- Complete with 3.0mm mounting plates and Black Plinth
- Built for IEC 60529 standards



Properties

Properties	
Manufacturer	CVS
Product Range	Eureka IP55 Mild Steel Floor Standing Enclosures
IP rating	IP55
Enclosure Material	Polyester Powder coated Mild Steel
Enclosure Thickness	2.0mm
Available Colours	RAL7035 Grey, X15 Orange
Operating Temperature	Resistant to High temperatures
Resistance to chemicals	Resistant to chemical attacks
Impact resistance	High resistance to Impact
Earthing	Studs available on body, door, and mounting plate
EMC shielding	Blockage of electromagnetic signals (Mild Steel)
Mounting Plate	3mm Thick Mounting Plate with adjustable depth
Cable Entry	Top entry- 2mm Mild Steel Polyester Powder Coated Gland Plate
Standards	Built to IEC 529 standards




Catalogue number: **CVS EUR**□□□□/□□
CVS EUR□□□□/□□-OR




CVS Eureka IP55 Mild Steel Free Standing Enclosures

Dimensions for EUR CVS 168/40 to 2080/40




FRONT ELEVATION




FRONT ELEVATION
FRONT DOOR NOT SHOWN




SIDE VIEW



GEAR TRAY



BOTTOM VIEW
3.0MM BLACK PLINTH




TOP VIEW

Enclosure Part No.	A	B	C	D
EUR CVS 168/40	1600	1534	1516	1472
EUR CVS 188/40	1800	1734	1716	1672
EUR CVS 2080/40	2000	1934	1916	1872

Dimensions for EUR CVS 1810/40 & 2010/40




FRONT ELEVATION




FRONT ELEVATION
FRONT DOOR NOT SHOWN




SIDE VIEW



GEAR TRAY



BOTTOM VIEW
3.0MM BLACK PLINTH



TOP VIEW

Enclosure Part No.	A	B	C	D
EUR CVS 1810/40	1800	1734	1716	1672
EUR CVS 2010/40	2000	1934	1916	1872



N.A.W. Controls Pty. Ltd.
 Telephone: (03) 9464 6555
www.nawcontrols.com.au


CVS Eureka Free Standing Enclosure Datasheet
 September 2020

Catalogue number: **CVS EUR**□□□□/□□
CVS EUR□□□□/□□-OR



CVS Eureka IP55 Mild Steel Free Standing Enclosures

Dimensions for EUR CVS 1812/40 & 2012/40



Enclosure Part No.	A	B	C	D
EUR CVS 1812/40	1800	1734	1716	1672
EUR CVS 2012/40	2000	1934	1916	1872

