

Catalogue number: **CVS EUR**□□□□-□□
CVS EUR□□□□-□□-OR
 CVS Eureka IP55 Mild Steel Free Standing Enclosures



- AS/NZS 61439.1
- Color Options: RAL 7035 grey, X15 Orange
- IP55 Mild Steel Enclosures
- Enclosure heights from 1600mm to 2000mm
- Enclosure depth 300/400mm
- Rigid Construction
- High resistance to impact
- C-Rails welded on the internal body for mounting accessories
- Complete with 3.0mm mounting plates and Black Plinth
- Built for IEC 60529 standards
- Both the mounting plate and the inner door is adjustable via side mounting rails

Height		Width		Depth		Colour	
18	1800 mm	6	600 mm	30	300 mm		RAL7035 Grey
20	2000 mm	8	800 mm	40	400 mm	-OR	X15 Orange
		10	1000 mm				
		12	1200 mm				

Properties


Properties	
Manufacturer	CVS
Product Range	Eureka IP55 Mild Steel Floor Standing Enclosures
IP rating	IP55
Enclosure Material	Polyester Powder coated Mild Steel
Enclosure Thickness	2.0mm
Available Colours	RAL7035 Grey, X15 Orange
Operating Temperature	Resistant to High temperatures
Resistance to chemicals	Resistant to chemical attacks
Impact resistance	High resistance to Impact
Earthing	Studs available on body, door, and mounting plate
EMC shielding	Blockage of electromagnetic signals (Mild Steel)
Mounting Plate	3mm Thick Mounting Plate with adjustable depth
Cable Entry	Bottom entry- 2mm Mild Steel Polyester Powder Coated Gland Plate
Standards	Built to IEC 529 standards




Catalogue number: **CVS EUR**□□□□-□□
CVS EUR□□□□-□□-OR
 CVS Eureka IP55 Mild Steel Free Standing Enclosures



Dimensions for CVS EUR186-30 & 206-30



Dimensions for CVS EUR168 to 2080




N.A.W. Controls Pty. Ltd.
 Telephone: (03) 9464 6555
www.nawcontrols.com.au

CVS Eureka Free Standing Enclosure Datasheet
 May 2025

Catalogue number: **CVS EUR**□□□□-□□
CVS EUR□□□□-□□-OR
CVS Eureka IP55 Mild Steel Free Standing Enclosures




Dimensions for CVS EUR1810 & 2010



Enclosure Part No.		A	B	C	D	E
CVS EUR1810-30	CVS EUR1810-30-OR	1800	1734	1716	1672	300
CVS EUR1810-40	CVS EUR1810-40-OR	1800	1734	1716	1672	400
CVS EUR2010-30	CVS EUR2010-30-OR	2000	1934	1916	1872	300
CVS EUR2010-40	CVS EUR2010-40-OR	2000	1934	1916	1872	400

Dimensions for CVS EUR1812 & 2012



Enclosure Part No.		A	B	C	D	E
CVS EUR1812-40	CVS EUR1812-40-OR	1800	1734	1716	1672	400
CVS EUR2012-30	CVS EUR2012-30-OR	2000	1934	1916	1872	300
CVS EUR2012-40	CVS EUR2012-40-OR	2000	1934	1916	1872	400

