





GEN3 1 Phase and 3 Phase Combination Switched Socket Outlets, Surface Socket Outlets, Changeover and Reversing Switches



GEN3 Socket Outlets

- Combination Outlet from 10 to 50A
- Available in 3, 4 and 5 pin
- IP Rating; IP66
- Made from PCA 18 virgin grade plastics
- All internal connections have greater than 80% Copper content, which helps with the heat rise.
- Compatible with other major brands
- Standards; Conforming to AS/NZS 3123:2005
- Approval: RCM



 \Box PH \Box


CO
1 & 3 Phase Combination Switched
Socket Outlets

Phases		
1	1 Phase	
3	3 Phase	

CO


Pin Configuration	
	3 Flat Pins (Only 10-15 A)
3	3 Round Pins
4	4 Round Pins
5	5 Round Pins

Rated Current		
10 A		
15 A		
20 A		
20 A		
32 A		
32 A		
40 A		
50 A		



Pin Configuration		
1	3 Round Pins	
А3	3 Flat Pins (Auto Switched)	
3	3 Flat Pins	
4	4 Round Pins	
5	5 Round Pins	

Rated (Current
10	10 A
15	15 A
20	20 A
20R	20 A
32	32 A
32R	32 A
40	40 A
50	50 A



Switches- 2P & 3P Switches, 3P Changeover and Reversing Switches

Poles	
2	2 Pole
3	3 Pole

F	Rated	Current
	10	10 A
	20	20 A
	32	32 A
	50	50 A
	63	63 A

1	Type of Switch		
	2P and 3P Switches		
C-O	Changeover Switch		
F-R	Reversing Switch		











GEN3 1 Phase and 3 Phase Combination Switched Socket Outlets, Surface Socket Outlets, Changeover and Reversing Switches


Properties

Properties			
Manufacturer	GEN3		
Product Range	GEN3 Industrial Switches and Plug Sets		
IP Rating	IP66		
Rated Current	10 - 50 A		
Rated Voltage	250 V (1 Phase), 500 V (3 Phase)		
Standards	AS/NZS 3123:2005		


Dimensions for CO1PH□□









Dimensions for CO1PH3□□R
















GEN3 1 Phase and 3 Phase Combination Switched Socket Outlets, Surface Socket Outlets, Changeover and Reversing Switches

Dimensions for CO3PH4□□










MOUNTING HOLE DETAIL


Dimensions for CO3PH5□□









Dimensions for SCA3□□ / SC3□□







MOUNTING HOLE DETAIL








GEN3 1 Phase and 3 Phase Combination Switched Socket Outlets, Surface Socket Outlets, Changeover and Reversing Switches


Dimensions for SC1□□R








SIDE VIEW




MOUNTING HOLE DETAIL


Dimensions for SC4□□



FRONT VIEW




SIDE VIEW




MOUNTING HOLE DETAIL

Dimensions for SC5□□




FRONT VIEW




SIDE VIEW

63.00




MOUNTING HOLE DETAIL

Dimensions for S□P□□



25.35 99.34

SIDE VIEW



MOUNTING HOLE DETAIL












GEN3 1 Phase and 3 Phase Combination Switched Socket Outlets, Surface Socket Outlets, Changeover and Reversing Switches

Dimensions for S3P20C-O










MOUNTING HOLE DETAIL

Dimensions for S3P20F-R







Wiring Instructions for S3P20C-O/S3P20F-R

