

MATERIAL SAFETY DATA SHEET



**NEIL WALLACE
PRINTMAKING
SUPPLIES**

Revision Date: 16/04/2019 MATERIAL SAFETY DATA SHEET

Revision Date: 16/04/2019

Transport/Fire Emergency: **000** (Emergency Services)
Medical Emergency: **131126** (Poisons information)

409 GORE ST FITZROY VIC 3065
T: +61 3 9419 5949 F: +61 3 9419 4232
E: sales@e-artstore.net

**Art Spectrum
Artist Acrylic Gesso**

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION	
PRODUCT NAME:	Artist Acrylic Gesso
OTHER NAMES:	Gesso, primer
APPLICATION OF SUBSTANCE:	Art work: used to prime surfaces in preparation for painting
MANUFACTURED BY:	ART SPECTRUM MANUFACTURING CO. PTY. LTD. ACN 060 705 679 P.O. Box 287, Brunswick, 3056, Victoria. Australia
CONTACT NUMBERS:	Phone 61 03 9387 9799 Fax 61 03 9830 4825

2. HAZARDOUS INFORMATION	
Classified as not hazardous according to criteria of NOHSC	
MANUFACTURER'S CODE:	N/A
UN NUMBER:	N/A
DANGEROUS GOODS CLASS AND SUBSIDIARY RISK:	None
HAZCHEM CODE:	N/A
POISONS SCHEDULE NUMBER:	N/A
PACKAGING GROUP:	N/A
HAZARD CATEGORY:	N/A
CLASS:	N/A

3. COMPOSITION / INFORMATION ON INGREDIENTS	
CHEMICAL ENTITY: Titanium oxide, mica/calcite, plasticiser (organo phosphate ester), binder (acrylic polymer latex)	
CAS NUMBER: Titanium oxide: 13463-67-7, mica/calcite: 12001-26-2/1317-65-3, plasticiser: none, binder: 25265-77-4 / 9004-62-0	
PROPORTION: Titanium oxide: 15-20%, mica/calcite: 10-20%, plasticiser: <0.5%, Binder: <35%	

4. FIRST AID MEASURES	
GENERAL:	Classified as not hazardous according to criteria of NOHSC. Treat symptomatically.
INHALATION:	Low hazard for usual handling. FIRST AID: Move subject to fresh air if smell affects.
EYE CONTACT:	May cause irritation. FIRST AID: Flush eye with water for at least 15 minutes. Seek medical attention if irritation persists.
SKIN CONTACT:	Mild irritation if in prolonged contact. FIRST AID: Wash with soap and warm water.
INGESTION:	Low toxicity. May irritate mouth and throat. May cause diarrhoea and vomiting. FIRST AID: if swallowed, dilute by giving 2 glasses of water to drink. If necessary, seek medical attention.

5. FIRE FIGHTING MEASURES	
EXTINGUISHING MEDIA:	N/A
DO NOT USE:	N/A
DEGREE OF FIRE RISK:	Non flammable aqueous liquid.
RECOMMENDATIONS:	When dried, the residues formed may burn if ignited, giving off organic vapours, co2 and carbon monoxide gases. When dried, the rubber film produced may burn if ignited.

6. ACCIDENTAL RELEASE MEASURES	

7. HANDLING AND STORAGE	
HANDLING:	Work in a well ventilated area.
STORAGE:	Store at ambient temperature away from food stuffs and out of the reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
ENGINEERING MEASURES:	None established.
<i>PERSONAL PROTECTION</i>	
RESPIRATORY PROTECTION:	N/A
HAND PROTECTION:	For prolonged handling, a protective barrier cream or rubber gloves may be desirable.
EYE PROTECTION:	N/A

8. EXPOSURE CONTROL AND PERSONAL PROTECTION	
SKIN PROTECTION:	N/A
9. PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE:	Milky white liquid
FLASH POINT:	Not determined
BOILING POINT:	> 100°C
VAPOUR PRESSURE:	< 17mm of HG
VAPOUR DENSITY:	N/A
SPECIFIC GRAVITY:	1.2-1.3 at 20°C
SOLUBILITY IN WATER:	Dilutable
MELTING POINT:	N/A
10. STABILITY AND REACTIVITY	
N/A	
11. TOXICOLOGICAL INFORMATION	
N/A	
12. ECOLOGICAL INFORMATION	
N/A	
13. DISPOSAL CONSIDERATIONS	
Spills and disposal: wipe up with damp cloth. Larger spills can be collected with absorbent material such as sand, saw dust, etc..	
14. TRANSPORT INFORMATION	
N/A	
15. REGULATORY INFORMATION	
N/A	
16. OTHER INFORMATION	
For any further technical information, phone (03) 9388 0766. The information on this MSDS is based on our knowledge of the product at the time of publication, and is given in good faith. The consequence resulting from any mishandling or misuse is not the responsibility of Art Spectrum Manufacturing Pty Ltd.	

