

SAFETY DATA SHEET

NX3 Nexus® Third Generation Dual Cure Base and Catalyst

Section 1. Identification

Product name : NX3 Nexus® Third Generation Dual Cure Base and Catalyst

Other means of identification

: Not available.

Product type

: Paste.

Relevant identified uses of the substance or mixture and uses advised against

Product use : Dental product: Permanent cement

Manufacturer : Kerr Australia Pty Limited

Unit 10, 112-118 Talavera Road

North Ryde, NSW 2113

Australia

Telephone no.: 1800 643 603

Email general queries: kerraust.orders@sybrondental.com

Emergency telephone number (with hours of : 61 401 690 670 (24 hours)

operation)

e-mail address of person responsible for this SDS

: peter.green@sybrondental.com

Section 2. Hazards identification

HSNO Classification

6.3 - SKIN IRRITATION - Category A

6.4 - EYE IRRITATION - Category A (Irritant)

Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 33.4% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the

aguatic environment: 80.9%

Health effects are based on the uncured material.

This material is classified as hazardous according to criteria in the Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 and has been classified according to the Hazardous Substances (Classifications) Regulations 2001.

This material is not classified as a dangerous good according to criteria in New Zealand Standard 5433:2007 Transport of Dangerous Goods on Land.

GHS label elements

Signal word : Warning

Hazard statements : Causes skin irritation.

Causes serious eve irritation.

Precautionary statements

Prevention : Wear protective gloves. Wear eye or face protection. Wash thoroughly after

handling.

: IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with Response

plenty of soap and water. If skin irritation occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention. Wash hands after handling.

: Not applicable. **Storage Disposal** : Not applicable.

Symbol



Version Date of issue/Date of revision: 5/15/2015 : 1

Section 2. Hazards identification

Other hazards which do not : None known.

result in classification

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of : Not available.

identification

CAS number/other identifiers

CAS number : Not applicable.

EC number : Mixture.

Product code : Not available.

Ingredient name	%	CAS number
glass, oxide, chemicals	30-60	65997-17-3
ytterbium trifluoride	10-30	13760-80-0
Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω	<10	41637-38-1
-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-		
7,7,9(or 7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,	<10	72869-86-4
16-diyl bismethacrylate		
2,2'-ethylenedioxydiethyl dimethacrylate	<10	109-16-0
2-hydroxyethyl methacrylate	<10	868-77-9
(1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)]	<10	1565-94-2
bismethacrylate		
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with	<10	68909-20-6
silica		
3-trimethoxysilylpropyl methacrylate	<10	2530-85-0
1,1,3,3-tetramethylbutyl hydroperoxide	<10	5809-08-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Inhalation : No special measures required. If inhaled, remove to fresh air. Get medical attention

if symptoms occur.

Ingestion: Wash out mouth with water. If material has been swallowed and the exposed

person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Get medical attention if adverse

health effects persist or are severe.

Skin contact : No special measures required. In case of contact, immediately flush skin with plenty

of water. Get medical attention if symptoms occur.

Eye contact: No special measures are required. In case of contact with eyes, rinse immediately

with plenty of water. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Eye contact : Causes serious eye irritation.

Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.

Section 4. First-aid measures

Skin : Adverse symptoms may include the following:

irritation redness

Eyes : Adverse symptoms may include the following:

pain or irritation watering redness

Indication of immediate medical attention and special treatment needed, if necessary

Specific treatments: Not available.

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Protection of first-aiders : In case of major fire and large quantities: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person

providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable: Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Specific hazards arising from the chemical

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides halogenated compounds metal oxide/oxides

Hazchem code

: Not available.

Special precautions for firefighters

: In case of major fire and large quantities: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: Low release. For professional use only. Handling of product in very small amounts or in situations where release is highly unlikely

Environmental precautions

: Low release. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Small Quantity. For professional use only. Absorb with an inert material and place in an appropriate waste disposal container.

Section 7. Handling and storage

Precautions for safe handling

: No special measures are required for small quantities under normal and intended conditions of product use. For professional use only. Put on appropriate personal protective equipment (see Section 8). Handle with care and dispose of in a safe manner.

Conditions for safe storage, : including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
glass, oxide, chemicals	ACGIH TLV (United States, 4/2014). TWA: 5 mg/m³ Form: Respirable TWA: 10 mg/m³ Form: Total dust
ytterbium trifluoride	NZ OSH (New Zealand, 2/2013). WES-TWA: 2.5 mg/m³, (as F) 8 hours.
Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica	ACGIH TLV (United States, 4/2014).
	TWA: 10 mg/m³ 8 hours. Form: Inhalable TWA: 3 mg/m³ 8 hours. Form: Respirable

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

Appropriate engineering controls

: No special measures are required for small quantities under normal and intended conditions of product use.

Environmental exposure controls

: No special measures are required for small quantities under normal and intended conditions of product use.

Individual protection measures

Hygiene measures

: No special measures are required for small quantities under normal and intended conditions of product use.

Respiratory protection

: No special measures are required for small quantities under normal and intended conditions of product use.

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Eye protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

: No special measures are required for small quantities under normal and intended conditions of product use.

Section 9. Physical and chemical properties

Appearance

Physical state : Liquid. [Paste.]

Colour : Various

Odour : Fruity ester-like Odour threshold : Not available. рH : Not available. **Melting point** : Not available. **Boiling point** : Not available. Flash point : Not available. **Burning rate** : Not applicable. **Burning time** : Not applicable. **Evaporation rate** : Not available.

Lower and upper explosive

Flammability (solid, gas)

(flammable) limits

: Not available. : Not available.

: Not available. Vapour pressure Vapour density : Not available.

: 2 to 2.5 [Water = 1] Relative density

Solubility Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water

: Not available.

Auto-ignition temperature : Not available. **Decomposition temperature** : Not available. **SADT** : Not available. Viscosity : Not available.

Aerosol product

Type of aerosol : Not applicable. **Heat of combustion** : Not available. : Not applicable. Ignition distance **Enclosed space ignition -**: Not applicable.

Time equivalent

Enclosed space ignition -

Deflagration density

: Not applicable.

Flame height : Not applicable. Flame duration : Not applicable.

Section 10. Stability and reactivity

Chemical stability

Possibility of hazardous

reactions

: The product is stable.

: Hazardous reactions or instability may occur under certain conditions of storage or use.

Conditions to avoid Keep away from heat and direct sunlight. Heat can cause polymerization with rapid

release of energy.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials and

> reducing materials. Amines. Peroxide.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization may occur under certain conditions of storage or use.

Section 11. Toxicological information

Information on the likely routes of exposure

Inhalation : No known significant effects or critical hazards.Ingestion : No known significant effects or critical hazards.

Skin contact : Causes skin irritation.

Eye contact : Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No specific data.Ingestion: No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Eye contact: Adverse symptoms may include the following:

pain or irritation watering redness

Delayed and immediate effects and also chronic effects from short and long term exposure

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
2,2'-ethylenedioxydiethyl dimethacrylate	LD50 Oral	Rat	10837 mg/kg	-
2-hydroxyethyl methacrylate 3-trimethoxysilylpropyl methacrylate	LD50 Oral LD50 Oral		4230 mg/kg 23504 mg/kg	-

Conclusion/Summary

Based on the criteria of the protocol, this product is considered non-cytotoxic per ISO 10993-5.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
3-trimethoxysilylpropyl methacrylate	Eyes - Mild irritant	Rabbit		24 hours 500 milligrams	-
outas.yia.o	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Conclusion/Summary

Skin : Kligman score: Grade I (weak sensitizer)

Potential chronic health effects

General : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. **Skin contact** : No known significant effects or critical hazards. **Eye contact** : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards.

Chronic toxicity

Not available.

Section 11. Toxicological information

Carcinogenicity

Not available.

Mutagenicity

Not available.

Teratogenicity

Not available.

Reproductive toxicity

Not available.

Specific target organ toxicity

Not available.

Aspiration hazard

Not available.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	61271.2 mg/kg

Section 12. Ecological information

Ecotoxicity

: No known significant effects or critical hazards.

Aquatic and terrestrial toxicity

Product/ingredient name	Result	Species	Exposure
2-hydroxyethyl methacrylate	Acute LC50 227000 μg/l Fresh water	Fish - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling)	96 hours

Persistence/degradability

Product/ingredient name	Test	Result	Dose	Inoculum
	301C Ready Biodegradability - Modified MITI Test (I)	92 to 100 % - 14 days	-	-
	<u>-</u>		<u> </u>	·

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
2-hydroxyethyl methacrylate	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Poly(oxy-1,2-ethanediyl), α,α' -[(1-methylethylidene)di-4,1-phenylene]bis[ω -[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	3.43 to 5.62	2372	high
7,7,9(or 7,9,9)-trimethyl-4, 13-dioxo-3,14-dioxa-5, 12-diazahexadecane-1, 16-diyl bismethacrylate	3	-	low
2,2'-ethylenedioxydiethyl dimethacrylate	1.88	-	low
2-hydroxyethyl methacrylate 3-trimethoxysilylpropyl methacrylate	0.42 2.1	-	low low

NX3 Nexus® Third Generation Dual Cure Base and Catalyst Page: 8/9

Section 12. Ecological information

1,1,3,3-tetramethylbutyl	2.9	-	low
hydroperoxide			

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation

and any regional local authority requirements.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
New Zealand Class	Not regulated.	-	-	-		-
ADG Class	Not regulated.	-	-	-		-
UN Class	Not regulated.	-	-	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-

PG*: Packing group

Section 15. Regulatory information

New Zealand Inventory of Chemicals (NZIoC)

: Not determined.

HSNO Approval Number HSNO Group Standard

: Not available. : Not available.

HSNO Classification

: 6.3 - SKIN IRRITATION - Category A

6.4 - EYE IRRITATION - Category A (Irritant)

Australia inventory (AICS)

Not determined.

Safety, health and environmental regulations specific for the product

No known specific national and/or regional regulations applicable to this product

(including its ingredients).

Section 16. Other information

History

Date of issue/Date of

5/15/2015

revision Date of previous issue

: No previous validation

Version : 1

: 1 Date of issue/Date of revision: Version 5/15/2015

Section 16. Other information

Key to abbreviations

: ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

UN = United Nations

References

GHS - Globally Harmonized System of Classification and Labeling of Chemicals International transport regulations

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Version Date of issue/Date of revision: 5/15/2015 : 1