



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : DERMOCOL® GEL NEW  
Product code : 1706000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Disinfection of healthy skin  
For further information on product indication, please see the label.

#### 1.3. Details of the supplier of the safety data sheet

Registered company name : USF HEALTHCARE S.A..  
Address : Rue François-Perreard 4 - Case postale 142.CH-1225.CHENE-BOURG.SUISSE.  
Telephone : +41 22 839 79 00. Fax : +41 22 839 79 10.  
e:mail : fds@usfhc.com  
www.usfhealthcare.com

#### 1.4. Emergency telephone number : 145 ou +41 1 251 51 51.

Association/Organisation : CSIT (Tox) / STIZ (Tox-Zentrum) / STIC (The Tox).

### SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable liquid, Category 2 (Flam. Liq. 2, H225).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Flammable (R 10).

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07

GHS02

Signal Word :

DANGER

Hazard statements :

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

Precautionary statements - General :

P102 Keep out of reach of children.

Precautionary statements - Prevention :

P210 Keep away from sparks and open flames. No smoking.

Precautionary statements - Response :

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Precautionary statements - Storage :

P403 Store in a well-ventilated place.

Precautionary statements - Disposal :

P501

Dispose of unused product and its container as hazardous waste.

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>  
No other hazard identified in the current state of knowledge.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

Title for H, EUH and R indications: see § 16.

**3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43  ETHANOL	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319	F F;R11	[1]	50 $\leq$ x % < 100
INDEX: 603-117-00-0 CAS: 67-63-0 EC: 200-661-7 REACH: 01-2119457558-25  PROPAN-2-OL	GHS02, GHS07 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	Xi,F Xi;R36 F;R11 R67	[1]	0 $\leq$ x % < 2.5

**Information on ingredients :**

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of exposure by inhalation :**

Move the person away from the place of exposure and take him/her outside.

**In the event of splashes or contact with eyes :**

If applicable, remove contact lenses.

Wash thoroughly with soft clean water for 15 minutes, holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist. Show this container or label.

**In the event of swallowing :**

Rinse out the mouth, do not induce vomiting, keep the person calm and take him/her to a clinic or a doctor's. Show the container or label.

**4.2. Most important symptoms and effects, both acute and delayed**

Cf. § 11

**4.3. Indication of any immediate medical attention and special treatment needed**

Refer to the recommendation of the doctor.

**SECTION 5 : FIREFIGHTING MEASURES**

Move oxidising products away from the fire.

Move any flammable materials away from the fire.

**5.1. Extinguishing media****Suitable methods of extinction**

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Use powder or foam extinguishers.

Special foams for polar liquids, powders and carbon dioxide.

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.



Do not breathe in smoke.

### 5.3. Advice for firefighters

Fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

Full protective suit.

## SECTION 6 : ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Keep away any unprotected person.

Move all flammable sources out of danger and keep them away from the scene.

Eliminate any possible source of ignition and ventilate the premises.

### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Do not get rid in natural spaces (waterways, ground and vegetations...)

### 6.3. Methods and material for containment and cleaning up

Absorb any spilled product with absorbent non-combustible materials, and sweep away or remove with a shovel. Put any waste in drums for disposal. Do not mix with any other waste. Wash the contaminated surface thoroughly with water.

Do not put any spilt product back into its original container with the intention of re-use.

### 6.4. Reference to other sections

Disposal considerations: see section 13.

## SECTION 7 : HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Product for external use - do not swallow.

Handle in accordance with user instructions on label

Handle at a temperature not exceeding 45° C.

Handle in well-ventilated premises.

### Fire prevention :

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Keep away from flammable materials

Keep away from sources of ignition - no smoking.

### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Water source nearby.

### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep the container tightly closed

Keep in the original container only, in a cool and well-ventilated place, away from all sources of ignition, heat and direct sunlight.

Recommended storage temperature: from +5°C to +25°C.

Do not use after the expiry date mentioned on the packaging.

Keep out of the reach of children

Store away from incompatible materials (see section 10)

Splash pan for high quantities' storage

### 7.3. Specific end use(s)

For professional use only

Refer to paragraph 1 for product indication

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

The information in this chapter refers to the product specifically described in this document. If the product is handled and/or exposed simultaneously with other chemical agents, these must be taken into consideration when choosing personal safety equipment.

The Exposure Threshold Limit Value and the Average Exposure Value given below are quoted by the CAS number of the substance. Paragraph 3 details the chemical name corresponding to the CAS number.

**8.1. Control parameters****Occupational exposure limits :**

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME :	VME :	Excess	Notes
64-17-5	500 ml/m3	960 mg/m3	2(II)	DFG, Y
67-63-0	200 ml/m3	500 mg/m3	2(II)	DFG, Y

- Belgium (Order of 19/05/2009, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
67-63-0	400 ppm	500 ppm	-	-	-

- France (INRS - ED984 :2008) :

CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
64-17-5	1000	1900	5000	9500	-	84
67-63-0	-	-	400	980	-	84

- Spain (Instituto Nacional de Seguridad e Higiene en el Trabajo (INSHT), Mayo 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
67-63-0	400 ppm	500 ppm	-	-	-

- Poland (2009) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1900 mg/m3	-	-	-	-
67-63-0	900 mg/m3	1200 mg/m3	-	-	-

Czech Republic (Regulation No. 361/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 mg/m3	3000 mg/m3	-	-	-
67-63-0	500 mg/m3	1000 mg/m3	-	-	-

Slovakia (Regulation No. 300/2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	500 ppm	960 mg/m3	II..1		
67-63-0	200 ppm	500 mg/m3	II..1		

- Switzerland (SUVA 2009) :

CAS	VME-mg/m3 :	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Temps :	RSB :
64-17-5	960	500	1920	1000	4x15	-
67-63-0	500	200	1000	400	4x15	B

- UK / WEL (Workplace exposure limits, EH40/2005, 2007) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm	-	-	-	-
67-63-0	400 ppm	500 ppm	-	-	-

**8.2. Exposure controls****Suitable technical inspections**

Ensure the rooms are well-ventilated. Atmospheric concentrations at the workplace must not exceed the limit values given for normal conditions of use.

**- Eye / face protection**

Avoid contact with eyes.  
Water source nearby.

**- Hand protection**

Not applicable.

**- Body protection**

Not applicable.

**HEALTH MEASURES:**

Do not eat, drink or smoke during use.

**- Respiratory protection**

Not applicable in normal conditions of use.  
Avoid product's inhalation

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****General information :**

Physical state :	Viscous liquid.
Colour:	blue



Odour:	sweet-smelling
<b>Important health, safety and environmental information</b>	
pH :	5.25 .
	Neutral.
Boiling point/boiling range :	> 35°C
Flash Point :	22.50 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	+/- 0.9
Water solubility :	Soluble.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.

**9.2. Other information**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No hazardous reaction if the instructions/indications for storage and handling are respected.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

Cf. § 10.1 and 10.2

**10.4. Conditions to avoid**

Avoid exposure to heat.

**10.5. Incompatible materials**

Do not mix with other products.

**10.6. Hazardous decomposition products**

At high temperatures, dangerous decomposition products may be produced, such as fumes, carbon dioxide and carbon monoxide, nitrogen oxide.

**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****11.1.1. Substances**

Not specified

**11.1.2. Mixture****Acute toxicity :**

Acute toxicity estimate (ATE)\* :

Oral ATE : &gt; 2000 mg/kg

\* according to the method of calculation describe in the CLP regulation (Classification, Labelling, Packaging) Part 3 Chapter 3.1 based on the data of the different components present in the product.

Ingestion may lead to irritation of the digestive system, abdominal pain, headaches and nausea.

**Serious damage to eyes/eye irritation :**

Ocular irritation: notably redness of the conjunctiva and lacrimation.

**SECTION 12 : ECOLOGICAL INFORMATION****12.1. Toxicity****12.1.2. Mixtures**

The mixture has not been classified as an environmental hazard, in compliance with EC regulation 1272/2008.

**12.2. Persistence and degradability**

No data available.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

The packages must not be reused.

Do not pour into waterways.

**13.1. Waste treatment methods****Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste) :**

18 01 06 \* chemicals consisting of or containing dangerous substances

20 01 29 \* detergents containing dangerous substances

For information :

The waste code must be determined by the user, according to the application of the product.

The following waste codes are given as guidelines only.

18 = Wastes from human or animal health care and/or related research (except kitchen and restaurant wastes not arising from immediate health care)

20 = Municipal wastes and similar commercial, industrial and institutional wastes including separately collected fractions

**SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

**14.1. UN number**

1170

**14.2. UN proper shipping name**UN1170=ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)  
(ethanol)**14.3. Transport hazard class(es)**

- Classification :



3

**14.4. Packing group**

II

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	3	F1	II	3	33	1 L	144 601	E2	2	D/E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	3	-	II	1 L	F-E,S-D	144	E2			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	3	-	II	353	5 L	364	60 L	A3 A58 A180	E2	
	3	-	II	Y341	1 L	-	-	A3 A58 A180	E2	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

No data available.

## SECTION 15 : REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical safety assessment

Information from the chemical safety assessment of substances present in the product is included in the appropriate sections of this safety data sheet, whenever necessary.

## SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture.

It is recommended that the information contained in this safety data sheet is provided to the users, if necessary in an appropriate form.

This information relates to the specifically designated product and may not be valid in combination with any another product. The product must not be used for applications other than those specified in heading 1 without having first obtained written handling instructions.

### UPDATES SINCE PREVIOUS VERSION

- Implementation of classification and labelling in compliance with EC regulation 1272/2008.

### Title for H, EUH and R indications mentioned in section 3 :

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
R 11	Highly flammable.
R 36	Irritating to eyes.
R 67	Vapours may cause drowsiness and dizziness.

### Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

GHS02 : Flame

GHS07 : Exclamation mark