

Page 1/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

- · Product identifier
 - · Trade name: Palabond
 - · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
 - · Application of the substance / the mixture Auxiliary for manufacture of dental prothesis
- · Details of the supplier of the safety data sheet
 - Manufacturer/Supplier: Kulzer Australia Pty Ltd 11 - 21 Underwood Rd

HOMEBUSH NSW 2140

Tel: +61 (0) 2 9764 5222 Australia

- · Informing department: see above
- Emergency telephone number:

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
 - GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms







GHS02 GHS05

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate methacrylic acid

· Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)



Page 2/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

(Contd. of page 1)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

- · Other hazards -
 - · Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - · **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
 - · Description: Product based on methacrylates

Dangerous components:		
CAS: 80-62-6 EINECS: 201-297-1	methyl methacrylate Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	75-90%
CAS: 79-41-4 EINECS: 201-204-4	methacrylic acid Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Flam. Liq. 4, H227	0-5%
CAS: 2082-81-7 EINECS: 218-218-1	tetramethylene dimethacrylate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	0-5%

[·] Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
 - · After inhalation Supply fresh air; consult doctor in case of symptoms.
 - · After skin contact instantly wash with water and soap and rinse thoroughly.
 - · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

After swallowing

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

Product based on methacrylates

- · Information for doctor
 - · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- Extinguishing media
 - · Suitable extinguishing agents CO2, sand, extinguishing powder. Do not use water.
 - · For safety reasons unsuitable extinguishing agents Water.
- · Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
 - · Protective equipment: No special measures required.

(Contd. on page 3)



Page 3/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

· Additional information -

(Contd. of page 2)

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Prevent material from reaching sewage system, holes and cellars.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

Do not flush with water or aqueous cleansing agents

Send for recovery or disposal in suitable containers.

Reference to other sections

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

7 Handling and Storage

Handling

Precautions for safe handling

Keep containers tightly sealed.

Keep away from heat and direct sunlight.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
 - Storage
 - · Requirements to be met by storerooms and containers: Store in cool location.
 - · Information about storage in one common storage facility: Not required.
 - Further information about storage conditions:

Store cool (not above 25 ℃).

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Components with critical values that require monitoring at the workplace:		
80-62-6 methyl	•	•
NES (Australia)	410 mg/m³, 100 ppm Sk. Sen	
PEL (USA)	410 mg/m³, 100 ppm	
REL (USA)	410 mg/m³, 100 ppm	

TLV (USA) Short-term value: 410 mg/m³, 100 ppm Long-term value: 205 mg/m³, 50 ppm

SEŇ

(Contd. on page 4)



Page 4/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

			(Contd. of page 3)	
79-41-4 methad	crylic acid			
NES (Australia)	70 mg/m³, 20 ppm			
REL (USA)	70 mg/m³, 20 ppm Skin			
TLV (USA)	70 mg/m³, 20 ppm			
· DNEL	· DNELs			
80-62-6 methyl	methacrylate			
Dermal work	er industr., l.te., syst.	74.3 mg/Kg/d (human)		
Inhalative work	er industr., l.te., syst.	210 mg/m3 (human)		
· PNEC	es e			
80-62-6 methyl	methacrylate			
freshwater 0.94	1 mg/l (aqua)			

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

Personal protective equipment

· General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not neccessary with efficient local exhaust. If exposition to vapours is possible, use breathing protective mask (filter A).

Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

If skin contact cannot be avoided, protective gloves are recommended to avoid possible sensitization.

Solvent resistant gloves

Check protective gloves prior to each use for their proper condition.

recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

Eye protection:

Protective goggles are recommended.

Tightly sealed safety glasses.

(Contd. on page 5)



Page 5/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

· Body protection: Light weight protective clothing

(Contd. of page 4)

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

General Information

· Appearance:

· Form: Fluid · Colour: Colourless · Smell: Characteristic · Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

· Melting point/freezing point: Not det · Initial boiling point and boiling range: 100 ℃ Not determined

10 ℃ · Flash point:

Inflammability (solid, gaseous) Not applicable.

370.0 ℃ Ignition temperature:

· Decomposition temperature: Not determined.

Product is not selfigniting. · Self-inflammability:

· Explosive properties: Product is not explosive. However, formation of

explosive air/vapour mixtures is possible.

Critical values for explosion:

· Lower: 2.1 Vol % · Upper: 12.5 Vol %

· Steam pressure at 20 ℃: 47 hPa

Density at 20 ℃ 0.940 g/cm³

· Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix · Water:

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic at 20 ℃: 1 mPas

· kinematic: Not determined.

· Solvent content:

· Water: 0.2 %

· Solids content: 0.1%

· Other information No further relevant information available.

10 Stability and Reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)



Page 6/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

(Contd. of page 5)

- Chemical stability
 - · Conditions to be avoided: No decomposition if used and stored according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None
- Additional information:

If stored longer than recommended and/or above recommended temperature, product may polymerize generating heat.

11 Toxicological Information

- · Information on toxicological effects
 - · Acute toxicity

	· Acute	loxicity		
	· LD/LC50 values that are relevant for classification: 80-62-6 methyl methacrylate			
	Oral	LD50	>5000 mg/kg (rat)	
	Dermal	LD50	>5000 mg/kg (rab)	
	Inhalative	LC50/4 h	29.8 mg/l (rat)	
79-41-4 methacrylic acid		acid		
	Oral	LD50	2260 mg/kg (rat)	
	Dermal	LD50	500 mg/kg (rab)	
2082-81-7 tetramethylene dimethacrylate		nylene dimethacrylate		
	Oral	LD50	10120 mg/kg (rat)	

- Primary irritant effect:
 - · Skin corrosion/irritation Irritant for skin and mucous membranes.
 - · Serious eye damage/irritation Irritant effect.
- · Respiratory or skin sensitisation Sensitization possible by skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological Information

- · Toxicity
 - · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
 - · Bioaccumulative potential No further relevant information available.
 - · Mobility in soil No further relevant information available.
- Additional ecological information:
 - General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- Results of PBT and vPvB assessment
 - · PBT: Not applicable.
 - vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

AUS



Page 7/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
 - Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
 Recommendation: Disposal must be made according to official regulations.

· UN-Number	
· ADG, IMDG, IATA	2924
· UN proper shipping name · ADG	2924 FLAMMABLE LIQUID, CORROSIVE, N.O (METHYL METHACRYLATE MONOME STABILIZED, METHACRYLIC ACID, STABILIZE
· IMDG, IATA	FLAMMABLE LIQUID, CORROSIVE, N.O. (METHYL METHACRYLATE MONOME STABILIZED, METHACRYLIC ACID, STABILIZE
· Transport hazard class(es)	
· ADG	
· Class	2 (EC) Elammable liquida
· Class · Label	3 (FC) Flammable liquids. 3+8
· IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3+8
· Packing group · ADG, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Kemler Number: EMS Number:	338 F-E,S-C
Transport in bulk according to Annex Marpol and the IBC Code	·
· Transport/Additional information:	-
UN "Model Regulation":	UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O (METHYL METHACRYLATE MONOMER,

(Contd. on page 8)



Page 8/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

(Contd. of page 7)

STABILIZED, METHACRYLIC ACID, STABILIZED), 3

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms







GHS02 GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

methyl methacrylate methacrylic acid

· Hazard statements

Highly flammable liquid and vapour.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store locked up.

- · Directive 2012/18/EU
 - Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
 - Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour. H227 Combustible liquid.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 9)



Page 9/9

Safety Data Sheet according to WHS Regulations

Printing date 05.07.2018 Version number 3 Revision: 05.07.2018

Trade name: Palabond

(Contd. of page 8)

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code to Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 4: Flammable liquids – Category 4 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.