

Page: 1 of 5

34413

34415

- 1					- 1
	Infosafe No™	LPWZB	Issue Date :January 2014	ISSUED by PDS	

Product Name WHITE LIGHTENING

1. Identification

GHS Product

WHITE LIGHTENING

Identifier

Company Name

Professional Dentist Supplies Pty. Ltd. (ABN 69 088 275 576)

Address

3/8 Nicole Close Bayswater North

VIC 3153 Australia

Telephone/Fax Number Tel: +61 3 9761 6615 Fax: +61 3 9730 1073 +61 3 9761 6615 bh

Emergency phone number

Recommended use of

Used as a tooth bleach.

the chemical and restrictions on use

Other Information

Other Names Name

Name Product Code

WHITE LIGHTENING KIT
WHITE LIGHTENING GEL (REFILL)
PROFESSIONAL DENTIST SUPPLIES

Ph: 03 9761 6615 (business hours)

The information contained within this material safety data sheet (MSDS) is believed to be accurate on the date of issue and in accordance with the information provided to us. Any person handling the product referred to in this material safety data sheet do so at their own risk. Professional Dental Supplies accepts no liability whatsoever for damage or injury caused from the

use of this information or of suggestions contained herein.

2. Hazard Identification

Classification of the substance or mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail. (7th edition)

Skin Corrosion/Irritation: Category 2 Eye Damage/Irritation: Category 2A

Signal Word (s)

Warning

Hazard Statement (s)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

Pictogram (s)

Exclamation mark



Precautionary statement – P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face

Prevention protection.

Precautionary

SKIN

statement - Response

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash before reuse.

EYE

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

3. Composition/information on ingredients

Ingredients	Name	CAS	Proportion
	Carbamide Peroxide	124-43-6	10-30 %

Print Date: 11/01/2014



Page: 2 of

ISSUED by PDS Infosafe No™ LPWZB Issue Date : January 2014

WHITE LIGHTENING Product Name

Proportion CAS Ingredients Name Ingredients determined Balance

not to be hazardous

4. First-aid measures

If inhaled, remove affected person from contaminated area. Keep at rest until Inhalation

recovered. If symptoms persist seek medical attention.

Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms Ingestion

develop seek medical attention.

Remove all contaminated clothing immediately. Wash affected area thoroughly Skin

with soap and water. Wash contaminated clothing before reuse or discard. Seek

medical attention.

If in eyes, hold eyelids apart and flush the eyes continuously with running Eve contact

water. Remove contact lenses. Continue flushing for several minutes until all

contaminants are washed out completely. Seek medical attention.

First Aid Facilities Eye wash and normal washroom facilities.

Advice to Doctor Treat symptomatically.

For advice in an emergency, contact a Poisons Information Centre (Phone Other Information

Australia 13 11 26) or a doctor at once.

5. Fire-fighting measures

Use appropriate fire extinguisher for surrounding environment. Suitable

extinguishing media

Under fire conditions this product may emit toxic and/or irritating fumes. Hazards from

Combustion

Products Specific hazards

Material will not burn if involved in a fire, however contact with combustible material may cause fires.

arising from the

chemical

Not available Decomposition

Temp.

Precautions in connection with Fire Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to

vapours or fumes. Water spray may be used to cool down heat-exposed

containers. Fight fire from safe location. This product should be prevented

from entering drains and watercourses.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent onto spillage. Use clean tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. Handling and storage

Precautions for Safe Handling

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene ie. washing hands prior to eating, drinking, smoking or

Conditions for safe storage, including any incompatabilities

using toilet facilities. Store in a cool, dry well-ventilated area away from heat and out of direct sunlight. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks.

Corrosiveness

Not corrosive to aluminium.

Storage

< 30°C

Temperatures

Print Date: 11/01/2014

cs: 1.8.6



Page: 3 of

Infosafe No™ LPWZB ISSUED by PDS Issue Date : January 2014

WHITE LIGHTENING Product Name

8. Exposure controls/personal protection

Occupational exposure limit values

No exposure value assigned for this material by Safe Work, Australia. Carbamide Peroxide is compound of urea and hydrogen peroxide. The exposure standards for Hydrogen peroxide are listed below.

Safe Work, Australia Exposure Standards:

NOTICES Substance TWA STEL

mg/m³ ppm ppm mg/m³

Hydrogen peroxide 1.4

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

STEL (Short Term Exposure Limit): The average airborne concentration over a 15

minute period which should not be exceeded at any time during a normal

eight-hour workday.

Biological Limit Values

No biological limits allocated.

Appropriate engineering controls

Provide sufficient ventilation to keep airborne levels below the exposure limits. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a local exhaust ventilation system is

required.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable mist filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes

for individual circumstances.

Eye Protection

Safety glasses with side shields, goggles or full-face shield as appropriate recommended. Final choice of appropriate eye/face protection will vary

according to individual circumstances i.e. methods of handling or engineering controls and according to risk assessments undertaken. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for

Industrial Applications.

Hand Protection

Wear gloves of impervious material such as nitrile. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection,

use and maintenance.

Body Protection

Suitable protective workwear should be worn when working with this material,

e.g. cotton overalls buttoned at neck and wrist.

9. Physical and chemical properties

Viscous clear gel. Appearance Colour Not available Odour Not available Not available Decomposition Temperature **Melting Point** Not available **Boiling Point** Not available Solubility in Water Soluble Solubility in Organic Not available Solvents Not available Specific Gravity Not available Vapour Pressure Not available

Not available

Vapour Density (Air=1)

Print Date: 11/01/2014



Page: 4 of

ISSUED by PDS Infosafe No™ LPWZB Issue Date : January 2014

Product Name WHITE LIGHTENING

Evaporation Rate

Not available

Odour Threshold

Not available

Viscosity

Not available

Partition Coefficient:

Not available

n-octanol/water

Flash Point

Not applicable

Flammability

Non-combustible material however, contact with combustible material may cause

Auto-Ignition

Not available

Temperature

Flammable Limits -

Not applicable

Lower

Flammable Limits -

Not applicable

Upper

10. Stability and reactivity

Reactivity

Refer to Sec 10: Possibility of hazardous reactions.

Chemical Stability

Stable under normal conditions of storage and handling.

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible

Avoid contact with combustible materials.

Materials

Hazardous

Under fire conditions this product may emit toxic and/or irritating fumes.

Decomposition

Products

Possibility of

Will react with incompatible materials.

hazardous reactions

Hazardous

Polymerization

Will not occur.

11. Toxicological Information

Toxicology

No toxicity data available for this product.

Information

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and

vomiting.

Inhalation

Skin

Inhalation of product vapours may cause irritation of the nose, throat and

Irritating to skin. Skin contact will cause redness, itching and swelling.

dermatitis.

Eye

Repeated exposure may cause skin dryness and cracking and may lead to

Irritating to eyes. On eye contact this product will cause tearing, stinging,

respiratory system.

Respiratory

blurred vision, and redness. Not expected to be a respiratory sensitiser.

sensitisation

Not expected to be a skin sensitiser.

Skin Sensitisation Germ cell

Not considered to be a mutagenic hazard.

mutagenicity

Carcinogenicity Not considered to be a carcinogenic hazard.

Reproductive **Toxicity**

Not considered to be toxic to reproduction.

STOT-single

Not expected to cause toxicity to a specific target organ. exposure

STOT-repeated

exposure

Not expected to be an aspiration hazard.

Aspiration Hazard

Other Information Prolonged or repeated exposure to this material will result in skin irritation leading to possible dermatitis. Inhalation of vapours or mists may aggravate

Not expected to cause toxicity to a specific target organ.

Print Date: 11/01/2014



Page: 5 of 5

Infosafe No™ LPWZB Issue Date : January 2014 ISSUED by PDS

Product Name WHITE LIGHTENING

existing respiratory disorders.

12. Ecological information

Ecotoxicity

No ecological data are available for this material.

Persistence and

Not available

degradability Mobility

Not available

Bioaccumulative

Not available

Potential

Environmental Prevent this material entering waterways, drains and sewers.

Protection

13. Disposal considerations

Disposal

Dispose of waste according to applicable local and national regulations.

Considerations

14. Transport information

Transport

Road and Rail Transport (ADG Code):

Information

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

IMDG Marine pollutant

15. Regulatory information

Regulatory Information Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and

Safety regulations, Australia.

Classified as a Scheduled Poison according to the Standard for the Uniform

Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

16. Other Information

Date of preparation or last revision of SDS

SDS Reviewed: January 2014

Supersedes: November 2007, April 2001

Literature

References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail. Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens,

restricted carcinogens and restricted hazardous chemicals.

Workplace exposure standards for airborne contaminants, Safe work Australia. American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of classification and labelling of chemicals.

Contact Person/Point

... End Of MSDS...

© Copyright ACOHS Ptv Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 11/01/2014