Printing date 23.11.2010 Revision: 23.11.2010

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Ufi Gel SC/P base
- · Application of the substance / the preparation A-silicone relining material
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data

· Additional information: Use only for intended scope of application

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of non-hazardous substances.
- · Dangerous components: Void

4 First aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting: Pick up mechanically.
- · Additional information: No dangerous substances are released.

iB -

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P base

(Contd. of page 1)

7 Handling and storage

- · Handling:
- · Information for safe handling:

For dental use only.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See storage instructions on package

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not applicable.
- · Penetration time of glove material Not applicable.

9 Physical and chemical properties

· General Information	
Form: Colour: Odour:	Pasty According to product specification Characteristic
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P base

(Contd. of page 2)

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P base

(Contd. of page 3)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Scientific departement

· Contact: Tel.: +49 (0)4721-719-0

Printing date 23.11.2010 Revision: 23.11.2010

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Ufi Gel SC/P catalyst
- · Application of the substance / the preparation A-silicone relining material
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data

· Additional information: Use only for intended scope of application

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of non-hazardous substances.
- · Dangerous components: Void
- · Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Additional information: No dangerous substances are released.

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P catalyst

(Contd. of page 1)

7 Handling and storage

- · Handling:
- · Information for safe handling:

For dental use only.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See storage instructions on package

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not applicable.
- · Penetration time of glove material Not applicable.

9 Physical and chemical properties

· General Information	
Form: Colour:	Pasty According to product specification
Odour:	Characteristic
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P catalyst

(Contd. of page 2)

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P catalyst

(Contd. of page 3)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing MSDS: Scientific departement

· Contact: Tel.: +49 (0)4721-719-0

GR

Printing date 23.11.2010 Revision: 23.11.2010

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Ufi Gel Glazing base
- · Application of the substance / the preparation Sealing for silicone relining
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data

· Additional information: Use only for intended scope of application

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of non-hazardous substances.
- · Dangerous components: Void

4 First aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

CD

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel Glazing base

(Contd. of page 1)

7 Handling and storage

- · Handling:
- · Information for safe handling:

For dental use only.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See storage instructions on package

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not applicable.
- · Penetration time of glove material Not applicable.
- · Eye protection: Safety glasses

	l properties

· General Information	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel Glazing base

(Contd. of page 2)

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0

Printing date 23.11.2010 Revision: 23.11.2010

1 Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Ufi Gel Glazing catalyst
- · Application of the substance / the preparation Sealing for silicone relining
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data

· Additional information: Use only for intended scope of application

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of non-hazardous substances.
- · Dangerous components: Void

4 First aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: No special measures required.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information: No dangerous substances are released.

CD

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel Glazing catalyst

(Contd. of page 1)

7 Handling and storage

- · Handling:
- · Information for safe handling:

For dental use only.

No special measures required.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: See storage instructions on package

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

- · Respiratory protection: Not required.
- · Protection of hands: Not required.
- · Material of gloves Not applicable.
- · Penetration time of glove material Not applicable.
- · Eye protection: Safety glasses

	l properties

· General Information	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
· Change in condition	
Melting point/Melting range:	
Boiling point/Boiling range:	Undetermined.
· Flash point:	Not applicable.
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Density:	Not determined.
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel Glazing catalyst

(Contd. of page 2)

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

- · Additional ecological information:
- · General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0

Printing date 23.11.2010 Revision: 23.11.2010

I Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Ufi Gel SC/P adhesiv
- · Application of the substance / the preparation Adhesive for silicone relining
- · Manufacturer/Supplier:

VOCO GmbH

Anton-Flettner-Str. 1-3 D-27472 Cuxhaven

- · Further information obtainable from: Scientific department tel. +49 (0)4721-719-0
- · Information in case of emergency: Poison Control Center Mainz +49 (0)6131-19240

2 Hazards identification

· Hazard description:

Xi Irritant

F Highly flammable

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 11 Highly flammable.

R 36 Irritating to eyes.

R 67 Vapours may cause drowsiness and dizziness.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 78-93-3	butanone	Xi, F; R 11-36-66-67	50-100%
EINECS: 201-159-0			

4 First aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

5 Fire-fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Prevent seepage into sewage system, workpits and cellars.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P adhesiv

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

(Contd. of page 1)

7 Handling and storage

- · Handling:
- · Information for safe handling:

For dental use only.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · Storage:
- · Requirements to be met by storerooms and receptacles: See storage instructions on package
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

78-93-3 butanone

WEL Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Protection of hands: Not required.
- · Material of gloves Not applicable.
- · Penetration time of glove material Not applicable.
- · Eye protection: Safety glasses

U P P M	CICAL AM	CHOMICO	ii nwanawiiac
		mministration of the second	d properties

7	
· General Information	
Form:	Fluid
Colour:	According to product specification
Odour:	Characteristic
· Change in condition	
Melting point/Melting range.	
Boiling point/Boiling range:	Undetermined.
· Flash point:	-4°C
· Self-igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Density:	Not determined.
	(Contd. on page 3

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 2)

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Acute toxicity:

· LD/LC50 values relevant for classification:

78-93-3 butanone

 Oral
 LD50
 3300 mg/kg (rat)

 Dermal
 LD50
 5000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

12 Ecological information

- · Additional ecological information:
- General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 3 Flammable liquids.

Danger code (Kemler): 33
UN-Number: 1193
Packaging group: II
Hazard label: 3

Printing date 23.11.2010 Revision: 23.11.2010

Trade name: Ufi Gel SC/P adhesiv

(Contd. of page 3)

- · Description of goods: 1193 ETHYL METHYL KETONE (METHYL ETHYL KETONE), mixture
- · Limited quantities (LQ) LQ4
- · Transport category 2
- · Tunnel restriction code D/E
- · Maritime transport IMDG:



· IMDG Class: 3
· UN Number: 1193
· Label 3
· Packaging group: II
· EMS Number: F-E,S-D
· Marine pollutant: No

· Proper shipping name: ETHYL METHYL KETONE (METHYL ETHYL KETONE), mixture

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 3 · UN/ID Number: 1193 · Label 3 · Packaging group: II

· Proper shipping name: ETHYL METHYL KETONE (METHYL ETHYL KETONE), mixture

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:





Xi Irritant

F Highly flammable

- · Risk phrases:
- 11 Highly flammable.
- 36 Irritating to eyes.
- 67 Vapours may cause drowsiness and dizziness.
- · Safety phrases:

16 Keep away from sources of ignition - No smoking.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Scientific departement
- · Contact: Tel.: +49 (0)4721-719-0