

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

**1 Identification of the substance/mixture and of the company/undertaking****· Product identifier****· Trade name: BRUNOX® Turbo-Spray® ( AEROSOL )****· Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

**· Sector of Use**

SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

**· Product category**

PC2 Adsorbents

PC14 Metal surface treatment products, including galvanic and electroplating products

PC24 Lubricants, greases, release products

**· Process category**

PROC7 Industrial spraying

PROC11 Non industrial spraying

PROC17 Lubrication at high energy conditions and in partly open process

PROC18 Greasing at high energy conditions

**· Environmental release category**

ERC4 Industrial use of processing aids in processes and products, not becoming part of articles

ERC8a Wide dispersive indoor use of processing aids in open systems

ERC8d Wide dispersive outdoor use of processing aids in open systems

**· Application of the substance / the mixture** freie Phrase**· Details of the supplier of the safety data sheet****· Manufacturer/Supplier:**BRUNOX Korrosionsschutz GmbH  
Adlzreiterstrasse 13, 85051 Ingolstadt  
Postfach 100127, 85001 Ingolstadt

Tel. + 49/ (0) 841 961 29 04

Fax + 49/ (0) 841 961 29 13

E-mail: office@brunox.com

www.brunox.com

BRUNOX AG

Tunnelstrasse 6

CH - 8732 Neuhaus/SG

Tel. +41/ (0)55 285 80 80

Fax +41/ (0)55 285 80 81

E-mail: office@brunox.com

|  |
|--|
| Distributor in New Zealand<br>R A Johnstone & Co Ltd<br>33 Ha Crescent, Wiri, Manukau<br>PO Box 97 948 Manukau City, Manukau 2241<br>Auckland. New Zealand |
|--|

Tel: + 64 9 250 0090

Fax: + 64 9 250 0092

www.raj.co.nz

|  |
|--|
| Emergency telephone in New Zealand(24 hours)<br>National Poison Center : 0800 POISON [764 766] |
|--|

**· Further information obtainable from:** Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44**· Emergency telephone number:**

Toxikologisches Informationszentrum

CH - 8030 Zürich, Freiestrasse 16

Tel. +41/ 044 251 51 51

Notruf - CH, STIZ : 145

Notruf - D - : Giftnotrufzentrale 030 19240

(Contd. on page 2)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 1)

Notruf - BE - : 070 -245 245                      EUROPÄISCHE NOTRUFNR. : 112  
Notruf - GB - : 844 892 0111  
Notruf - IE - : + 353 1 837 9964 (medical professionals); + 353 1 809 2166 (public)  
Notruf - IS - : + 354 543 22 22  
Notruf - JP - : + 81 72 727 2499; + 81 29 852 9999  
Notruf - NZ - : 0800 764 766  
Notruf - PK - : + 92 21 9920509; + 92 21 35686535  
Notruf - PH - : + 632 524 10 78; + 632 544 84 00; local 2311  
Notruf - SA - : + 966 146 77 353, + 966 3 8155 646; Ext. 280, 282, 283  
Notruf - TH - : + 66 201 1086  
Notruf - UAE - : 800 424  
Notruf - ZA - : + 27 824 910 160

**2 Hazards identification****· Classification of the substance or mixture**

flame

Aerosol 2    H223-H229 Flammable aerosol. Pressurised container: May burst if heated.



health hazard

Asp. Tox. 1    H304                      May be fatal if swallowed and enters airways.

Acute Tox. 5    H333                      May be harmful if inhaled.

**· Label elements****· GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

**· Hazard pictograms**

GHS02    GHS08

**· Signal word** Danger**· Hazard-determining components of labelling:**

Distillates (petroleum), hydrotreated light

**· Hazard statements**

H223-H229 Flammable aerosol. Pressurised container: May burst if heated.

H333                      May be harmful if inhaled.

H304                      May be fatal if swallowed and enters airways.

**· Precautionary statements**

P101                      If medical advice is needed, have product container or label at hand.

P102                      Keep out of reach of children.

(Contd. on page 3)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 2)

- P103 Read label before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P251 Do not pierce or burn, even after use.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P405 Store locked up.  
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**3 Composition/information on ingredients**

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:**

|                   |   |          |
|-------------------|---|----------|
| CAS: 64742-47-8   | Distillates (petroleum), hydrotreated light | 50-100%  |
| EINECS: 265-149-8 | ⚠ Asp. Tox. 1, H304                         |          |
| CAS: 68608-26-4   | sulfonic acids, petroleum, sodium salts     | 2,5-<10% |
|                   | ⚠ Skin Irrit. 2, H315; Eye Irrit. 2A, H319  |          |
| CAS: 124-38-9     | carbon dioxide                              | 2,5-<10% |
| EINECS: 204-696-9 | ⚠ Press. Gas L, H280                        |          |
| CAS: 123-95-5     | butyl stearate                              | 0,1-≤2%  |
| EINECS: 204-666-5 |   |          |
- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**4 First aid measures**

- **Description of first aid measures**
- **General information:** Seek medical treatment.
- **After inhalation:**
  - Take affected persons into fresh air and keep quiet.
  - Seek medical treatment in case of complaints.
- **After skin contact:** If skin irritation continues, consult a doctor.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**
  - Nausea
  - Headache
  - Disziness
  - Gastric or intestinal disorders
- **Hazards** Danger of pneumonia.

(Contd. on page 4)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 3)

- **Indication of any immediate medical attention and special treatment needed**  
If swallowed or in case of vomiting, danger of entering the lungs.  
Later observation for pneumonia and pulmonary oedema.

**5 Firefighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Foam  
Fire-extinguishing powder
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
In case of fire, the following can be released:  
Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Keep away from ignition sources.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow to penetrate the ground/soil.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:** Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Keep away from heat and direct sunlight.  
Use only in well ventilated areas.  
Ensure good ventilation/exhaustion at the workplace.
- **Information about fire - and explosion protection:**  
Do not spray onto a naked flame or any incandescent material.  
Use explosion-proof apparatus / fittings and spark-proof tools.  
Keep ignition sources away - Do not smoke.

(Contd. on page 5)

NZ

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 4)

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurised containers.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from oxidising agents.

- **Further information about storage conditions:**

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 124-38-9 carbon dioxide**

WES Short-term value: 54000 mg/m<sup>3</sup>, 30000 ppm

Long-term value: 9000 mg/m<sup>3</sup>, 5000 ppm

**CAS: 123-95-5 butyl stearate**

WES Long-term value: 10\* mg/m<sup>3</sup>

\*inhalable dust: no asbestos, <1% free silica

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

- **Respiratory protection:**

Filter A/P2

Filter AX

- **Protection of hands:**

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 5)

**· Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye protection:** Not required.**\* 9 Physical and chemical properties****· Information on basic physical and chemical properties****· General Information****· Appearance:****Form:**

Aerosol

**Colour:**

Clear

**· Odour:**

Characteristic

**· Odour threshold:**

Not determined.

**· pH-value:**

Not determined.

**· Change in condition****Melting point/Melting range:**

-60 °C

**Boiling point/Boiling range:**

175 °C

**· Flash point:**

78 °C

**· Flammability (solid, gaseous):**

Not applicable.

**· Ignition temperature:**

210 °C

**· Decomposition temperature:**

Not determined.

**· Self-igniting:**

Product is not selfigniting.

**· Danger of explosion:**

Not determined.

**· Explosion limits:****Lower:**

0,5 Vol %

**Upper:**

6,5 Vol %

**· Vapour pressure at 20 °C:**

2 hPa

**· Density at 20 °C:**0,83 g/cm<sup>3</sup>**· Relative density**

Not determined.

**· Vapour density**

Not determined.

**· Evaporation rate**

Not applicable.

**· Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

(Contd. on page 7)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 6)

- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic at 20 °C:** 4 mPas
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0,5 %
  - VOC (EC)** 0,00 %
- **Solids content:** 2,0 %
- **Other information** No further relevant information available.

**\* 10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** Danger of bursting.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:**  
Carbon monoxide  
Carbon dioxide

**\* 11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:**  
**ATE (Acute Toxicity Estimates)**  
Inhalative LC50/4 h 1164 mg/l (rat)  
**CAS: 123-95-5 butyl stearate**  
Oral LD50 32000 mg/kg (rat)
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.  
Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.
- **Serious eye damage/irritation** No irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.

(Contd. on page 8)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 7)

· **Additional toxicological information:**

Inhalation of concentrated vapours as well as oral intake will lead to anaesthesia-like conditions and headache, dizziness, etc.

**\* 12 Ecological information**· **Toxicity**· **Aquatic toxicity:** No further relevant information available.· **Persistence and degradability** No further relevant information available.· **Behaviour in environmental systems:**· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** insoluble in water· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Other adverse effects** No further relevant information available.**\* 13 Disposal considerations**· **Waste treatment methods**· **Recommendation**

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

HP 3 Flammable

HP 5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.**\* 14 Transport information**· **UN-Number**· **ADR,RID,ADN, IMDG, IATA**

UN1950

· **UN proper shipping name**· **ADR/RID/ADN**

1950 AEROSOLS

· **IMDG**

AEROSOLS

· **IATA**

AEROSOLS, flammable

(Contd. on page 9)

NZ



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 8)

**· Transport hazard class(es)****· ADR/RID/ADN**

- **Class** 2 5F Gases.
- **Label** 2.1

**· IMDG, IATA**

- **Class** 2.1
- **Label** 2.1

**· Packing group**

- **ADR,RID,ADN, IMDG, IATA** Void

**· Environmental hazards:**

Not applicable.

**· Marine pollutant:**

NEIN

No

**· Special precautions for user**

Not applicable.

Warning: Gases.

**· Danger code (Kemler):**

-

**· EMS Number:**

F-D,S-U

**· Stowage Code**

SW1 Protected from sources of heat.

SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.

**· Segregation Code**

SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.

**· Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

**· Transport/Additional information:****· ADR/RID/ADN****· Limited quantities (LQ)**

1L

**· Excepted quantities (EQ)**

Code: E0

Not permitted as Excepted Quantity

(Contd. on page 10)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 9)

- **Transport category** 2
- **Tunnel restriction code** D
  
- **IMDG**
- **Limited quantities (LQ)** 1L
- **Excepted quantities (EQ)** Code: E0  
Not permitted as Excepted Quantity
  
- **UN "Model Regulation":** UN 1950 AEROSOLS, 2.1

**15 Regulatory information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **New Zealand Inventory of Chemicals**  
CAS: 64742-47-8 Distillates (petroleum), hydrotreated light  
CAS: 68608-26-4 sulfonic acids, petroleum, sodium salts  
CAS: 124-38-9 carbon dioxide  
CAS: 123-95-5 butyl stearate  
CAS: 107-98-2 1-methoxy-2-propanol
- **GHS label elements**  
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS02 GHS08

The HSN0 Approval Number for this Group Standard is HSR002519.

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Distillates (petroleum), hydrotreated light
- **Hazard statements**  
H223-H229 Flammable aerosol. Pressurised container: May burst if heated.  
H333 May be harmful if inhaled.  
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**  
P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.  
No smoking.  
P251 Do not pierce or burn, even after use.  
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P405 Store locked up.

(Contd. on page 11)

NZ

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 14.03.2016

Version number 9

Revision: 14.03.2016

(Contd. of page 10)

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Seveso category** P3b FLAMMABLE AEROSOLS
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H280 Contains gas under pressure; may explode if heated.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.
- **Department issuing SDS:** Abteilung Produktsicherheit
- **Contact:** siehe Seite 1 / see page 1
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Aerosol 2: Flammable aerosols, Hazard Category 2  
Press. Gas L: Gases under pressure: Liquefied gas  
Acute Tox. 5: Acute toxicity, Hazard Category 5  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A  
Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- **\* Data compared to the previous version altered.**