

Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent. Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

# SAFETY DATA SHEET

# Section 1. Identification of the material and the supplier

Product: Lizard Breath

Product Code: LB

Product Use: Removes Iron or rust deposits off all surfaces.

New Zealand Supplier: Car Clean Products NZ Limited

Address: 33 Ha Crescent

Wiri

Auckland

Telephone: 09 250 0091 Fax Number: 09 250 0092

**Emergency Telephone:** 0800 POISON (0800 764 766)

Date of MSDS Preparation: August 2023

### Section 2. Hazards Identification



# Potential Health Effects WARNING

H302 Harmful if swallowed H315 Causes skin irritation

H319 Causes serious eve irritation

H373 May cause damage to organs through prolonged or

repeated exposure

Swallowed Harmful if swallowed

Eyes Causes serious eye irritation

Skin May be irritating

Inhalation May cause lung irritation.

Product Name: Lizard Breath Date of SDS: August 2023

Copyright© Car Clean Products NZ Ltd

### Section 3. Composition / Information on Ingredients

This product represents a low toxicological hazard based on the nature and amounts of ingredients.

Hazardous Ingredients	Proportion (% mass)	CAS Number
Sodium Thioglycolate	<50	367-51-1
Alcohol Ethoxysulphate	>10	68891-38-3
Sodium Xylene Sulphonate	<10	1300-72-7
Propylene Glycol Ether	<10	1569-02-4
Xanthum Gum	<1	11138-66-2

#### Section 4. First Aid Measures

Eye Flush with lukewarm water for at least 15 minutes. Seek medical

attention if problems persists

Skin If skin contact causes irritation remove contaminated clothing and

wash thoroughly with soap and water

Ingestion Do not induce vomiting. Wash mouth with water and give water to

drink.

Inhalation Remove to fresh air

### Section 5. Fire Fighting Measures

Suitable Extinguishing media Carbon dioxide, dry chemical, foam or water fog.

Fire and Explosion hazards May be combustible at high temperatures.

Fire Fighting Instructions

Treat as for surrounding fire conditions

### Section 6. Accidental Release Measures

Land Spill or Leaks Small spills or leaks can be collected for domestic rubbish

disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and

reuse.

Water Small spills and leaks should not pose any long term

effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer.

Product Name: Lizard Breath Date of SDS: August 2023

### Section 7. Handling and Storage

Handling Advice: Use only in a well ventilated area. Usually no respirator is

required. Protective glasses or goggles should be worn

along with gloves.

Storing Procedures: Store away from high temperatures and sunlight. Do not

store near to food or feedstuffs. Keep containers closed at

all times - check bulk amounts regularly for leaks.

### Section 8 Exposure Controls / Personal Protection

Engineering Controls: Use with adequate ventilation

Personal Protective Equipment: Advisable to wear goggles, nitrile gloves.

### Section 9 Physical and Chemical Properties

Appearance Liquid Odour: Strong

Odour threshold Data not available

pH: No data
Melting/Freezing point >300°C
Initial boiling point/range Not available

Flash point 100°C Flammability N/A Upper/Lower flammability limits N/A

Vapour pressure
Vapour density
Relative density
Not applicable
Data not available
Data not available

Solubility in water, % mass: Easily soluble in cold water

Partition coefficient Data not available

Auto-ignition temperature No data

Decomposition temperature

Kinematic viscosity

Particle characteristics

Data not available

Data not available

Data not available

### Section 10. Stability and Reactivity

Chemical Stability Unlikely to react or decompose under normal storage

conditions.

Conditions to Avoid Keep containers and surrounding area well ventilated

Incompatibility Acids, strong oxidizing agents.

Product Name: Lizard Breath Date of SDS: August 2023

Copyright© Car Clean Products NZ Ltd

Hazardous Decomposition

Products Carbon dioxide, carbon monoxide

### Section 11 Toxicological Information

**Acute Oral Toxicity** 

Acute Dermal Toxicity Absorbed through skin. Dermal contact. Inhalation.

Ingestion.

Long term Effects

Toxicological Data Acute oral toxicity (LD50): 504 mg/kg (Mouse)

# Section 12. Ecotoxicological Information

#### **Environmental Precautions:**

Ecological Toxicity No environmental hazard under normal conditions

**Environmental Fate:** 

Soil Biodegradable and not persistent

Water Toxic to aquatic organisms

Environmental Exposure Limits EEL water Not set

# Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

# Section 14 Transport Information

Not hazardous for transport

Road, Rail, Marine and Air Transport

UN No : Not applicable Class-primary : Not applicable Packing Group : Not applicable Proper Shipping Name: : Not applicable

### Section 15 Regulatory Information

Classification 6.1D, 6.5B, 9.3C

Group Standard Metal Industry Products (Subsidiary Hazard)

ERMA Approval No HSR002612

#### Section 16 Other Information

Product Name: Lizard Breath Copyright© Car Clean Products NZ Ltd

Date of SDS: August 2023

Supplied in 4 Ltr containers Code: LB4	

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited Phone: 09 250 0091, if further information is required.

Product Name: Lizard Breath Date of SDS: August 2023



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

#### **PURPOSE:**

Removing iron and/or rust deposits from surfaces including paint.

Pacer Lizard Breath is a pH Neutral iron fallout remover designed to break down rail dust, brake dust, industrial fallout and stuck on iron deposits. The liquid formula creates a chemical reaction that turns the contamination into a water-soluble solution. A deep purple colour shows the reaction has started and after 4 to 5 minutes simply rinse it off from the wheels or painted surfaces on your vehicle.

### **DIRECTIONS:**

Use undiluted. Spray onto surface and leave for 4-5 minutes. Use a pressure washer to blast off. Do not allow product to dry on surface!

#### **FIRST AID:**

If medical advice is needed, have product container or label at hand. If swallowed call a POISON CENTER or doctor/physician. Do NOT induce vomiting -give large quantities of water. If in eyes rinse continuously with water for several minutes. If eye irritation persists get medical advice/attention. In an emergency call National Poison Centre (24hours): 0800 POISON [764 766]

### **WARNING**

Skin permeator may cause irritation.

### **SAFETY PRECAUTIONS:**

Do not eat, drink or smoke whilst using. Avoid breathing vapour, use with adequate ventilation. When using wear nitrile gloves, goggles and respirator. Store in original container away from food. Dispose of empty container in a safe manner.

Product Name: Lizard Breath Date of SDS: August 2023