



SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product:	Reflect™ Spray Wax
Product Code:	REF
Product Use:	Cleans and produces a wax shine to paintwork, mouldings, chrome, metal, windows, glass and plastic trim. It is ideal to remove dust, fingerprints, smudges and polish residue. Reflect™ Spray Wax can be used as the lubricant when applying overspray clay.
New Zealand Supplier:	Car Clean Products NZ Limited
Address:	33 Ha Crescent Wiri Auckland
Telephone:	09 250 0091
Fax Number:	09 250 0092
Emergency Telephone:	0800 POISON (0800 764 766)
Date of MSDS Preparation:	March 2019

Section 2. Hazards Identification

This product is not hazardous

Potential Health Effects

Swallowed	No ill-effects expected
Eyes	May be slight irritant
Skin	Not considered to be an irritant
Inhalation	No ill-effects expected

Section 3. Composition / Information on Ingredients

This product represents a low toxicological hazard based on the nature and amounts of ingredients.

Ingredients	Proportion (% mass)	Cas No
Water	<90	7732-18-5
Propan-2-ol	>5	67-63-0
Carnauba Wax	<1	8015-86-9
Fatty Acid	<1	
Polydimethylsiloxane	<1	63148-62-9
Diethylene Imidoxide	<1	110-91-8
Formaldehyde	<1	50-0-0

Section 4. First Aid Measures

Routes of Exposure:

Eye	Flush with cold water for at least 15 minutes. Seek medical attention if problems persists
Skin	If skin contact causes irritation remove contaminated clothing and wash thoroughly with soap and water
Ingestion	Do not induce vomiting. Give nothing by mouth. If patient continues to be distressed seek medical attention immediately
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention immediately

Section 5. Fire Fighting Measures

Suitable Extinguishing media	Alcohol resistant foam, water sprays or fog. Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Fire and Explosion hazards	No particular hazard
Fire Fighting Instructions	Wear full protective clothing and self-contained breathing apparatus as for normal fire fighting procedures

Section 6. Accidental Release Measures

Land Spill or Leaks Absorb or contain liquid with sand, earth or spill control material. Shovel up and place in a labelled, sealable container for subsequent safe disposal or reuse

Section 7. Handling and Storage

Handling Advice: No protective clothing required. Natural ventilation should be adequate under normal use conditions. Spillages are extremely slippery.

Storing Procedures: Store away from high temperatures and sunlight. Do not store near to food or feedstuffs. Keep containers closed at all times – check bulk amounts regularly for leaks.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: No specific controls

Personal Protective Equipment: None required for label use.
Advisable to wear goggles and gloves for bulk handling and transfer

Section 9 Physical and Chemical Properties

Appearance	Dark Red Liquid
Odour:	slight chemical odour
Odour threshold	Data not available
pH:	neutral
Melting/Freezing point	Data not available
Initial boiling point/range	Data not available
Flash point	N/A
Flammability	N/A
Upper/Lower flammability limits	N/A
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility in water::	100%
Partition coefficient	Data not available
Auto-ignition temperature	N/A
Decomposition temperature	Data not available
Kinematic viscosity	Data not available
Particle characteristics	Data not available

Section 10. Stability and Reactivity

Chemical Stability Stable and non-flammable

Conditions to Avoid	High temperature > 40°C, direct sunlight
Incompatibility	strong acids and alkalis
Hazardous Decomposition Products	none

Section 11 Toxicological Information

Acute Oral Toxicity	LD ₅₀ Rat (oral) > 5000 mg /kg
Acute Dermal Toxicity	LD ₅₀ Rat (dermal) > 5000 mg /kg
Toxicological Data	no adverse toxicological properties expected

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity

Prevent contamination of soil and water. Product dissolves in water. Large volumes may penetrate soil and could contaminate groundwater. Readily biodegradable and does not bio accumulate. Not expected to be toxic to fish and aquatic organisms, and practically non-toxic to organisms in sewage treatment plants.

Environmental Fate:

Soil

biodegradable and not persistent

Water

Not expected to be toxic to fish and aquatic organisms, and practically non-toxic to organisms in sewage treatment plants.

Environmental Exposure Limits EEL_{water} Not set

Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

Section 14 Transport Information

Not a Dangerous Good

Road, Rail, Marine and Air Transport

UN No	:	Not applicable
Class-primary	:	Not applicable
Packing Group	:	Not applicable
Proper Shipping Name:	:	Not applicable

Section 15 Regulatory Information

Not hazardous under the HSNO Classification Regulations 2001

Section 16 Other Information

Supplied in 500ml, 4lt. Code: REF05, REF4

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited
Phone: 09 250 0091, if further information is required.

.....



REFLECT™ SPRAY WAX

PURPOSE:

Reflect™ Spray Wax cleans and produces a wax shine to paintwork, mouldings, chrome, metal, windows, glass and plastic trim. It is ideal to remove dust, fingerprints, smudges and polish residue. Reflect™ Spray Wax can be used as the lubricant when applying overspray clay.

DIRECTIONS:

Shake well before use. Spray Reflect™ Wax onto the surface and with a soft towel spread it across the surface. Finally wipe the surface dry.

WARNING:

Harmful if swallowed or inhaled. May cause eye irritation.

KEEP OUT OF REACH OF CHILDREN.