

Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: Supercut Car Polish

Product Code: SCCP

Product Use: Is formulated for the reconditioning and cutting of

oxidised paint while in one step polishing and waxing the

surface

New Zealand Supplier: Car Clean Products NZ Limited

Address: 33 Ha Crescent

Wiri

Auckland

Telephone: 09 250 0091 Fax Number: 09 250 0092

Emergency Telephone: 0800 POISON (0800 764 766)

Date of MSDS Preparation: August 2023

Section 2. Hazards Identification

Potential Health Effects



WARNING H302 Harmful if swallowed

H312 Harmful in contact with skin H319 Causes serious eye irritation

Swallowed Acute Oral LD50 (rat) expected to be above 5000 mg/kg

Eyes May cause corneal damage from abrasive content

Skin May irritate and cause redness with prolonged contact

Inhalation Not hazardous

Section 3. Composition / Information on Ingredients

This product represents a low toxicological hazard based on the nature and amounts of ingredients.

Ingredients	Proportion (% mass)	Cas No
Water	<50	7732-18-5
Low Aromatic White Spirits	<25	64742-82-1
Diatomaceous Earth	>5	61790-53-2
Polydimethylsiloaxane	<10	63148-62-9
Kerosene	<10	8008-20-6
Silicon dioxide (Seneca Rose Tripoli)	<10	1317-95-9
Carnauba Wax	<5	8015-86-9
Formaldehyde	<1	50-0-0
Hydroxyethylcellulose	<1	9004-62-0
Diethylene oximide	<5	110-91-8
Oleic Acid	<5	112-80-1

Section 4. First Aid Measures

Routes of Exposure:

Eye Hold eyes open and flush with water for at least 15 minutes. Seek

medical attention if problems persist. TAKE THIS SDS.

Skin Gently wash with soap and water. Apply soothing hand cream

Ingestion Treat symptomatically. Seek medical advice if vomiting has

occurred and patient is distressed.

Inhalation Not a hazard

Section 5. Fire Fighting Measures

Suitable Extinguishing media Water spray, fog or foam

Fire and Explosion hazards Only combustible at high temperatures. Could explode if

confined in high temperatures.

Fire Fighting Instructions Treat as for surrounding fire

Hazchem 2X

Product Name: Supercut Car Polish Date of SDS: August 2023

Copyright© Car Clean Products NZ Ltd

Section 6. Accidental Release Measures

Land Spill or Leaks Small spills or leaks can be collected for domestic rubbish

disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and

reuse.

Water Small spills and leaks should not pose any long term

effects to aquatic environment. Large spills should be advised to the nearest regional council pollution officer to

assist with containment.

Section 7. Handling and Storage

Handling Advice: No protective clothing required. Natural ventilation should

be adequate under normal use conditions.

Storing Procedures: Store away from high temperatures and sunlight. Do not

store near to food or feedstuffs. Keep containers closed at

all times - check bulk amounts regularly for leaks.

Section 8 Exposure Controls / Personal Protection

Engineering Controls: Normal Industrial conditions should be adequate

Personal Protective Equipment: No protective clothing required

Section 9 Physical and Chemical Properties

Appearance Thick light brown liquid

Odour: turpentine-like
Odour threshold Data not available
pH: not applicable
Melting/Freezing point Data not available
Initial boiling point/range Data not available

Flash point N/A
Flammability N/A
Upper/Lower flammability limits N/A

Vapour pressure
Vapour density

Data not available
Data not available
Data not available
Data not available

Solubility in water: miscible

Partition coefficient Data not available

Auto-ignition temperature N/A

Decomposition temperature

Kinematic viscosity

Particle characteristics

Data not available

Data not available

Data not available

Section 10. Stability and Reactivity

Chemical Stability Stable. Does not react or polymerise

Conditions to Avoid High temperatures and direct sunlight

Incompatibility strong acids and alkalis. Oxidising agents

Hazardous Decomposition

Products Carbon monoxide in a fire

Section 11 Toxicological Information

Acute Oral Toxicity LD₅₀ Rat (oral) expected to be above 5000 mg/kg Acute Dermal Toxicity LD₅₀ Rat (dermal) expected to be above 5000 mg/kg

Long term Effects Not available Toxicological Data Not available

Section 12. Ecotoxicological Information

Environmental Precautions:

Ecological Toxicity Minor short-term transient harm to aquatic and terrestrial

organisms

Environmental Fate:

Soil Low biodegradability. Residues expected to persist in soil

for several months

Water Low biodegradability in water. Expected to persist in

sediments for several months

Environmental Exposure Limits EEL water Not set

Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

Section 14 Transport Information

Road, Rail, Marine and Air Transport

UN No
Class-primary
Packing Group
Proper Shipping Name:

Not applicable
Not applicable
Not applicable

Product Name: Supercut Car Polish

Date of SDS: August 2023

Section 15 Regulatory Information

Classification 6.1E, 6.4A, 9.1C, 9.3C

Group Standard Cleaning Product (subsidiary hazard)

ERMA Approval No HSR002530

Section 16 Other Information

Supplied in 500ml, 4lt containers. Code: SCCP05, SCCP4.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited Phone: 09 250 0091, if further information is required.



Car Clean Products NZ Limited
Ph + 64 9 250 0091 - Fax + 64 9 250 0092 - www.pacer.co.nz
33 Ha Crescent, Wiri - P O Box 97 948 - Manukau – Auckland 2241 - New Zealand

SUPERCUT CAR POLISH

PURPOSE:

Supercut Car Polish is formulated for the reconditioning and cutting of oxidised paint while in one step polishing and waxing the surface.

DIRECTIONS:

Shake the product well. Make sure the surface is clean, cool and dry.

By hand: Apply to a clean cloth or applicator pad. Cover one section of the surface at a time with a smooth even coat and then polish with a clean cloth. (Always use sparingly for best results).

By machine: Use a clean wool or foam pad. Work one section at a time. Use minimal quantities and work the product until nearly dry. Use a clean dry cloth to wipe off any excess.

WARNING:

Harmful if swallowed or inhaled. May cause eye irritation.

KEEP OUT OF REACH OF CHLDREN.