



## SAFETY DATA SHEET

### Section 1. Identification of the material and the supplier

Product:	Ultracut™ Scratch & Scuff
Product Code:	ULT
Product Use:	For removal of oxidation scuff marks and scratches in paintwork.
New Zealand Supplier:	Car Clean Products NZ Limited
Address:	33 Ha Crescent Wiri Auckland
Telephone:	09 250 0091
Fax Number:	09 250 0092
Emergency Telephone:	<b>0800 POISON (0800 764 766)</b>
Date of MSDS Preparation:	March 2019

### Section 2. Hazards Identification

#### Potential Health Effects



#### WARNING

**H302 Harmful if swallowed**  
**H319 Causes serious eye irritation**

Swallowed	Harmful if swallowed.
Eyes	May cause serious irritation.
Skin	Harmful
Inhalation	Inhalation irritant. Use in open or naturally ventilated areas.

### Section 3. Composition / Information on Ingredients

This product represents a low toxicological hazard based on the nature and amounts of ingredients.

Ingredients	Proportion (% mass)	CAS Numbers
Kerosene	<10	8008-20-6
Mineral spirits	<20	8052-41-3
Mineral Oil	<10	8042-47-5
Aluminium Oxide	<40	1344-28-1
Glycerine	<15	56-81-5
Ceramic materials	<10	66402-68-4

#### Section 4. First Aid Measures

Routes of Exposure:

Eye	Flush with cold water for at least 15 minutes. Seek medical attention if problems persists
Skin	If skin contact causes irritation remove contaminated clothing and wash thoroughly with soap and water
Ingestion	Do not induce vomiting. Give several glasses of water. If patient continues to be distressed seek medical attention immediately
Inhalation	Remove to fresh air. If breathing is difficult seek medical attention immediately

#### Section 5. Fire Fighting Measures

Suitable Extinguishing media	Not combustible
Fire and Explosion hazards	Not combustible
Fire Fighting Instructions	Not combustible

#### Section 6. Accidental Release Measures

Land Spill or Leaks	Small spills or leaks can be collected for domestic rubbish disposal. Large spills or leaks should be shovelled or pumped into clean containers for decontamination and reuse.
Water	Small spills and leaks should not pose any long term effects to aquatic environment. Large spills should be

advised to the nearest regional council pollution officer to assist with containment with flotation devices.

## **Section 7. Handling and Storage**

Handling Advice: No protective clothing required. Natural ventilation should be adequate under normal use conditions. Spillages are extremely slippery.

Storing Procedures: Keep containers closed at all times - check regularly for leaks

## **Section 8 Exposure Controls / Personal Protection**

Engineering Controls: Natural ventilation should be adequate under normal use conditions

Personal Protective Equipment: Not required

## **Section 9 Physical and Chemical Properties**

Physical State:	Yellow Cream
Odour:	Vanilla
Odour threshold	Data not available
pH:	8.2-9.2
Melting/Freezing point	0°C
Initial boilingpoint/range	Data not available
Flash point	62°C
Flammability	Liquid
Upper/Lower flammability limits	Data not available
Vapour pressure	Data not available
Vapour density	Data not available
Relative density	Data not available
Solubility in water:	Insoluble
Partition coefficient	Data not available
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Kinematic viscosity	Data not available
Particle characteristics	Data not available

## **Section 10. Stability and Reactivity**

Chemical Stability: Stable. Does not react or polymerise

Conditions to Avoid: Not available

Incompatibility: Strong oxidizers, acids

Hazardous Decomposition  
Products

Carbon monoxide in a fire

## Section 11 Toxicological Information

Acute Oral Toxicity	No data available
Acute Dermal Toxicity	No data available
Long term Effects	Not a health hazard for label use
Toxicological Data	Not available

## Section 12. Ecotoxicological Information

### Environmental Precautions:

*Ecological Toxicity* May show short-term toxicity to aquatic life and terrestrial invertebrates

### Environmental Fate:

*Soil* Expected to biodegrade and not persist

*Water* Expected to biodegrade and not persist

Environmental Exposure Limits EEL<sub>water</sub> Not set

## Section 13. Disposal Considerations

Dispose as for domestic rubbish or into sewer. Avoid flushing into stormwater drains

## Section 14 Transport Information

Not hazardous for transport

### Road, Rail, Marine and Air Transport

UN No	:	Not applicable
Class-primary	:	Not applicable
Packing Group	:	Not applicable
Proper Shipping Name:	:	Not applicable

## Section 15 Regulatory Information

Classification	3.1D, 6.1E, 6.4A, 9.1B, 9.4C
Group Standard	Cleaning products (combustible)
ERMA Approval No	HSR002525

<b>Section 16</b>	<b>Other Information</b>
-------------------	--------------------------

\*\*\*\*\*

Supplied in 250ml pot. Code: ULT025.

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand proprietor, Car Clean Products NZ Limited  
Phone: 09 250 0091, if further information is required.



## ULTRA CUT™ SCRATCH & SCUFF

### **PURPOSE:**

Formulated to clean up paint oxidation (fading/ cloudy colour) and to remove scuffs and most fine through to coarse scratches. Produces an outstanding gloss on all automotive coatings. Also restores gloss to marine coatings and gel coat.

### **DIRECTIONS:**

Shake well before use. Dispense onto a cloth or applicator pad. Start and finish, one section at a time. Use small amounts and rub in a circular motion. Allow to touch-dry. Wipe (buff) off residue with a soft towel. For best results follow up with a wax.

### **WARNING:**

Harmful if swallowed. Always wash hands after use. Store in original container away from food. Do not eat or drink whilst using this product. Contains Kerosene less than 100gms/ltr.