

DESCRIPTION:

White Spirits is a fast drying solvent used for the cleaning of metal, hard plastic and painted surfaces. **White Spirit** is a petroleum product that is also suitable as a fuel for heating and lighting if specified by the equipment manufacturer.

DIRECTIONS:

Spray **White Spirits** onto the surface, agitate to clean and then wipe away with a clean cloth or allow to evaporate.

Fuel: As a fuel, use **White Spirits** in accordance with the equipment manufacturer's recommendations.

APPLICATIONS:

Solvent cleaning

PROPERTIES:

Clear liquid with a flash point of -15°C

Available Sizes:



WS4



WS20



WS9



DANGER



Solvent Cleaning



Mask



Gloves



Goggle



Clothing

DANGER

- H224 Extremely flammable liquid and vapour
- H304 May be fatal if swallowed and enters airways
- H302 Harmful if swallowed
- H332 Harmful if inhaled
- H317 May cause an allergic skin reaction

DANGER: HIGHLY FLAMMABLE LIQUID AND VAPOUR. May be harmful if swallowed. Produces hallucinations and narcotic effect. Ingestion of large amounts will result in drowsiness, fatigue, loss of appetite, paresthesia in distal extremities. Possibility of muscle weakness, cold pulsation in extremities, blurred vision, headache and nausea. Vomiting may cause this product to be aspirated to the lungs causing chemical pneumonitis or pulmonary odema. Irritating to the eyes but will not permanently damage the eye tissue. Irritating to the skin with prolonged exposure. It may result in dryness and cracking. Irritating to the respiratory tract. Exposure to large concentrations over an extended period will result in muscle weakness, blurred vision, headaches, nausea and possible loss of consciousness.

SAFETY PRECAUTIONS: Keep well away from heat, sparks and open flame. Keep container well closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves and eye/face protections. Do not eat, drink or smoke whilst using. Avoid breathing vapour. Use with adequate ventilation. Dispose empty container in a safe manner. In case of fire use CO2/Dry Powder for extinction. Collect spillage.

FIRST AID:

- Eye Hold eyes open and flush with water for at least 15 minutes.
 - Skin Immediately remove contaminated clothing and wash skin and clothes thoroughly with running water.
 - Ingestion Do not induce vomiting. Rinse mouth with water. If victim not breathing begin artificial respiration. Obtain medical attention.
 - Inhalation Remove to fresh air. If breathing is difficult, seek medical attention immediately.
- If medical advice is needed have the product container/label at hand. In an emergency phone the National Poison Centre. (24 hrs): 0800 POISON[764 766]. Contains 100% White Spirits. UN 3295. Class 3 PG II. Petroleum Spirit. Hazchem 3[W/E]*

OUR VISION AND MISSION

To be the leading value-based provider to the market. We have a dedicated team to achieve excellence for our customers and a philosophy of total quality. We conduct business and create relationships in an ethical and sustainable manner with customers, our community and the environment. The value we provide our customers is the opportunity to increase profit through lower cost solutions that do not sacrifice quality or service.

ENVIRONMENTAL POLICY

Pacer is committed to leading the industry in minimising the impact of its activities on the environment. The key points of our strategy to achieve this are: Purpose built premises utilising energy efficient technology and rain water collection. Actively promoting recycling both internally and amongst our customers and suppliers. To develop and promote a product range to minimise the environmental impact of our products. We are constantly evaluating and looking at substituting to a more environmentally friendly composition of raw materials for our products. To meet or exceed all the environmental legislation that relates to our industry.

DISCLAIMER

The technical data and information provided, including the recommendations for applying & using our products, is given in good faith based on our current knowledge and experience and is believed to be accurate when applied under 'normal' conditions. In practice, the materials, surfaces or conditions are so varied that no warranty regarding the working results or any liability or guarantee can be inferred either from this information nor from a verbal consultation. It is recommended that the user makes his or her own tests to determine the suitability of the product for their own requirements.