IDENTIFICATION SOLUTIONS



ANTIMICROBIAL THERMAL WRISTBANDS

IMAGE ID bands - high quality, cost effective direct thermal wristbands are used for Patient Identification in the he healthcare sector and for Revenue & Crowd control in Amusement & Leisure sectors. These are used where ever a secure and visual means of identification is needed like Admission Control, Age Verification, VIP Access, Group Identification, Crowd Management, Security, Event Management, Advertising and Branding.

IMAGE ID wristbands successfully stand out for their exceptional quality, competitive pricing and versatility. These have a tested 100% scan rate and are non-transferable, tamper evident, stretch and water resistant.

The company caters to the requirements of its large global customers by customizing their barcode wristbands orders. Custom options include linear or 2D barcodes, single barcode, multiple barcodes, serial numbering, logo/ artwork imprinting, and variable data printing.

SPECIAL FEATURES:

- Improves Patient Safety with positive Patient
- Antimicrobial coatins (medical grade)
- Identification Print variable data, barcodes and other ticketing related information on demand
- Designed for compatibility with most popular direct thermal printers
- Digitally printed bar codes are crisp and clear for high scanability and tight security
- Bar coding improves operational efficiency while preventing data entry and collection error
- Helps prevent counterfeits and internal theft

COMPLETE SOLUTION:

- New Image 2" multi-functional printer
- Includes Bartender Ultralite
- Cerner Certified
- ZPL compatible
- USB / Ethernet (standard)

Image 2" Wristband Printer Part No. IMWB2-001



APPLICATIONS:

Healthcare

Patient ID tracking Hospital admissions Hospital nursery



Entertainment & Hospitality

Amusement parks & Water parks Event admissions Night club age verification




Other Markets

Law enforcement Crowd control Restricted area access




Thermal Printable Wristbands



PATIENT ID SOLUTIONS

KEY OFFERING:

Thermal Snap-closure Wristbands Thermal Adhesive-closure Wristbands



- \checkmark For Roll-Fed Thermal Printers = No Cartridge Jams
- \checkmark Free of Plastic Cartridges = Care for Environment
- ***** Expensive Wristbands = Higher Costs
- ***** Frequent Cartridge Jams = Unnecessary Delays
- ***** Plastic Cartridges = Environmental Hazard



VS

Healthcare Patient ID tracking

Hospital admissions Hospital nursery

SPECIAL FEATURES:

APPLICATIONS:

UK - NHS & NPSA Compliant

US - NPSG Compliant

- Made of soft, comfortable, durable and non-abrasive material
- Provides maximum resistance to Light, Moisture, Solvents & Harsh Environments
- ▶ Resistant to Water, Soap, Betadine, Iodine, Isopropyl Alcohol, Ethyl Alcohol & other solvents
- ▶ Non-allergenic, Latex and Phthalate free
- Antimicrobial coating to protect against tested non-pathogenic bacteria
- ▶ Features a security, tamper evident design and can be quickly attached to the wrist

Thermal Adhesive-closure Wristbands

ADULT

Packaging Details: 250 wristbands/roll, 4 rolls per box for roll fed thermal printers **Size:** 1.125 x 11.5 inches (28.6 x 292 mm)

Image: Constraint of the state of	JOHN SMITH Mitre 1594050 Mitre 1594050 DDD: 300/570 Mitre 1594050 Mitre 1594050 DDD: 300/570 Mitre 1594050 Mitre 1594050 DDD: 300/570 Mitre 1594050 Mitre 1594050
Colour: Red NPC: FSL1218	Colour: 🖌 White
CHILD Packaging Details: 250 wristbands/roll, 4 rolls per box for roll fed therm Size: 1 x 7.5 inches (25.4 x 190 mm) Colour: Red	nal printers
INFANT Packaging Details: 250 wristbands/roll, 4 rolls/box for roll fed thermal printers Size: 1 x 6 inches (25.4 x 152 mm)	
	DOB : 201/280 Patient ID: SYN4500
Thermal Snap-closure Wristbands Packaging Details: 200 wristbands/roll, 5 rolls per box for roll fed thermal printers Snap-Closure: White White White White Size: 1,125 x 11.5 inches (28.575 x 292.1 mm) Image: Million SMITH	
MBR: 4-Section MAR: 4-Section MBR: 1-Section Do Moore ADM (03:05:3) Do Moore ADM (03:05:3) De Moore	• •
 Direct Thermal Printer Easy media loading Serial and USB 2.0 connectivity High quality double-walled clamshell design Available in 203 dpi and 300 dpi resolutions Optional internal Ethernet 	Other Product offectionsImage: Strain