

ATEM 1 M/E Advanced Panel



NZ\$7,135

The new ATEM 1 M/E Advanced Panel is an elegantly designed professional hardware control panel for all ATEM switchers. It combines modern design with the latest broadcast technology for faster workflows. The new design features a built in LCD and high quality curved buttons that help reduce incorrect key presses. The buttons also have color backlighting to help you quickly recognize important keys. You also get a professional joystick for DVE and camera adjustments, smooth weighted t-bar fader and much more. The buttons feature dynamic displays that allow full customization of the labels as well as custom colors. The shift buttons allow you to double up the number of inputs by selecting a second set of shifted source buttons so you can control up to 20 inputs. The compact size and durable design of the ATEM 1 M/E Advanced Panel fits in a standard equipment rack, making it perfect for shelf mounting in broadcast trucks, mobile racks and fly away kits.


Connections

Ethernet

2 x 10/100/1000 BaseT with loop output for additional control panels or computers

Software Updates

1 x USB-C for firmware updates



Product Specifics

Direct Cross Points

10

DSK Transition Selectors

Auto, Cut, Tie/Preview.

Destination Bus

1

Shifted Cross Points

20

Preview Transition

1

Source Select Bus

1

Crosspoint Button Type

Tri-Color LED

Transition Rate Displays

Via main menu

Fader Bar

1

Crosspoint Label

3 rows 24 character LCD

LCD Menu Displays

3

3 Axis Joystick

1

Next Transition Selectors

BKG, Key 1 - Key 4.

Menu Control

20 buttons

Numeric Keypad

1

On-Air indicator

4

Dedicated Macro Buttons

10

Power Status Indicators

None

Multi Control Buttons


None

Software

Software Applications

ATEM Software Control Panel.

Operating Systems



Mac 10.14 Mojave,
Mac 10.15 Catalina or later.



Windows 8.1 and 10.

Power Requirements

Input Voltage

1 x Internal 100 - 240V AC.

Redundant Power

Yes

Power Usage

45W

Physical Specifications



Environmental Specifications

Operating Temperature

0° to 40° C (32° to 104° F)

Storage Temperature

-20° to 60° C (-4° to 140° F)

Relative Humidity

Up to 95%

What's Included

ATEM 1 M/E Advanced Panel

Warranty

12 Month Limited Manufacturer's Warranty.

All items on this website are copyright Blackmagic Design Pty. Ltd. 2020, all rights reserved.
All trademarks are property of their respective owners. MSRP includes GST and excludes shipping costs.
This website uses remarketing services to advertise on third party websites to previous visitors to our site.
You can opt out at any time by changing cookie settings. [Privacy Policy](#)

Blackmagic Design Authorized Reseller