

# SAFETY DATA SHEET

**Distributer in New Zealand** 

Telephone: +64 9 25000 91

33 Ha Crescent Wiri Auckland, New Zealand

Fax:

Web:

Pacer Car Clean Products NZ LTD

+64 9 25000 92

24hr Emergency Assistance in New Zealand
National Poison Control Center: 0800 Poison [764 766]

:www.pacer.co.nz

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

RTU Tire Dressing

of the mixture

Registration number -

Synonyms None.
Product Code 1085

Issue date 09-09-2014

Version number 04

Revision date 06-10-2015 Supersedes date 05-29-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Dressing
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Malco Products, Inc.
Address 361 Fairview Ave

Barberton, OH 44203

US

Division

Telephone Phone 800-253-2526

Fax 330-777-8317

e-mail msdsinfo@malcopro.com

Contact person Not available.

1.4. Emergency telephone Phone 1-800-424-9300

number

#### SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Not available.

Hazard Summary (according to Dangerous Substances Directive)
Physical hazards
Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards None known.

Main symptoms Not available.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Material name: RTU Tire Dressing

Supplemental label information None.

2.3. Other hazards None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

#### SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Get medical attention if irritation develops and persists.

Eye contact Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms Direct contact with eyes may cause temporary irritation.

4.2. Most important symptoms and effects, both acute and

delayed

Direct contact with eyes may cause temporary imia

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

madia

media

. .......

Unsuitable extinguishing media

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

equipment for firefighted

special fire figi

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

#### SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

# SECTION 7: Handling and storage

7.1. Precautions for safe

Avoid prolonged exposure. Observe good industrial hygiene practices.

handling

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

7.3. Specific end use(s)

Not available.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure limits

Belgium. Exposure Limit Values. Components	Туре	Value	Form
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	Mist.
Croatia. Dangerous Substance Expo Components	sure Limit Values in the Wo	orkplace (ELVs), Annexes 1 ar Value	nd 2, Narodne Novine, 13/09
Glycerol (CAS 56-81-5)	MAC	10 mg/m3	
Czech Republic. OELs. Government Components	Decree 361 Type	Value	Form
Glycerol (CAS 56-81-5)	Ceiling TWA	15 mg/m3 10 mg/m3	Mist. Mist.
Estonia. OELs. Occupational Exposu 2001)	ure Limits of Hazardous Sul	ostances. (Annex of Regulation	on No. 293 of 18 September
Components	Туре	Value	
Glycerol (CAS 56-81-5)	TWA	10 mg/m3	
Finland. Workplace Exposure Limits Components	s Туре	Value	
Glycerol (CAS 56-81-5)	TWA	20 mg/m3	
France. Threshold Limit Values (VLE	EP) for Occupational Exposu Type	re to Chemicals in France, IN Value	IRS ED 984 Form
components	туре	Value	
-	VME	10 mg/m3	Aerosol.
Components  Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory 0 n the Work Area (DFG)	VME	10 mg/m3	
Glycerol (CAS 56-81-5) Germany. DFG MAK List (advisory 0 n the Work Area (DFG)	VME	10 mg/m3	
Glycerol (CAS 56-81-5) Germany. DFG MAK List (advisory 0 n the Work Area (DFG) Components	VME DELs). Commission for the I	10 mg/m3 nvestigation of Health Hazard	s of Chemical Compounds
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG)  Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999,	VME DELs). Commission for the I Type TWA	10 mg/m3 nvestigation of Health Hazard Value	s of Chemical Compounds Form
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG)  Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, Components	VME DELs). Commission for the I Type TWA as amended)	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3	s of Chemical Compounds Form
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG) Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, Components  Glycerol (CAS 56-81-5)  reland. Occupational Exposure Lim	VME DELs). Commission for the I Type TWA as amended) Type TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value	s of Chemical Compounds Form
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG)  Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, 2000)  Components  Glycerol (CAS 56-81-5)  reland. Occupational Exposure Lime Components	VME DELs). Commission for the I Type TWA as amended) Type TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3	s of Chemical Compounds Form Inhalable fraction.
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG) Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, Components  Glycerol (CAS 56-81-5)  reland. Occupational Exposure Lime Components  Glycerol (CAS 56-81-5)  Poland. MACs. Minister of Labour all	VME  VME  DELs). Commission for the I  Type  TWA  as amended)  Type  TWA  its  Type  TWA  Type  TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3 Value	Form Form  Form  Mist.
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG) Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, Components  Glycerol (CAS 56-81-5)  reland. Occupational Exposure Lime Components  Glycerol (CAS 56-81-5)  Poland. MACs. Minister of Labour at Working Environment	VME  VME  DELs). Commission for the I  Type  TWA  as amended)  Type  TWA  its  Type  TWA  Type  TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3 Value	Form Form  Form  Mist.
Glycerol (CAS 56-81-5) Germany. DFG MAK List (advisory on the Work Area (DFG) Components Glycerol (CAS 56-81-5) Greece. OELs (Decree No. 90/1999, Components Glycerol (CAS 56-81-5) reland. Occupational Exposure Limponents Glycerol (CAS 56-81-5) Poland. MACs. Minister of Labour at Working Environment Components	VME DELs). Commission for the I Type TWA as amended) Type TWA its Type TWA and Social Policy Regarding	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3 Value 10 mg/m3 Maximum Allowable Concent	Form  Form  Form  Mist.  rations and Intensities in
Glycerol (CAS 56-81-5)  Germany. DFG MAK List (advisory on the Work Area (DFG) Components  Glycerol (CAS 56-81-5)  Greece. OELs (Decree No. 90/1999, 2000)  Components  Glycerol (CAS 56-81-5)  reland. Occupational Exposure Lime Components  Glycerol (CAS 56-81-5)  Poland. MACs. Minister of Labour and Working Environment  Components  Glycerol (CAS 56-81-5)  Portugal. VLEs. Norm on occupation	VME DELs). Commission for the I Type TWA as amended) Type TWA iits Type TWA nd Social Policy Regarding Type TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3 Value 10 mg/m3 Maximum Allowable Concent Value 10 mg/m3	Form  Form  Mist.  rations and Intensities in  Form
Glycerol (CAS 56-81-5)	VME DELs). Commission for the I Type TWA as amended) Type TWA iits Type TWA nd Social Policy Regarding Type TWA nal exposure to chemical ag	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3 Value 10 mg/m3 Value 10 mg/m3 Maximum Allowable Concent Value 10 mg/m3 ents (NP 1796)	Form  Form  Mist.  rations and Intensities in  Form
Glycerol (CAS 56-81-5) Germany. DFG MAK List (advisory on the Work Area (DFG) Components Glycerol (CAS 56-81-5) Greece. OELs (Decree No. 90/1999, Components Glycerol (CAS 56-81-5) reland. Occupational Exposure Lime Components Glycerol (CAS 56-81-5) Poland. MACs. Minister of Labour and Working Environment Components Glycerol (CAS 56-81-5) Portugal. VLEs. Norm on occupation Components	VME DELs). Commission for the I Type TWA as amended) Type TWA iits Type TWA nd Social Policy Regarding Type TWA nal exposure to chemical ag Type TWA	10 mg/m3 nvestigation of Health Hazard Value 50 mg/m3  Value 10 mg/m3  Value 10 mg/m3  Maximum Allowable Concent Value 10 mg/m3  lents (NP 1796) Value 10 mg/m3	Form Inhalable fraction.  Form Mist. rations and Intensities in Form Aerosol.

Material name: RTU Tire Dressing

SDS EU

Spain. Occupational Exposure Limits Form Components Type Value Glycerol (CAS 56-81-5) **TWA** 10 mg/m3 Mist. Switzerland. SUVA Grenzwerte am Arbeitsplatz Form Value Components Type Glycerol (CAS 56-81-5) STEL 100 mg/m3 Inhalable dust. 50 mg/m3 **TWA** Inhalable dust. UK. EH40 Workplace Exposure Limits (WELs) Form Components Type Value

Biological limit values No biological exposure limits noted for the ingredient(s).

**TWA** 

Recommended monitoring

Glycerol (CAS 56-81-5)

procedures

Follow standard monitoring procedures.

Derived no-effect level (DNEL) Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

10 mg/m3

Mist.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear.
Physical state Liquid.
Form Liquid.
Color Yellow.
Odor Lemon
Odor threshold Not available.

Melting point/freezing point 68 °F (20 °C) / 68 °F (20 °C) estimated

32 °F (0 °C)

Not available.

Initial boiling point and boiling

range

pН

554 °F (290 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Vapor pressure 0,00006 hPa estimated

Vapor density Not available.

Relative density Not available.

Material name: RTU Tire Dressing

1085 Version #: 04 Revision date: 06-10-2015 Issue date: 09-09-2014

Solubility(ies)

100 % Solubility (water)

Solubility (other) Not available.

739 °F (392,78 °C) estimated Auto-ignition temperature

Not available. Decomposition temperature

5 cP Viscosity

68 °F (20 °C) Viscosity temperature Explosive properties Not available. Oxidizing properties Not available.

9.2. Other information

Density 8,84 lbs/gal 4,98 cSt Kinematic viscosity 68 °F (20 °C) Kinematic viscosity

temperature

VOC (Weight %) 0 %

# SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

10.4. Conditions to avoid

reactions

No dangerous reaction known under conditions of normal use.

10.5. Incompatible materials Strong oxidizing agents.

10.6. Hazardous decomposition products No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

General information Occupational exposure to the substance or mixture may cause adverse effects.

Contact with incompatible materials.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

May be harmful if swallowed. May cause respiratory irritation. Acute toxicity

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

Other information Not available.

Material name: RTU Tire Dressing 1085 Version #: 04 Revision date: 06-10-2015 Issue date: 09-09-2014

### **SECTION 12: Ecological information**

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential No data available.
Bioconcentration factor (BCF) Not available.
12.4. Mobility in soil No data available.

12.5. Results of PBT

and vPvB assessment

Not available.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

Not available.

### **SECTION 14: Transport information**

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

The Hazardous Approval Number for this group

standard is HSNO: HSR002530

Cleaning products – Cleaning Products Subsidiary

Hazard

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Material name: RTU Tire Dressing

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at

work, as amended

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work, as amended

Not listed.

Directive 94/33/EC on the protection of young people at work, as amended

Not listed.

The product is classified and labelled in accordance with EC directives or respective national laws. Other regulations

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents. 15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

### SECTION 16: Other information

Not available. List of abbreviations Not available. References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information

GHS: Classification

Training information

Follow training instructions when handling this material.

Disclaimer

Malco Automotive cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.