

CREATING A CLEANER, SAFER, HEALTHIER WORLD.



## **R3**

#### COMPACT, RAPID DRYING CARPET CLEANER

Go places you haven't gone before – with ReadySpace® technology

- Turn congested areas quickly with patented ReadySpace technology for carpet that is clean, dry, and ready for use in less than 30 minutes
- Clean compact spaces easily with ultra-low profile, compact design
- Quietly clean with true OSHA recognized 69 dBA sound level

## CARPETS CLEANED WITH READYSPACE® TECHNOLOGY ARE DRY AND READY FOR FOOT TRAFFIC IN LESS THAN 30 MINUTES



#### CLEAN, HEALTHY ENVIRONMENTS

ReadySpace technology helps reduce mold and bacteria growth and leaves clean, healthy spaces while using up to 80% less water and leaving up to 90% less water in the carpet.

#### **INCREASE PRODUCTIVITY IN TIGHT SPACES**

Clean with ease in tight, congested areas, such as office spaces, with forward and reverse cleaning action. The ultra low profile design and Insta-Adjust™ handle extends your cleaning reach under low-profile desks and tables.

#### EASY TO FILL AND EMPTY TANKS

Easy to fill, empty, and clean Hygenic® lift-off tanks offer a unique compact design. Ergonomic handles and grips ensure easy pick up.


#### BEAUTIFULLY CLEAN, ALWAYS READY CARPET SPACES

Improve carpet appearance and luster with ReadySpace technology's exclusive soil transfer rollers that lift and remove the dirt vacuuming leaves behind. The results are exceptional:

- Keep high-traffic areas looking new with frequent cleanings.
- Reduce chemical build up to help prevent resoiling.
- Reduce risk of slip-and-fall incidents when transitioning from just cleaned carpet to hard floors.

#### INSIDE THE

# **R3**



#### PATENTED READYSPACE® TECHNOLOGY

Unique soil-transfer rollers are the basis for ReadySpace. When damp, these fabric rollers grab dirt from the carpet fibers and lift it into the machine.

Inside, a sprayer rinses soil from the rollers, not the carpet.

Two powerful individual vacuum shoes transfer the dirty water into the recovery tank.



### FROM CLEAN TO CROWD IN MINUTES.

Reopen spaces sooner with ReadySpace technology.

#### First Shift

**6:30 AM** – Cleaning crew finishes cleaning small office space with Tennant R3. **7:00 AM** – Carpet is clean, dry, and ready for office traffic.



#### Check In

2:30 PM – Housekeeping finishes cleaning the hotel room with Tennant R3.3:00 PM – Carpet is clean, dry, and ready

for guest check in.



#### **Store Open**

**8:30** AM – Mall maintenance finishes cleaning stores.

**9:00** AM – Carpet is clean, dry, and ready for shoppers.



#### OPTIMIZE CLEANING PERFORMANCE WITH TENNANT*TRUE*®

Maximize the uptime and life of your Tennant equipment with Tennant *True* parts and service. Benefit from the unmatched knowledge of our team of over 400 factory-trained and certified Tennant Service Reps. Improve productivity with quality parts and supplies that are designed to enhance performance and durability. Depend on Tennant *True* to help you maximize the effectiveness of cleaning operations.

#### R3 COMPACT, RAPID-DRYING CARPET CLEANER

#### **CLEANING SYSTEM**

Cleaning path 15 in / 380 mm

#### **BRUSH DRIVE SYSTEM**

 $\begin{array}{lll} \mbox{Roller motor (2)} & 0.3 \mbox{ hp / } 0.22 \mbox{ kW} \\ \mbox{Roller speed} & 450 \mbox{ rpm} \\ \mbox{Roller size (dual cylindrical)} & 15 \mbox{ in / } 380 \mbox{ mm} \\ \end{array}$ 

#### **SOLUTION SYSTEM**

Solution tank capacity 5 gal / 19 L
Solution pump pressure 65 psi / 4.48 bar
Solution spray rate 0.2 gpm / 0.76 lpm

#### **RECOVERY SYSTEM**

Recovery tank capacity

5 gal / 19 L

Vacuum fan

2-stage, 1.2 hp / 2-stage, 0.89 kW

Vacuum motor airflow (max)

99 cfm / 2.8 m³/min

Vacuum system sealed waterlift

86 in / 2,180 mm

#### **POWER SYSTEM**

Power cord 50 ft / 15 m

#### **MACHINE SPECIFICATIONS\***

 Length
 30 in / 760 mm

 Width
 19 in / 480 mm

 Height
 28 in / 710 mm

 Weight
 117 lb / 53 kg

 Sound level (operator's ear)
 69 dBA

#### **ACCESSORIES**

Optional tools available.

#### **WARRANTY**

See your local representative for warranty information

\*Dimensions are measured with handle folded flat for storage. Specifications subject to change without notice.

Choose GE Capital, U.S. Bancorp, or All-Line Leasing for simple, quick financing with flexible upgrade options.

#### **SEEING IS BELIEVING**

For a demonstration or additional information, call +1.800.553.8033 or email info@tennantco.com

Tennant 701 North Lilac Drive Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050 Overseas: +1.763.540.1315

www.tennantco.com info@tennantco.com