Biosan II®

Hospital Grade Disinfectant - TGA Listed (ARTG 332364)

Micro-organism decontaminant

PROVEN TO KILL COVID-19

APPLICATION AREAS

Hospitals - CSSD	Stainless steel and plastic surfaces, non-therapeutic equipment, walls, floors and doors.
Hospitals - Intensive Care	Stainless steel and plastic surfaces, non-therapeutic equipment, walls, floors and doors.
Hospitals - Theatre (excludes medical devices)	Equipment, hard surfaces, walls, floors and doors.
Hospitals - General	Cleaning up blood and body fluid spills, desks, chairs, benches hard surfaces & equipment, handles, trolleys etc.
Childcare/Nursery	Scales, cots, change tables, trolleys, touch points
Aged Care	All hard surfaces, wheelchairs, tables, hard floors, doors, etc
Dental & GP Surgeries	All hard surfaces, chairs, trolleys, treatment tables & lights.
Laboratories & Pathology Clinics	All hard surfaces, fume cupboards, benches, chairs, desks, trolleys
Government	City Council, squatter clean-up, mould, trauma and flood clean-up
Education	Schools, universities, tafe.
Public Transport	Hard surfaces, fogging applications, handles, seats, touch points.

Biosan II is effective against a wide spectrum of pathogens:

- SARS-CoV-2 (VOVID-19 Virus)
- Staphylococcus Aureus (MRSA or Golden Staph)
- Escerichia Coli (E-Coli)
- Pseudomonas Aeruginosa
- Proteus Vulgaris
- Aspergillus Brasiliensis
- Salmonella Choleraesuis

Application:

Only use clean cloths or paper toweling when applying and using Biosan II solution. Follow established cleaning code of practice procedures to avoid cross-contamination.

When spraying or fogging wear relevant PPE to protect eyes and to avoid inhalation.

Not to be used on skin.

The disinfectant is not to be used on medical devices or other therapeutic goods.

Dilutions:

Add 64ml per litre of clean water (1:16) for SARS-CoV-2 treatment & mould remediation.

Add 32ml per litre of clean water (1:32) for bacterial disinfection/decontamination.

Add 16-20ml per litre (1:64 - 1:50) for clean surface disinfection and odour control.

Directions for Use:

Apply the solution liberally.

Agitate and allow 10 mins dwell time.

Rinse surfaces with clean water.

Clean surfaces can be left to air-dry (wipe away excess solution) for maximum disinfection and for longer protection against micro-organisms.

Special use notes:

Do not mix Biosan ll with detergents or other chemicals.

Packaging - Biosan II (Concentrate)

20Lt, 5Lt, 2.5Lt & Empty 750ml Applicator bottle

Packaging - Biosan II (Ready to Use)

5Lt, 750ml Spray pack & 500ml

actichem™

Actichem | 1800 108 800 | www.actichem.com.au
11 Gamma Close Beresfield NSW 2322 | info@actichem.com.au