

Material Safety Data Sheet

CS: 1.4.93

Page: 1 of 3

Infosafe No™ YSY3Q	Issue Date : March 2010	APPROVED by PLESSJAL
--------------------	-------------------------	----------------------

Product Name : **MAX CUTTING COMPOUND**

Classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name	Peerless Jal Pty Ltd (ABN 53 006 489 345)
Address	10-12 Raglan Street Preston Victoria 3072 Australia
Tel/Fax	Tel: (03) 9416 6700 Fax: (03) 9416 8516
Email	sales@peerlessjal.com
Other Information	The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising from or in any way connected with the handling, storage, use or disposal of the material.

IDENTIFICATION

Product Code	MP 06
Product Name	MAX CUTTING COMPOUND
Poisons Schedule	Not Scheduled
Product Use	To be used in conjunction with a buffing machine fitted with a lambswool buffing pad to rejuvenate faded duco and cut and polish acrylic automotive paints.

Physical Data

Appearance	Green solid paste with a mineral solvent odour.
Boiling Point	>100°C (@ 760mm Hg)
Vapour Pressure	Not know
Specific Gravity	1.360 ± 0.005
Flash Point	Non-flammable
Flamm. Limit LEL	Not applicable
Flamm. Limit UEL	Not applicable
Solubility in Water	Partially soluble (earth insoluble)

Other Properties

Volatile Component	40.0 - 41.0
pH Value	8.5 - 9.5

Ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	SILICAS	N/A	60-100 %
	Pine Oil (85% turpine content)	8002-09-3	0-10 %
	Paraffin oils & Emulsifiers	N/A	0-10 %
	Water	N/A	To 100%
	Hydrocarbons	8008-20-6	19.5%

HEALTH HAZARD INFORMATION

Health Effects

Acute - Swallowed	Irritation of mouth and intestinal tract. Can result in nausea, vomiting and diarrhoea.
--------------------------	---

Material Safety Data Sheet

CS: 1.4.93

Page: 2 of 3

Infosafe No™ YSY3Q	Issue Date : March 2010	APPROVED by PLESSJAL
--------------------	-------------------------	----------------------

Product Name : **MAX CUTTING COMPOUND**

Classified as hazardous according to criteria of NOHSC

Acute - Eye	Possible irritant and abrasive. May cause eye injury.
Acute - Skin	Possible irritant. On prolonged or repeater contact may lead to dermatic effects.
Acute - Inhaled	Not a likely exposure route.

First Aid

Swallowed	Do NOT induce vomiting. Give a glass of water ad contact a doctor or the Poisons Information Centre. Phone 12 11 26.
Eye	Do NOT rub eye. Hold eyelids open and flood with water for at least 15 minutes and see a doctor.
Skin	Remove contaminated clothing, wash affected area with soap and water.
Inhaled	Not applicable

Advice to Doctor

Advice to Doctor	Treat symptomatically.
-------------------------	------------------------

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits	Not determined for this product.
Eng. Controls	Ventilation: No special requirements when used in accordance with directions issued under 'Personal Protection'.

Personal Protection

Protective Equip.	Avoid contact with skin and eyes and avoid breathing dust. Dust masks and safety goggles must be worn when buffing off this product.
--------------------------	---

Flammability

Fire Hazards	Not Flammable. SELF EXTINGUISHING using sausage test.
---------------------	---

SAFE HANDLING INFORMATION

Storage and Transport

Transport	Not classified as Dangerous Goods, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
Storage and Transport	No special transporting requirements. Store between 5°C and 35°C.

Spills and Disposal

Spills & Disposal	Shovel up excess and rinse residue with water. Consul local authorities regarding disposal.
------------------------------	--

Fire/Explosion Hazard

Fire/Explos. Hazard	No known harmful decomposition products formed. Extinguish small fires with Foam, Dry Chemical or CO2 Fire fighters must use self-contained breathing apparatus on confined or poorly ventilated spaces. Cool intact drums with water spray.
----------------------------	--

OTHER INFORMATION

Other Information	ID No.: MP06-08
--------------------------	-----------------

CONTACT POINT

Technical Contact Point	Technical Department 10-12 Raglan Street Preston VIC 3072 Tel: (03)9416 6700 (BH) Fax: (03)9416 8516 ...End Of MSDS...
--------------------------------	--

Material Safety Data Sheet

CS: 1.4.93

Page: 3 of 3

Infosafe No™ YSY3Q

Issue Date : March 2010

APPROVED by PLESSJAL

Product Name : **MAX CUTTING COMPOUND**

Classified as hazardous according to criteria of NOHSC

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.
The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.