Material Safety Data Sheet

Page: 1 of 3

Infosafe No™ YSY2Q Issue Date : March 2010 APPROVED by PLESSJAL

Product Name SLEEK 50

Not classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name Peerless Jal Pty Ltd (ABN 53 006 489 345)

Address 10-12 Raglan Street Preston

Victoria 3072 Australia
Tel/Fax Tel: (03) 9416 6700

Fax: (03) 9416 8516

Email sales@peerlessjal.com

Other Information The information in this MSDS was obtained from sources which we believe are

reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be

beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense

arising from or in any way connected with the handling, storage, use or

disposal of the material.

IDENTIFICATION

Product Code LC50

Product Name SLEEK 50

Packing Group None Allocated.

Hazchem Code None Allocated.

Poisons Schedule Not Scheduled

Product Use As a cleaner for use over acrylic and metalized acrylic floor coatings.

Contains a small amount of polish to be deposited on floor during the cleaning

process.

Physical Data

Appearance Opaque white liquid with slight ammonia odour.

Boiling Point Approx 100°C (@ 760mm Hg)

 $\begin{tabular}{llll} \mbox{Vapour Pressure} & \mbox{Not known} \\ \mbox{Specific Gravity} & 1.018 \pm 0.005 \\ \mbox{Flash Point} & \mbox{Non flammable} \\ \mbox{Flamm. Limit LEL} & \mbox{Not applicable} \\ \mbox{Flamm. Limit UEL} & \mbox{Not applicable} \\ \end{tabular}$

Solubility in Water Infinite

Other Properties

Volatile Component Approx. 89.0 - 90.0%

pH Value 8.5-9.5

Ingredients

Ingredients	Name	CAS	Proportion
	Resin & Polyethylene Waxes.	N/A	0-10 %
	Anionic surfactant	N/A	0-10 %
	Phosphate builders	N/A	0-10 %
	ACRYLIC COPOLYMER	N/A	0-10 %
	Water	N/A	To 100%

Print Date: 5/03/2010 CS: 1.4.93

Material Safety Data Sheet

Page: 2 of 3

Infosafe No™ YSY2Q Issue Date : March 2010 APPROVED by PLESSJAL

Product Name SLEEK 50

Not classified as hazardous according to criteria of NOHSC

HEALTH HAZARD INFORMATION

Health Effects

Acute-Swallowed Possible irritant. Can result in nausea, vomiting & stomach pain.

Acute - Eye Possible irritant if direct contact is made.

Acute-Skin Possible irritant. On repeated or prolonged contact may lead to dermatic

effects.

Acute-Inhaled Irritation to nasal passages may result from breathing of spray mists.

Hazards Classified as non hazardous according to criteria of NOHSC.

Identification Classified as non hazardous according to the Transport of Dangerous Goods

(ADG) Code.

Chronic No information available.

First Aid

Swallowed Give a glass of water & contact a doctor or the Poisons Information Centre.

Phone 13 11 26.

Eye Hold eyelids open and flood with water for at least 15 minutes & see a Doctor.

Skin Remove contaminated clothing, wash affected area with soap & water.

Inhaled Rinse mouth & nasal passage with water and remove to fresh air.

First Aid Facilities Normal washroom facilities.

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

Irritancy of Product May be irritating to eyes if direct contact is made.

PRECAUTIONS FOR USE

Exposure Limits Not Applicable.

Exposure Controls, No exposure standard has been assigned for this product.

Personal Protection

Eng. Controls Ventilation: No special requirements when used in accordance with label

directions.

Personal Protection

Protective Equip. Avoid contact with skin and eyes.

Wear rubber gloves if using manually.

Flammability

Fire Hazards Non - flammable.

Special Protective Safety Glasses and gloves may be worn as a safety measure when using this

Measures product

Other Protection: Do not eat, drink or smoke until after washing hands.

SAFE HANDLING INFORMATION

Storage and Transport

Transport Classified according to the Transport of Dangerous Goods (ADG) Code and the

Standards for the Uniform Scheduling of Drugs and Poisons.

Storage and No special requirements.

Transport When storing, do not allow to freeze & store below 35°C. ie. Store between 5°C

and 35°C.

Handling and The product should be stored, handled and used in accordance with good

Storage personal hygiene practices and label directions.

Print Date: 5/03/2010 CS: 1.4.93

Material Safety Data Sheet

Page: 3 of 3

Infosafe No™ YSY20 Issue Date : March 2010 APPROVED by PLESSJAL

SLEEK 50 Product Name

> Not classified as hazardous according to criteria of NOHSC

ADR/RID UN Number (Road Transport)

None Allocated.

Spills and Disposal

Spills & Disposal Do NOT allow to dry. Dike with inert material. Transfer liquid to containers

> for recovery or disposal and diking material to separate containers for disposal. Coagulate liquid emulsion by stepwise addition of ferric chloride and lime. Contain large volumes of spilt material, wash residues and small

amounts from the contaminated area with water.

Disposal methods and containers: Disposal

In accordance to Government Regulations. Considerations

Special Consideration for landfill or incineration:

Incinerate in an approved incinerator, according to government regulations.

Fire/Explosion Hazard

Fire/Explos. Hazard Presents no known fire or explosive hazards and forms no known hazardous

decomposition products.

Treat fire for materials actually involved in the fire.

No hazards are expected if the material is handled, stored and used according Stability and

to instructions and Govenment Regulations. Reactivity

Hazchem Code None Allocated.

Presents no known fire or explosive hazards. Fire Fighting

Treat fire for materials actually involved in the fire. Measures

Suitable extiquishing media: Water Fog, fine water spray, foam or dry agent,

carbon dioxide and sand.

OTHER INFORMATION

Safety Statement S2 Keep out of reach of children.

S39 Wear eye/face protection.

All components of this product are listed on the Australian Inventory of Regulatory

Chemical Substances (AICS). Information

Emulsion polymer biodegradation is generally considered limited and dependant **Ecological**

on polymer size and origin of treatment sludge. However most of these Information

polymers readily absorb onto water treatment sludge and therefore would be

bioeliminable from effluents.

No data available for this product. The information shown is based on profiles

of composionally similar materials.

Ecotoxicity LC50 Rainbow Trout 96hrs >100ppm

Acute Toxicity -

Microtox, 15min EC50:>300ppm

Bacteria

Algea, 72hrs EC50: >100ppm **Acute Toxicity -**

Algae

Other Information This MSDS summarises our best knowledge of health and safety hazard

information of the product and how to safely handle and use the product.

ID No.: LC50

CONTACT POINT

Technical Contact Point

Technical Department 10-12 Raglan Street

Preston

Vic 3072

Tel: (03)9416 6700 (BH) Fax: (03)9416 8516 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 5/03/2010 CS: 1.4.93