Material Safety Data Sheet

Page: 1 of 3

Product Name TIMBER PRECLEAN

Not classified as hazardous according to criteria of NOHSC

COMPANY DETAILS

Company Name Peerless Jal Pty Ltd (ABN 53 006 489 345)

Address 10-12 Raglan Street Preston

Victoria 3072 Australia
Tel/Fax Tel: (03) 9416 6700

Fax: (03) 9416 8516

Email sales@peerlessjal.com

 $\textbf{Other Information} \qquad \text{The information in this MSDS was obtained from sources which we believe are } \\$

reliable. However, the information is provided without warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the material are beyond our control and may be

responsibility and expressly disclaim liability for loss, damage or expense $% \left(\frac{1}{2}\right) =\frac{1}{2}\left(\frac{1}{2}\right)$

arising from or in any way connected with the handling, storage, use or

beyond our knowledge. For this and other reasons, we do not assume

disposal of the material.

IDENTIFICATION

Product Code AD25

Product Name TIMBER PRECLEAN

Poisons Schedule S5

Product Use As a timber preclean prior to cut back and refurbishment with the approved

Peerless timber seal.

Physical Data

Appearance Clear blue liquid with detergent / glycol odour.

Boiling Point Approx 100°C (@ 760mm Hg)

Vapour PressureNot knownSpecific Gravity 1.041 ± 0.005 Flash PointNon flammableFlamm. Limit LELNot applicable

Solubility in Water Infinite

Other Properties

Volatile Component Approx. 94.0 - 95.0%

pH Value 12.0 - 12.8 Form Liquid

Ingredients

Ingredients	Name	CAS	Proportion
	Soil suspending agents & dyes.	N/A	0-10 %
	Patented surfactant system	N/A	0-10 %
	Ethylene glycol butyl ether	111-76-8	0-10 %
	Ethanol (Industrial)	64-17-5	0-10 %
	Alkali builders & Chelates	N/A	0-10 %
	Water	N/A	To 100%

HEALTH HAZARD INFORMATION

Print Date: 5/03/2010 CS: 1.4.93

Material Safety Data Sheet

Page: 2 of 3

Infosafe No™ YSY19 Issue Date : March 2010 APPROVED by PLESSJAL

Product Name TIMBER PRECLEAN

Not classified as hazardous according to criteria of NOHSC

Health Effects

Acute-Swallowed Possible irritant. Can result in nausea, vomiting & stomach pain.

Acute - Eye Possible irritant due to defatting nature of the product.

Acute-Skin Possible irritant. On repeated or prolonged contact may lead to dermatic

effects due to defatting nature of the product.

Acute-Inhaled Irritation to masal passages may result from breathing of spray mists.

First Aid

Swallowed If swallowed, do NOT induce vomiting. Give a glass of water. If poisoning

occurs, contact a Doctor or the Poisons Information Centre. Phone 131126.

Eye Hold eyelids open and flood with water for at least 15 minutes & see a Doctor.

Skin Remove contaminated clothing, wash affected area with soap & water.

Inhaled Rinse mouth & nasal passage with water.

Advice to Doctor

Advice to Doctor Treat symptomatically.

Other Health Hazard Information

PRECAUTIONS FOR USE

Exposure Limits Not determined for this product. For Ethylene glycol butyl ether OSHA standard

50ppm & ACGIH 25ppm.

Eng. Controls Ventilation: No special requirements when used in accordance with label

directions.

Personal Protection

 $\label{eq:protective Equip.} \textbf{Protective Equip.} \qquad \textbf{Avoid contact with skin and eyes.}$

Wear rubber gloves & boots while handling.

Wear protective goggles while pouring or diluting.

Flammability

Fire Hazards Non - flammable.

SAFE HANDLING INFORMATION

Storage and Transport

Transport Not classified as Dangerous Goods, according to the Australian Code for the

Transport of Dangerous Goods by Road and Rail.

Storage and No special requirements. Store between 5°C and 35°C.

Transport

Spills and Disposal

 $Spills \ \& \ Disposal \qquad \qquad \text{Pick up excess with mop or wet vacuum to containers for disposal and rinse}$

residue with water.

Consult local authorities for disposal.

Fire/Explosion Hazard

Fire/Explos. Hazard Presents no known fire or explosive hazards and forms no known hazardous

decomposition products.

Treat fire for materials actually involved in the fire.

OTHER INFORMATION

Other Information ID No.: AD25 - 07

CONTACT POINT

Technical Contact Technical Department Numbers 10-12 Raglan St

Print Date: 5/03/2010 CS: 1.4.93

Material Safety Data Sheet

Page: 3 of 3

Infosafe No™ YSY19 Issue Date : March 2010 APPROVED by PLESSJAL

Product Name TIMBER PRECLEAN

Not classified as hazardous according to criteria of NOHSC

Preston VIC 3072 Tel: (03)9416 6700 Fax: (03)9416 8516 ...End Of MSDS...

© Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 5/03/2010 CS: 1.4.93