

SGLOCKS

Newsletter

SEP / OCT 2025
ISSUE 122

PART ONE

**BURG
WÄCHTER**

JMA[®]



INDEX

**BURG
WÄCHTER**



Key Safes

Pages
6-7



Padlocks

Pages
8-11



Anchor & Security
Chain

Pages
12-13



Key Cabinets &
Cash Boxes

Pages
14-15



Safes

Pages
16-21

JMA[®]



Code &
Duplicating
Cutting machines

Pages
24-26



Transponder Keys

Page
27



Garage & Gate
Remotes

Pages
28-29



Domestic Keys

Pages
30-31



25 YEARS IN AUSTRALIA

*Anniversary Safe
'Limited Edition'*





For over 25 years, BURG-WÄCHTER's presence in Australia has stood as a testament to enduring quality, innovation, and trust.

From its early days introducing precision-German-engineered premium security solutions to the Australian market, the brand quickly earned the confidence of consumers who value protection and reliability.

Thanks to the steadfast partnership with its Australian distributor, SIEPER Group, BURG-WÄCHTER has become a fixture in everyday Australian life.

With a reputation built on consistency and strong local support, the brand isn't just recognised, it's part of the local story & community.



SCAN



FOR MORE
INFO

Art ID. MTD760-E-FP-25Y

Diplomat





NEW

Key Safe - Display Board

PRODUCT DESCRIPTION

BURG-WÄCHTER Display Board showcasing products from their Key Safe Product Range.

This modern and minimalist display puts product focus front and centre giving prospective customers a first hand look and feel of the stock with easy to interpret selling points.

PRODUCT SPECIFICATION

- Board Dimensions (W x H): 600 x 300mm

Board is fitted with the following products:

- 1 x Art. KS-10 - 'KeySafe' Combination (Max. 7cm Key)
- 1 x Art. KS-20 - 'KeySafe' Combination (Max. 12cm Key)
- 1 x Art. KS-30 - 'KeySafe' Combination (Max. 9cm Key)
- 1 x Art. KS-40 - 'KeySafe' Combination (Max. 11cm Key)
- 1 x Art. KS-50 - 'KeySafe' Combination (Max. 8cm Key)



Art ID. DB3060-KS



Key Safes



Art ID. **KS-10**

QTY
\$

'KeySafe' Combination (Max. 7cm Key) - CARDED

PRODUCT DESCRIPTION

- 4-digit, resettable combination locking
- '0-0-0-0' auto stop aids opening in poor light
- Very strong zinc die-cast body
- Secure storage for keys and other valuables
- Easy and controlled access for contractors, car rental, care personnel, tourists, etc
- For wall mounting indoors or protected outdoor areas

PRODUCT SPECIFICATION

- Size (H x W x D): 61 x 85 x 39 mm
- Max Key Length: 7 cm



Art ID. **KS-30**

'KeySafe' Combination (Max. 9cm Key) - CARDED

PRODUCT DESCRIPTION

- 4-digit, resettable combination locking
- '0-0-0-0' auto stop aids opening in poor light
- Very strong zinc die-cast body
- Secure storage for keys and other valuables
- Easy and controlled access for contractors, car rental, care personnel, tourists, etc
- For wall mounting indoors or protected outdoor areas

PRODUCT SPECIFICATION

- Size (H x W x D): 120 x 90 x 40 mm
- Max Key Length: 9 cm



Art ID. **KS-40**

QTY
\$

'KeySafe' Combination (Max. 11cm Key) - CARDED

PRODUCT DESCRIPTION

- 4-digit, resettable combination locking
- '0-0-0-0' auto stop aids opening in poor light
- Very strong zinc die-cast body
- Secure storage for keys and other valuables
- Easy and controlled access for contractors, car rental, care personnel, tourists, etc
- For wall mounting indoors or protected outdoor areas

PRODUCT SPECIFICATION

- Size (H x W x D): 145 x 105 x 55 mm
- Max Key Length: 11 cm



Art ID. **KS-20**

QTY
\$

'KeySafe' Combination (Max. 12cm Key) - CARDED

PRODUCT DESCRIPTION

- 4-digit, resettable combination locking
- '0-0-0-0' auto stop aids opening in poor light
- Very strong zinc die-cast body
- Secure storage for keys and other valuables
- Easy and controlled access for contractors, car rental, care personnel, tourists, etc
- For wall mounting indoors or protected outdoor areas

PRODUCT SPECIFICATION

- Size (H x W x D): 83 x 135 x 46 mm
- Max Key Length: 12 cm



Art ID. **KS-50**

QTY
\$

'KeySafe' Combination (Max. 8cm Key) - CARDED (with Detachable Shackle)

PRODUCT DESCRIPTION

- 4-digit, resettable combination locking
- '0-0-0-0' auto stop aids opening in poor light
- Very strong zinc die-cast body
- Secure storage for keys and other valuables
- Easy and controlled access for contractors, car rental, care personnel, tourists, etc
- For wall mounting indoors or protected outdoor areas

PRODUCT SPECIFICATION

- Size (H x W x D): 175 x 95 x 35 mm
- Shackle Clearance (H): 45mm
- Max Key Length: 8 cm





Padlocks



‘Magno’ PADLOCK Range

PRODUCT DESCRIPTION

- Solid Brass Body
- Double Bolted
- Hardened Chrome Plated Steel Shackle
- Rustproof Interior
- High Breaking Strength

PRODUCT SPECIFICATION

- Available in: KD (Key Differ), KA (Keyed Alike), Carded (KD), Long Shackle, S/S Shackle, Closed Shackle & Adjustable Shackle
- Body Width available: 15 mm, 20 mm, 25 mm, 30 mm, 35 mm, 40 mm, 45 mm, 50 mm, 60 mm
- Spare Key Blanks available

Art ID.	Size	Available variations
400-E-15	15 mm	KD, KA & Carded (KD)
400-E-20	20 mm	KD, KA, Carded (KD) & Long Shackle
400-E-25	25 mm	KD, KA & Carded (KD)
400-E-30	30 mm	KD, KA & Carded (KD) & S/S Shackle
400-E-35	35 mm	KD, KA & Carded (KD)
400-E-40	40 mm	KD, KA, Carded (KD), Long Shackle, S/S Shackle & Closed Shackle
400-E-45	45 mm	KD, KA & Carded (KD)
400-E-50	50 mm	KD, KA, Carded (KD), Long Shackle, S/S Shackle, Closed Shackle & Adjustable shackle
400-E-60	60 mm	KD, KA & Carded (KD)

SCAN TO SEE
THE FULL RANGE OF
MAGNO PADLOCKS

 sglocks.com.au 



‘Chromo’ Combination Padlock Range

PRODUCT DESCRIPTION

- Aluminium Body
- Shackle Chrome Plated
- 3 Digit Rolls (90-20, 90-30)
- 4 Digit Rolls (90-40)

PRODUCT SPECIFICATION

- Carded
- Body Width available: 20 mm, 30 mm & 40 mm

Art ID.	Size	Length	Shackle Clearance	Shackle size
90-20	20 mm	55 mm	22 mm x 9 mm	3.2 mm
90-30	30 mm	75 mm	27 mm x 12 mm	5 mm
90-40	40 mm	90 mm	32.5 mm x 18.5 mm	6.5 mm



‘Combi-Lock’ Combination Padlock Range

PRODUCT DESCRIPTION

- Solid Brass Body
- 3 Digit Rolls (80-15, 80-20, 80-30)
- 4 Digit Rolls (80-40)

PRODUCT SPECIFICATION

- Carded
- Body Width available: 15 mm, 20 mm, 30 mm & 40 mm

Art ID.	Size	Length	Shackle Clearance	Shackle size
80-15	15 mm	44 mm	16 mm x 6.5 mm	3 mm
80-20	20 mm	55 mm	22 mm x 9 mm	3.2 mm
80-30	30 mm	75 mm	27 mm x 12 mm	5 mm
80-40	40 mm	90 mm	32.5 mm x 18.5 mm	6.5 mm





‘Commercial’ Combination Padlock Range

PRODUCT DESCRIPTION

- Solid Brass Body
- Stainless Steel Shackle
- Double bolted
- Ideal for severe weather conditions
- Re-settable Combination
- 4 Digit Rolls

PRODUCT SPECIFICATION (99-Ni-50)

- Carded
- Body Width: 50 mm
- Total Length: 80.5 mm
- Shackle Clearance: 30 mm (Height) x 25 mm (Width)
- Shackle Diameter: 8 mm

PRODUCT SPECIFICATIONS (99-Ni-HB-50/65)

- Carded
- Body Width: 50 mm
- Total Length: 107.5 mm
- Shackle Clearance: 57 mm (Height) x 25 mm (Width)
- Shackle Diameter: 8 mm



Art ID. 99-Ni-50



Art ID. 99-Ni-HB-50/65



Art ID. 23-C-70



‘Circle’ 70mm COMBI. PADLOCK - CARDED

PRODUCT DESCRIPTION

- Stainless Steel Body
- Hardened Chrome-plated Shackle
- Protection against cutting
- 4 Digit Rolls
- 10,000 Different Combinations
- Rubber Impact Protection

PRODUCT SPECIFICATION

- Carded
- Total Length: 70 mm
- Shackle Clearance: 14 mm (Height) x 24 mm (Width)
- Shackle Diameter: 9 mm

NEW

Padlock - Display Board

PRODUCT DESCRIPTION

BURG-WÄCHTER Display Board showcasing products from their Combination Padlock Product Range.


This modern and minimalist display puts product focus front and centre giving prospective customers a first hand look and feel of the stock with easy to interpret selling points.

PRODUCT SPECIFICATION

- Board Dimensions (W x H): 600 x 300mm

Board is fitted with the following products:

- 1 x Art. 99-NI-50 - ‘Commercial’ 50mm COMBI. PADLOCK - 4 Digit
- 1 x Art. 99-NI-HB-50/65 - ‘Commercial’ 50/65mm L/SHACKLE COMBI. PADLOCK - 4 Digit
- 1 x Art. 80-15 - ‘Combi-Lock’ 15mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-20 - ‘Combi-Lock’ 20mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-30 - ‘Combi-Lock’ 30mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-40 - ‘Combi-Lock’ 40mm COMBI. PADLOCK - 4 Digit
- 1 x Art. 23-C-70 - ‘Circle’ 70mm COMBI. PADLOCK



Art ID. DB3060-PC



NEW

OCEAN

PADLOCK RANGE

SALTWATER RESISTANT
RUST RESISTANT
SUSTAINABLE

NEW



'Ocean' 30mm PADLOCK

PRODUCT DESCRIPTION

- Solid Coated Brass Body
- Impact and Scratch Resistant Plastic Coating
- Stainless Steel Shackle
- Double Locking Bracket
- Rust resistant Interior
- Seawater Resistant

PRODUCT SPECIFICATION

- Body Width: 30mm
- Total Length: 50mm
- Shackle Clearance: 16mm (Height) x 16mm (Width)
- Shackle Diameter: 4.8mm
- Key Blank: BURG = Art. 67-R JMA = Art. BUR-20D
- Warranty: 2 Years - From Date of Sale to End-User (*)

Art ID.	Description
490-NI-30	'Ocean' 30mm PADLOCK (KD)
490-NI-30-KA7	'Ocean' 30mm PADLOCK (KA)
490-NI-30-KA9	'Ocean' 30mm PADLOCK (KA)
490-NI-30-SB	'Ocean' 30mm PADLOCK - CARDED (KD)

NEW



'Ocean' 40mm PADLOCK

PRODUCT DESCRIPTION

- Solid Coated Brass Body
- Impact and Scratch Resistant Plastic Coating
- Stainless Steel Shackle
- Double Locking Bracket
- Rust resistant Interior
- Seawater Resistant

PRODUCT SPECIFICATION

- Body Width: 40mm
- Total Length: 63.5mm
- Shackle Clearance: 22mm (Height) x 22mm (Width)
- Shackle Diameter: 6.3mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D
- Warranty: 2 Years - From Date of Sale to End-User (*)

Art ID.	Description
490-NI-40	'Ocean' 40mm PADLOCK (KD)
490-NI-40-KA7	'Ocean' 40mm PADLOCK (KA)
490-NI-40-KA9	'Ocean' 40mm PADLOCK (KA)
490-NI-40-SB	'Ocean' 40mm PADLOCK - CARDED (KD)



SUSTAINABILITY IN
PRACTICE
MADE FROM 70% RECYCLED
PLASTIC



NEW



'Ocean' 40/65mm L/SHACKLE PADLOCK

PRODUCT DESCRIPTION


- Solid Coated Brass Body
- Impact and Scratch Resistant Plastic Coating
- Stainless Steel Extended Shackle
- Double Locking Bracket
- Rust resistant Interior
- Seawater Resistant

PRODUCT SPECIFICATION

- Body Width: 40mm
- Shackle Length: 65mm
- Total Length: 104mm
- Shackle Clearance: 61mm (Height) x 22mm (Width)
- Shackle Diameter: 6.3mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D

Art ID.	Description
490-NI-HB-40/65	'Ocean' 40/65mm L/SHACKLE PADLOCK (KD)
490-NI-HB-40/65-KA7	'Ocean' 40/65mm L/SHACKLE PADLOCK (KA)
490-NI-HB-40/65-KA9	'Ocean' 40/65mm L/SHACKLE PADLOCK (KA)
490-NI-HB-40/65-SB	'Ocean' 40/65mm L/SHACKLE PADLOCK - CARDED (KD)

NEW



'Ocean' 60mm PADLOCK - CARDED

PRODUCT DESCRIPTION

- Solid Coated Brass Body
- Impact and Scratch Resistant Plastic Coating
- Stainless Steel Shackle
- Double Locking Bracket
- Rust resistant Interior
- Seawater Resistant

PRODUCT SPECIFICATION

- Body Width: 60mm
- Total Length: 90mm
- Shackle Clearance: 34mm (Height) x 34mm (Width)
- Shackle Diameter: 9.5mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D
- Warranty: 2 Years - From Date of Sale to End-User (*)

Art ID.	Description
490-NI-60	'Ocean' 60mm PADLOCK (KD)
490-NI-60-KA7	'Ocean' 60mm PADLOCK (KA)
490-NI-60-KA9	'Ocean' 60mm PADLOCK (KA)
490-NI-60-SB	'Ocean' 60mm PADLOCK - CARDED (KD)



Art ID.SA1180-SB



SECURITY ANCHOR - Hardened Steel Anchor Plate

PRODUCT DESCRIPTION

- For wall or floor mounting
- Hardened steel anchor plate and bracket
- With 6 mm thick tamper-proof anchor bolts
- Concealed screw connection, with optional back plate for continuous mounting
- Fastening material is included
- For securing bicycles and motorcycles, garden furniture and tools, garbage bins or equipment on construction sites

PRODUCT SPECIFICATION

- Height: 53.8 mm
- Width: 108 mm
- Colour: Black
- Material: Steel



Art ID.SA1280-SB



SECURITY ANCHOR - With 10mm Tamper-Proof Anchor Bolts

PRODUCT DESCRIPTION

- For wall or floor mounting
- Hardened steel plate, 6 mm thick
- With 10 mm thick tamper-proof anchor bolts
- Fastening material is included
- For securing bicycles and motorcycles, garden furniture and tools, garbage bins or equipment on construction sites

PRODUCT SPECIFICATION

- Height: 80 mm
- Width: 150 mm
- Colour: Black



Hard. CHAIN - 6 mm Sq. Dia. - 90 cm Long *Combi. Lock*

PRODUCT DESCRIPTION

- Hardened square chain
- High quality textile sleeve
- 6mm Square link
- Resettable combination

PRODUCT SPECIFICATION

- Length: 90cm
- Cable Diameter: 6mm
- 5-Digit Combination

Art ID. 280-C-90



Keyed BICYCLE CABLE - 120 cm Long (25 mm Dia.)

PRODUCT DESCRIPTION

- Extremely strong steel cable lock
- Strong plastic coating offers protection against damages
- Locking head and steel cable form a unit
- High number of key differs

PRODUCT SPECIFICATION

- Length: 120 cm
- Cable Diameter: 25 mm
- Key Blank: 73W

Art ID. 570-120



Keyed BICYCLE CABLE - 180 cm Long (10 mm Dia.)

PRODUCT DESCRIPTION

- High quality 6 pin cylinder
- Includes mounting bracket

PRODUCT SPECIFICATION

- Length: 180cm
- Cable Diameter: 10mm

Art ID. 1360-180





Hard. CHAIN - 6 mm Sq. Diameter

PRODUCT DESCRIPTION

- Hardened square chain
- High-quality textile-coated
- 6mm Squared

Art ID.	Size	Length
SKM-6/60	6 mm	60 cm
SKM-6/90	6 mm	90 cm



Hard. CHAIN - 8 mm Sq. Diameter

PRODUCT DESCRIPTION

- Hardened square chain
- High-quality textile-coated

Art ID.	Size	Length
SKM-8/90	8 mm	90 cm



Loop End CABLE 10mm Diameter

PRODUCT DESCRIPTION

BW Loop Ended Security Cable.
This high quality flexible steel cable is great for securing several objects together in combination with a padlock such as tool kits, garden furniture and recreational vehicles. The 10 mm diameter loops will comfortably accommodate a large variety of padlocks.

PRODUCT SPECIFICATION

- Cable Material: Steel
- Length: 250 cm (500 for the 750-500)
- Loop Diameter: 10 mm

Art ID.	Size	Length
750-250	10 mm	250 cm
750-500	10 mm	500 cm



NEW Combination Padlock - Display Board

PRODUCT DESCRIPTION

BURG-WÄCHTER Display Board showcasing products from their Security Chain & Cable Product Range.


This modern and minimalist display puts product focus front and centre giving prospective customers a first hand look and feel of the stock with easy to interpret selling points.
Note: Chain Products on Board are sample pieces and are not indicative of full product length.

PRODUCT SPECIFICATION

- Board Dimensions (W x H): 600 x 300mm

Board is fitted with the following products:

- 1 x Art. 750-250 - Loop End CABLE - 250cm Long (10mm Dia.)
- 1 x Art. SKM-6/60 - Hardened Chain - 6mm Square Dia. - 60cm Long *** Sample Piece ***
- 1 x Art. SKM-8/90 - Hardened Chain - 8mm Square Dia. - 90cm Long *** Sample Piece ***
- 1 x Art. GKM-10/100 - Hardened Chain - 10mm Square Dia. - 100cm Long *** Sample Piece ***



Art ID. DB3060-BL



Key Cabinets & Cash Boxes



'Combination' KEY CABINET - 20 Hooks

PRODUCT DESCRIPTION

- Lockable key box
- Combination lock
- 3 Digit rolls
- 20 Hooks

PRODUCT SPECIFICATION

- Height: 200 mm
- Width: 160 mm
- Depth: 60 mm

Art ID. KC20-C



'Combination' KEY CABINET - 36 Hooks

PRODUCT DESCRIPTION

- Lockable key box
- Combination lock
- 3 Digit rolls
- 36 Hooks

PRODUCT SPECIFICATION

- Height: 300 mm
- Width: 240 mm
- Depth: 60 mm

Art ID. KC36-C



'6700 Series' KEY CABINET


PRODUCT DESCRIPTION

- Affordable key cabinet
- Folding keyboards
- Two colour varnishing (body dark grey, door light grey)
- 57 -204 Hooks

Art ID.	Height	Width	Depth	Hooks
6700/57-R	280 mm	215 mm	70 mm	57
6700/74-R	330 mm	245 mm	85 mm	74
6700/108-R	380 mm	285 mm	105 mm	108
6700/176-R	380 mm	285 mm	105 mm	176
6700/204-R	430 mm	325 mm	125 mm	204



Key Cabinets & Cash Boxes



'Combination' CASH BOX - 200 mm (8")

PRODUCT DESCRIPTION

- Cash box with counting tray & combination lock
- Flush handle
- Practical cash box for the home or office
- Lock your jewellery, cash and other valuables
- Three-digit code combination

PRODUCT SPECIFICATION

- Dimensions (W x D x H): 200 x 160 x 90 mm
- Colour: RED

Art ID. CODE 5020



'Combination' CASH BOX - 250 mm (10")

PRODUCT DESCRIPTION

- Cash box with counting tray & combination lock
- Flush handle
- Practical cash box for the home and office
- Lock your jewellery, cash and other valuables
- Three-digit code combination

PRODUCT SPECIFICATION

- Dimensions (W x D x H): 250 x 180 x 90 mm
- Colour: BLUE

Art ID. 5025



'Money' CASH BOX

PRODUCT DESCRIPTION

- Cash box with tray
- Flush handle
- Supplied with 2 x keys

Art ID.	Height	Width	Depth	Colour
5015	80 mm	150 mm	120 mm	Green
5020	90 mm	200 mm	160 mm	Blue
5025	90 mm	250 mm	180 mm	Black
5030	90 mm	300 mm	240 mm	Grey





PURE-SAFE

THE BENCHMARK OF ITS CLASS

Home & Office



REDEFINING
SAFE OPENING

Modern protection at home and in the office
at an affordable price - new electronic lock
provides the highest level of convenience.



PURE-SAFE



Art ID. PS110-E

- Exterior Size (H x W x D): 180 x 280 x 200mm
- Interior Size (H x W x D): 176 x 276 x 143mm
- Door size (H x W): 130 x 186mm
- Weight (Kg): 7.1
- Volume (L): 6.7



Art ID. PS120-E

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 238mm
- Door size (H x W): 183 x 231mm
- Weight (Kg): 12.8
- Volume (L): 21



WITH
SLOT

Art ID. PS120-E-EWS

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 238mm
- Door size (H x W): 183 x 231mm
- Weight (Kg): 12.8
- Volume (L): 21



Art ID. PS130-E-LAPTOP

- Exterior Size (H x W x D): 200 x 445 x 380mm
- Interior Size (H x W x D): 196 x 441 x 318mm
- Door size (H x W): 129 x 331mm
- Weight (Kg): 14
- Volume (L): 28



Art ID. PS130-E

- Exterior Size (H x W x D): 320 x 440 x 350mm
- Interior Size (H x W x D): 316 x 436 x 293mm
- Door size (H x W): 242 x 317mm
- Weight (Kg): 19.2
- Volume (L): 39



Art ID. PS140-E

- Exterior Size (H x W x D): 500 x 416 x 350mm
- Interior Size (H x W x D): 496 x 412 x 293mm
- Door size (H x W): 422 x 293mm
- Weight (Kg): 26
- Volume (L): 58



Art ID. PS110-K

- Exterior Size (H x W x D): 180 x 280 x 200mm
- Interior Size (H x W x D): 176 x 276 x 143mm
- Door size (H x W): 130 x 186mm
- Weight (Kg): 7
- Volume (L): 6.7



Art ID. PS120-K

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 243mm
- Door size (H x W): 183 x 235mm
- Weight (Kg): 12.7
- Volume (L): 21



Art ID. PS130-K

- Exterior Size (H x W x D): 320 x 440 x 350mm
- Interior Size (H x W x D): 316 x 436 x 293mm
- Door size (H x W): 242 x 317mm
- Weight (Kg): 19.2



“Best in Class”

Combi-Line Ticks all the Boxes



75% Higher Insurance Rating
Insurable Rating Up to \$35,000



10% More Space



100% Certified Fire Rating
LFS 30 - 30 Minutes fire protection



100% Certified Security Rating
S2 Certified protection against burglary



Certification Plates on each safe for S2 Security Rating & LFS-30 Fire Rating



Door Hinges are mounted Internally for Additional Security



Unique Additional sliding bolt Adds Extra Security



Bottom & Rear Bolt Down Holes - for Wall or Floor (or BOTH)

Combi-Line Range



CL410



CL420



CL440



CL460



‘Combi-Line’ SAFE - Electronic

PRODUCT DESCRIPTION:

- The BURG-WÄCHTER Combi-Line range of Safe Cabinets are both Security & Fire Certified. They are ideal for the safe storage of documents, cash, jewellery, arms or ammunition, coins and valuables.
 - Security Level S 2 according to DIN EN 14450
 - Security Level B according to VDMA 24992, May 1995
 - Insurance Rating \$35,000 approx.
 - Fire Resistance LFS 30 according to EN 15659 - 30 minutes fire protection for paper
 - Fire-protective material according to DIN 4102
 - Composite insulation in front of the door leaf as heat protection for the lock and bolts
 - Tested and certified protection against burglary and fire
 - Double-walled construction
 - Internal hinge
 - Lateral locking through strong round bolts of 25 mm plus sliding bolt on the top
 - All-over gripping rail on the hinge side
 - Prepared for both wall and floor fixing, with fixing material - extreme high breaking strength
 - Colour: Black
 - Standard series with 1 shelf each
 - Fixing hole diameter to suit up to 10 mm bolt
- **SecuTronic - Code lock with EBS Certification**
 - ECB-S certified safe lock according to EN class A
 - Programmable electronic combination lock
 - 6 Digit Admin & 1 User Code
 - Audit Trail shows time and date that User 1 has opened safe
 - 1,000,000 different codes possible Version E “SecuTronic”



INSURABLE RATING
Recommended up to
\$35,000



Security Level S2 according to
Certified protection against burglary



FIRE RESISTANCE GRADE LFS 30
Certified protection against fire



Art ID. CL410-E

- Exterior Size (H x W x D): 320 x 435 x 380 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 205 x 320 x 232 mm
- Door Size (H x W): 205 x 265 mm
- Weight (KG): 44
- Volume(L): 15



Art ID. CL420-E

- Exterior Size (H x W x D): 360 x 495 x 445 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 245 x 380 x 297 mm
- Door Size (H x W): 245 x 325 mm
- Weight (KG): 55
- Volume(L): 27



Art ID. CL440-E

- Exterior Size (H x W x D): 560 x 495 x 445 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 445 x 380 x 297 mm
- Door Size (H x W): 445 x 325 mm
- Weight (KG): 77
- Volume(L): 50



'Karat' SAFE - Electronic

PRODUCT DESCRIPTION:

- Insurance rating \$70,000
- Protected against burglary and fire.
- Triple-walled body.
- Exterior walls made from flame-cutting resistant stainless steel.
- Double-walled door, with additional armouring.
- Door leaf thickness 7 mm Siemens-Martin Steel.
- Three sided locking through strong square bolts.
- Top and bottom bolts feature integrated steel rollers to protect against cutting attacks.
- Extreme protection against flame cutting, drilling and attack
- All over gripping hinge.
- Prepared for both wall and floor fixing - fixing materials extremely high breaking strength.
- Fire protective material in body and door, with special fire-fold for added protection.
- Depth for files of common size, with 1 adjustable shelf.
- Platinum grey finish.
- Armoured high security double-bit lock (Resettable lock)
- **SecuTronic - the first biometric safe lock with VdS Certification**
- Developed by BURG-WÄCHTER.
- VdS approved lock with fingerscan module, EN 1300 class 2.
- Programmable electronic lock.
- 10 x 6-digit pincodes.
- 1,000,000 possible combinations.
- Up to 20 x fingerscans.
- When opening with fingerscan, 2 different fingers must be entered/programmed.
- Scanner only accepts 'real, live fingers.'
- Precise finger scanner, for accurate reading.
- Intelligent, menu driven operation.
- Administration of up to 10 users, 1,000,000 million different combinations and up to 300 optional TSE E-keys.
- User names, access times and rights, calendar functions etc are available.



Art ID. MT640-E-FP

- Exterior Size (H x W x D): 340 x 430 x 390 mm
- Interior Size (H x W x D): 250 x 348 x 294
- Door Size (H x W): 250 x 336
- Weight (KG): 48kg
- Volume(L): 25.8
- Keypad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe



INSURABLE RATING

Recommended up to

\$70,000



SECURITY GRADE 0 ECB-S

Certified protection against burglary



Electronic / Fingerscan (EN 1300 CLASS B LOCK)



- New Pad design
- High quality touch electronics
- 1 administrator and 9 user codes
- Simple intuitive menu structure
- Time - Date - Year
- Audit trail
- Integrated fingerprint module
- 20 fingerprints



Art ID. MT660-E-FP

- Exterior Size (H x W x D): 530 x 430 x 390
- Interior Size (H x W x D): 440 x 348 x 294
- Door Size (H x W): 440 x 336
- Weight (KG): 67
- Volume(L): 45.3
- Keypad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe

'Karat' SAFE - Keyed



Art ID. MT640-K

- Exterior Size (H x W x D): 340 x 430 x 390 mm
- Interior Size (H x W x D): 250 x 348 x 294 mm
- Door Size (H x W): 250 x 336 mm
- Weight (KG): 48
- Volume(L): 25.8



Art ID. MT660-K

- Exterior Size (H x W x D): 530 x 430 x 390 mm
- Interior Size (H x W x D): 440 x 348 x 294 mm
- Door Size (H x W): 440 x 336 mm
- Weight (KG): 67
- Volume (L): 45.3



INSURABLE RATING
Recommended up to
\$110,000



SECURITY GRADE 1 ECB-S/VdS
Certified protection against burglary



FIRE RESISTANCE GRADE LFS 60 P
Certified protection against fire



Electronic / Fingerscan
(EN 1300 CLASS B LOCK)



- New Pad design
- High quality touch electronics
- 1 administrator and 9 user codes
- Simple intuitive menu structure
- Time - Date - Year
- Audit trail
- Integrated fingerprint module
- 20 fingerprints



Art ID. MTD780-E-FP

- Exterior Size (H x W x D): 985 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 860 x 372 x 300 mm
- Door Size (H x W): 860 x 337 mm
- Weight (KG): 186
- Volume(L): 96.0



Art ID. MTD760-E-FP

- Exterior Size (H x W x D): 625 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 500 x 372 x 300 mm
- Door Size (H x W): 500 x 337 mm
- Weight (KG): 132
- Volume(L): 55.8



Art ID. MTD750-E-FP

- Exterior Size (H x W x D): 470 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 345 x 372 x 300 mm
- Door Size (H x W): 345 x 337 mm
- Weight (KG): 104
- Volume(L): 38.5



Art ID. MTD740-E-FP

- Exterior Size (H x W x D): 380 x 500 x 462 mm (Does not include keypad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 255 x 372 x 300 mm
- Door Size (H x W): 255 x 337 mm
- Weight (KG): 92
- Volume(L): 28.3


'Diplomat' SAFE - Electronic/Finger Scan

PRODUCT DESCRIPTION:

- Tested and supervised security by ECB.S/VdS.
- Insurance rating \$110,000
- Certified protection against burglary and fire.
- ECB.S Certified to Resistance Grade 1
- Resistance Grade 1 according to EN 1143-1
- Certified fire protection according to EN 15659. LFS 60 P
- Certified 60 minute protection against fire.
- Triple-walled body with armoured, special fireproof insulation.
- BURG-WÄCHTER special 'FPC Buildup' insulation in body and door.
- Special rear wall construction with additional armoring.
- Four-walled door with extensive armoring to protect boltwork and lock.
- Door also features BURG-WÄCHTER's patented, non-resettable double emergency locking system.
- Four sided locking through strong round bolts.
- Recessed door for added protection.
- Specially concealed hinges.
- Heat sensitive seals - swells to seal door in event of a fire.
- Prepared for both wall and floor fixing - fixing materials included.
- Accepts up to 12 mm bolt
- Depth for files of common size, with 1 adjustable shelf.
- Silver metallic finish.

SecuTronic - the first biometric safe lock with VdS Certification

- Developed by BURG-WÄCHTER.
- VdS approved lock with fingerscan module, EN 1300 class 2.
- Programmable electronic lock.
- 10 x 6-digit pincodes.
- 1,000,000 possible combinations.
- Up to 20 x fingerscans.
- When opening with fingerscan, 2 different fingers must be entered/programmed.
- Scanner only accepts 'real, live fingers.'
- Precise finger scanner, for accurate reading.
- Intelligent, menu driven operation.
- Administration of up to 10 users, 1 million different combinations and up to 300 optional TSE E-keys.
- User names, access times and rights, calendar functions etc are available.



JMA[®]

Opening
the
future



About

JMA – Global Locksmithing Excellence

Founded in 1942 in Mondragón, Spain, JMA has grown from a family-owned key maker into a **world leader in locksmithing solutions**.

With over **80 years of innovation**, JMA now operates in more than **100 countries**, producing **2.5 million keys daily** and offering a catalogue of **80,000+ products**—from domestic and automotive keys to transponder technology, remotes, and duplicators.

Driven by innovation and trusted worldwide, JMA continues to deliver **premium security solutions** that meet the needs of today while **opening the future**.

 Opening the future



SCAN TO SEE THE 
COMPANY VIDEO



MULTICODE
NXT



'MULTICODE NXT SINGLE' CODE MACHINE
with Edge Cutter

PRODUCT DESCRIPTION

- The JMA MULTICODE-NXT-S is the next generation code cutting machine for the locksmithing professional. Designed to be used in a workshop or van.
- Powered by the new KEYPRO 2.0 Software platform with greater speed, connectivity & user-friendliness
- Can efficiently cut Domestic Edge Cut Keys & Inline Restricted
- Cut Keys to Code & Duplicates Keys
- Fast Easy Searching - Find the correct key either by make or by key blank number - multiple key brands in data base for easier searching.
- Fast Key Cutting - A powerful motor and high-speed cutting for producing keys in a single motion (1-Pass Cutting)

PRODUCT SPECIFICATION

- Cylindrical Cutter Material & Speed: Carbide / 12000rpm
- 4 Face MP1 Clamp for Flat/Inline Keys
- Width: 427mm
- Height with Tablet Support Mount: 612mm
- Height without Tablet Support: 431mm
- Depth: 413mm
- Weight: 27kg
- Motor: 24V DC 7.5 Amp 180W
- Effective Travel: X = 45mm / Y = 45mm / Z = 30mm
- 3 Year Warranty (*)

Compatible with:

InstaCode PC



Compatible with:

PROMASTER
MASTER KEYING




Art ID. MULTICODE-NXT-S



Art ID	DESCRIPTION	
MULTICODE-NXT	'MULTICODE NXT' CODE MACHINE with Edge & Milling Cutters	
MULTICODE-NXT-ENG	'MULTICODE NXT' CODE MACHINE with Edge & Milling Cutters *With ENGRAVING*	





\ **NOMAD** Lightweight & Compact Duplicator - **240V**



PRODUCT DESCRIPTION

- The NOMAD is designed & built for the mobile locksmith.
- Precise, lightweight & compact.
- Features include:
 - Micrometric Adjustments
 - 4 Way Ergonomic Jaws
 - XL Jaw Distance (92mm)
 - Fluid movement of the carriage
 - Nylon Abrasive brush

PRODUCT SPECIFICATION

- Size: (W X H X D): 266 x 215 x 165 mm
- Weight: 6.5 Kg
- Power: 240V

**STD.
KEYS**



Art ID. NOMAD



\ **NOMAD GO** Lightweight & Compact Duplicator - **240V + BAT**

PRODUCT DESCRIPTION

- Micro-metric Adjustments
- 4-Way Ergonomic Jaws
- Fluid Movement of the Carriage
- Nylon Abrasive Brush
- 4-Hours continuous run time on Battery

PRODUCT SPECIFICATION

- Cutter: FP11 (Ø63 x 5 x 16mm)
- Weight: 8 kg
- Speed: 2100 RPM
- Size (W X H X D) 266mm x 255mm x 165mm
- Useful Run: X = 53mm
- Motor: 24V DC - 150W
- Power Supply: 240V & Lithium Ion Battery 25.9V

**Dual
Powered
240V &
Battery**



Art ID. NOMAD-GO



\ **NOMAD BIT** Lightweight & Compact DUPLICATOR - **BIT KEYS**

PRODUCT DESCRIPTION

- The NOMAD-BIT is a lightweight & extremely compact Mortice & Safe key duplicating machine.
- Micro-metric Adjustments
- 3-Way Ergonomic Jaws
- Fluid Movement of the Carriage
- Nylon Abrasive Brush


PRODUCT SPECIFICATION

- Size (W x H x D): 266 x 215 x 165mm
- Weight: 6.5 kg
- Speed: 2800 RPM
- Useful Run: X = 73mm
- Ribbed Belt Transmission
- Motor: 220V DC - 150W or 110V DC - 150W
- Power Supply: 240V

**BIT
KEYS**



Art ID. NOMAD-BIT



BERNA Compact Semi-Auto Duplicator



PRODUCT DESCRIPTION

- The BERN A is a compact, durable machine that is especially suited for key cutting professionals. It combines simplicity and versatility to easily duplicate flat keys for cylinder locks, vehicle keys, cruciform keys and even specialty keys using its special 4-sided clamps.

PRODUCT SPECIFICATION

- Size : 340 x 234 x 435 mm
- Weight : 17 Kg.
- Power: 240V

**STD.
KEYS**



Art ID. BERN A

BERNA BIT Compact Semi-Auto Duplicator - Bit Keys



PRODUCT DESCRIPTION

- The BERN A-BIT is the newest member of the venerable Berna machine family. With a simple, versatile & precise construction it is designed for high quality mortice and bit key duplication.

The features of the machine include:

- Auto-start system designed around carriage unlock trigger that guarantees user safety and ergonomics
- 3-Sided Steel Clamps
- Fluid Movement of the Carriage
- Nylon Abrasive Brush

PRODUCT SPECIFICATION

- Cutter: FP19 (Ø80 x 1.4 x 16mm)
- Size (W x H x D): 340 x 243 x 435mm
- Weight: 15 kg
- Speed: 712 RPM
- Useful Run: X = 74mm
- Motor: Single Phase 220V, 50HZ, 0.18KW, 1350RPM 1.7 amp
- Power Supply: 220V
- 3 Year Warranty (*)

**BIT
KEYS**



Art ID. BERN A-BIT

MOVE Compact Track (Wave+Gem) Key Duplicator



PRODUCT DESCRIPTION


- The JMA MOVE Track Key Duplicator is a Highly precise, compact and economical duplicator. It is JMA's latest innovation in the world of key-cutting. The MOVE makes duplication of Track, Laser, Dimple and Tubular keys a comfortable, quick and easy task. New key features of the machine include the ability to adjust the height of the tracer bit and a modular clamp system that allows easy swap over to Tubular and Dimple key duplication.

PRODUCT SPECIFICATION


- Motor: 220V DC 150W
- Size (W x H x D): 320 x 380 x 370mm
- Weight: 12kg
- Speed: 5500 RPM
- Useful Run Distance: X = 28mm, Y = 58mm, Z = 25mm
- Lighting: LED
- Flat Belt Transmission
- Displacement: Linear Roller Bearings
- Power: 240V



DIMPLE



TRACK



GEM



Art ID. MOVE



FULL RANGE **130+**
EUROPEAN MADE
TRANSPONDER KEYS



JMA produces over
2,500,000 keys
daily!

The Largest
Key Producer
in Europe



JMA Transponder Keys
fit wedge (carbon) &
glass transponder chips
as standard





M-BT-ADVANCED

Advanced DUPLICATING REMOTE - for Fixed & Rolling Code Remotes

PRODUCT DESCRIPTION

This new and improved version of the M-BT comes with a greater signal strength improving operating distance and an expanded compatibility range with more FIXED and ROLLING code remotes that are currently available on the market.

The M-BT-ADVANCED remote control duplicates 95% of Fixed code remotes and more than 40 rolling code brands using the latest Cutting Edge mobile technology.

The M-BT-ADVANCED Remote can integrate up to 4x different remotes to the 1 remote

Using the JMA REMOTES PRO phone App, you can identify, generate and copy remotes via Bluetooth.

Capable of integrating codes for 4 different original remotes on 1 device

When integrated with the JMA REMOTES PRO APP it is possible to generate an aftermarket remote for many of the popular brands that can be introduced to the Receiver

PRODUCT SPECIFICATION

- 4-Buttons (each programmable to a different remote)
- Frequency: 433 - 868 Mhz
- Fixed Code or Rolling Code: Both Fixed and Rolling
- Programming Method: Peer to Peer or via Dedicated App
- Battery Type: Coin Battery (CR2032)



Art ID. M-BT-ADV



M-BT-ADVANCED-BIO

Biometric DUPLICATING REMOTE - for Fixed & Rolling Code Remotes

PRODUCT DESCRIPTION

The new M-BT Biometric remote further expands JMA's extensive remote technology capability, in addition offering a greater signal strength and a new design with the option for biometric authentication.

Greater security and personalisation with activation via fingerprint.

The new biometric system allows exclusive access for up to 50 different users via fingerprint recognition, this feature greatly increases onsite security and will prevent any unauthorised entries in the event of lost or stolen remotes.

Capable of cloning and duplicating a wide range of FIXED and ROLLING code remotes.

Using the JMA REMOTES PRO phone App, you can generate and copy remotes via Bluetooth or via side-by-side copying.

Capable of integrating codes for 4 different original remotes on 1 device.

PRODUCT SPECIFICATION

- 4-Buttons (each programmable to a different remote)
- Frequency: 433 - 868 Mhz
- Fixed Code or Rolling Code: Both Fixed and Rolling
- Programming Method: Peer to Peer or via Dedicated App
- Max. Biometric Users: 50
- Battery Type: 2 x Coin Batteries (CR2032)



Art ID. M-BT-BIO





M-TC

Dedicated TRI-CODE remote ATA and B&D

PRODUCT DESCRIPTION

JMA M-TC TRI-CODE Universal remote, is a compact, durable remote that is compatible with ATA Triocode and B&D Tri-Tran Garage & Gate Motors.

The MT-C comes with a Pre-coded default coding type to suit ATA TrioCode Remotes.

The MT-C Can easily be converted to a B&D Remote by:

Holding down the top 2 x buttons (1&2) on the MT-C Remote. The LED will turn on, After 4 seconds, LED will Turn Off

Release the buttons, The coding has now been switched successfully

The remote is registered into the ATA or B&D receiver using the factory manual procedure



Replaces below:



PTX5v2



062731

PRODUCT SPECIFICATION

- 4-Buttons
- Frequency: Triple Frequency 433.92, 433.47 & 434.37 MHz
- Replaces PTX5v2 and B&D Tri-Tran Remotes
- Battery Type: Coin Battery (CR2032)



Art ID. M-TC

M-LT

Economical FIXED CODE Universal Remote

PRODUCT DESCRIPTION

JMA M-LT Fixed Code Duplicating Remote.

Scan QR Code (Left) to see how simple duplicating remotes can be.

Capable of cloning and duplicating a wide range of FIXED code remotes with 433 Mhz frequency.

Capable of integrating codes for 4 different original remotes on 1 device.



SCAN to see how simple duplicating remotes can be

PRODUCT SPECIFICATION

- 4-Buttons
- Frequency: 433 Mhz
- Battery Type: Coin Battery (CR2032)



Art ID. M-LT



Search -
Silca or Ilco part numbers on





Art. LWO-1D (Like: LW4)



Art. LWO-2D (Like: LW5)



Art. WHI-1D (Like: WC2)



Art. TE-8I (Like: TE2)



Standard (Non-Embossed)

Art.	Like	Material
LWO-1D	LW4	* N.P Brass *
LWO-1D-BR	LW4	* All Brass *
LWO-1D-ST	LW4	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Material
LWO-1D-EMB	LW4	* N.P Brass *
LWO-1D-BR-EMB	LW4	* All Brass *
LWO-1D-ST-EMB	LW4	*Mild Steel *

Standard (Non-Embossed)

Art.	Like	Size
LWO-2D	LW5	* N.P Brass *
LWO-2D-BR	LW5	* All Brass *
LWO-2D-ST	LW5	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
LWO-2D-EMB	LW5	* N.P Brass *
LWO-2D-BR-EMB	LW5	* All Brass *
LWO-2D-ST-EMB	LW5	*Mild Steel *

Standard (Non-Embossed)

Art.	Like	Size
WHI-1D	WC2	* N.P Brass *
WHI-1D-BR	WC2	* All Brass *
WHI-1D-ST	WC2	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
WHI-1D-EMB	WC2	* N.P Brass *
WHI-1D-BR-EMB	WC2	* All Brass *
WHI-1D-ST-EMB	WC2	*Mild Steel *

Standard (Non-Embossed)

Art.	Like	Size
TE-8I	TE2	* N.P Brass *
TE-8I-BR	TE2	* All Brass *
TE-8I-ST	TE2	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
TE-8I-EMB	TE2	* N.P Brass *
TE-8I-BR-EMB	TE2	* All Brass *
TE-8I-ST-EMB	TE2	*Mild Steel *



Art. KWI-1 (Like: KS1)



Standard (Non-Embossed)

Art.	Like	Size
KWI-1	KS1	* N.P Brass *
KWI-1-ST	KS1	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
KWI-1-EMB	KS1	* N.P Brass *
KWI-1-ST-EMB	KS1	*Mild Steel *

Art. YA-24D (Like: YA1E)



Standard (Non-Embossed)

Art.	Like	Size
YA-24D	YA1E	* N.P Brass *
YA-24D-ST	YA1E	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
YA-24D-EMB	YA1E	* N.P Brass *
YA-24D-ST-EMB	YA1E	*Mild Steel *

Art. LF-25 (Like: LF24)



Standard (Non-Embossed)

Art.	Like	Size
LF-25	LF24	* N.P Brass *
LF-25-ST	LF24	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
LF-25-EMB	LF24	* N.P Brass *
LF-25-ST-EMB	LF24	*Mild Steel *

Art. LF-20 (Like: LF27)



Standard (Non-Embossed)

Art.	Like	Size
LF-20	LF27	* N.P Brass *
LF-20-ST	LF27	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
LF-20-EMB	LF27	* N.P Brass *
LF-20-ST-EMB	LF27	*Mild Steel *

Art. LF-44 (Like: LF43R)



Standard (Non-Embossed)

Art.	Like	Size
LF-44	LF43	* N.P Brass *
LF-44-ST	LF43	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
LF-44-EMB	LF43	* N.P Brass *
LF-44-ST-EMB	LF43	*Mild Steel *

Art. LF-45 (Like: LF31R)



Standard (Non-Embossed)

Art.	Like	Size
LF-45	LF31R	* N.P Brass *
LF-45-ST	LF31R	*Mild Steel *

Embossed (Custom Coined)

Art.	Like	Size
LF-45-EMB	LF31R	* N.P Brass *
LF-45-ST-EMB	LF31R	*Mild Steel *

NEW



AI
TECHNOLOGY
UNIQUE IN
MARKET





EIDOS

KEY READER

Ensuring professional key duplication



A digital profile reader for cylinder and security keys that uses AI technology to recognise the most suitable key blanks and ensure professional duplication.



APP JMA
KEY READER
SMART
PHONE



\Easy to use from a mobile device with guidance from the intuitive JMAKeyReader app that connects to EIDOS via Wi-Fi to input the original key reading and offer precise equivalents.

TECHNICAL DATA /

TECHNICAL DATA	
Power supply	USB-C 5Vdc 0.6 Amp. 3W Max.
Key length	9 mm - 37 mm
Connection	2.4 GHz (35 Mb/s) single-band 802.11n Wi-Fi
Weight	3.4 Kg
Height	200 mm (Open top - 350 mm)
Width	190 mm
Depth	225 mm

Art ID. EIDOS