



Profi-Safe

CERTIFIED PROTECTION



Profi-Safe

CERTIFIED PROTECTION

“Proven When it Matters”



**- Certified Protection
Proven When it Matters**



INSURABLE RATING
Recommended up to
\$35,000



Security Level S2
Certified protection against burglary




FIRE RESISTANCE GRADE LFS 30
Certified protection against fire



- High-Security Burglary and Fire

Certified by the ECB.S and recognised in Australia and New Zealand as the benchmark, combined with clean contemporary design for premium home and office environments.



ECB•S Certification - Key Features & Benefits

Independent Certification

- Certified by a neutral and **independent certification authority**
- Accredited to **ISO/IEC 17065** for product certification



- Security Proven, Not Promised

Independent, Real-World Certified Security



- Safes are **physically attacked and tested** under controlled conditions
- Testing **simulates real burglary methods, tools, and applied force**
- Certification is based on **actual resistance, not theoretical or design claims**
- Results are assigned a **clearly defined security grade (e.g. Grade I, II, III)**
- The grade defines the **proven security level** of the safe
- This **removes ambiguity** when **specifying, comparing, or selecting safes**

- Insurer Recognition & Acceptance



- ECB•S certified safes are **widely recognised by insurers**
- Used as a **reliable basis for risk assessment and insurance grading**
- Often **required or recommended** for insured valuables
- ECB.S Certification requires **ongoing surveillance and audits**
- Ensures safes continue to be manufactured to the **certified standard**
- Prevents “one-off test” certification shortcuts

- ECB•S Certified Fire Protection



- Safes are **fire-tested under controlled laboratory conditions** in accordance with **fire-resistance standards**
- Testing verifies the safe’s ability to **protect paper documents** from heat exposure for a **defined time period**
- Certification is based on **measured internal temperature performance**, not construction claims alone
- Provides **independently verified fire protection**, recognised and trusted

- Official ECB•S Certification Plate


- Certified safes carry an **official ECB•S type plate**
- Plate identifies:
 - Certificate number
 - Resistance grade
 - Year of manufacture
 - Tested standards
- Provides **instant verification and traceability**





- Premium workmanship

- **Double-walled construction** for enhanced strength and durability
- **Solid round bolt locking system** for secure door engagement
- **Internal hinges** for added protection and a clean exterior appearance
- **Rear grip rail on the hinge side** for additional structural stability



- Integrated interior lighting

- **Built-in LED lighting** for clear visibility
- Ensures **easy access and organisation** of contents inside the safe

- Elegant design, convenient opening

- **Electronic combination lock** with intuitive, user-friendly operation
- **Illuminated touch control panel** with a clear graphic display
- **Two individually programmable 6-digit codes** (administrator and user)
- **Up to 1,000,000 possible code combinations** for enhanced security





Profi-Safe

CERTIFIED PROTECTION

PRODUCT DESCRIPTION:

- The BURG-WÄCHTER Profi-Safe range of Safe Cabinets are both Security & Fire Certified. They are ideal for the safe storage of documents, cash, jewellery, coins and valuables.
- New Safe Body Design w/ Metal Turn Handle
- Security Level S 2 according to DIN EN 14450
- Insurance Rating \$35,000 approx.
- Fire Resistance LFS 30 according to EN15659 - 30 minutes fire protection for paper
- Fire-protective material according to DIN 4102
- Composite insulation in front of the door leaf as heat protection for the lock and bolts
- Tested and certified protection against burglary and fire
- Double-walled construction
- Internal hinge
- Lateral locking through strong round bolts of 25mm plus sliding bolt on the top
- All-over gripping rail on the hinge side
- Prepared for both wall and floor fixing, with fixing material - extreme high breaking strength
- Colour: Black
- Standard series with 1 shelf each
- Fixing hole diameter to suit up to 10mm bolt
- Interior Motion Sensing LED included
- **SecuTronic - Code lock with EBS Certification**
- Updated and Enhanced Codepad design
- ECB-S certified safe lock according to EN 1300 Class A
- Programmable electronic combination lock
- Up to 6 Digit Admin & User Codes (1 of each)
- Audit Trail shows time and date that User 1 has opened safe
- 1,000,000 different codes possible Version E "SecuTronic"



Art ID. PRS-510-E

- Exterior Size (H x W x D): 320 x 435 x 380mm (not including key pad)
- Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe
- Interior Size (H x W x D): 205 x 320 x 232mm
- Door Size (H x W): 205 x 265mm
- Weight (KG): 44kg
- Volume(L): 15L
- Warranty: 2 Years - From Date of Sale to End-User (*)



Art ID. PRS-520-E



Art ID. PRS-540-E



Art ID. PRS-580-E

- | | | |
|---|--|---|
| <ul style="list-style-type: none"> • Exterior Size (H x W x D): 360 x 495 x 445mm (not including key pad) • Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe • Interior Size (H x W x D): 245 x 380 x 297 mm • Door Size (H x W): 245 x 325mm • Weight (KG): 55kg • Volume(L): 27L • Warranty: 2 Years - From Date of Sale to End-User (*) | <ul style="list-style-type: none"> • Exterior Size (H x W x D): 560 x 495 x 445mm (not including key pad) • Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe • Interior Size (H x W x D): 445 x 380 x 297mm • Door Size (H x W): 445 x 325mm • Weight (KG): 77kg • Volume(L): 50L • Warranty: 2 Years - From Date of Sale to End-User (*) | <ul style="list-style-type: none"> • Exterior Size (H x W x D): 820 x 495 x 445mm (not including key pad) • Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe • Interior Size (H x W x D): 694 x 380 x 297mm • Door Size (H x W): 694 x 324mm • Weight (KG): 111kg • Volume(L): 78L • Warranty: 2 Years - From Date of Sale to End-User (*) |
|---|--|---|