



CADELL 52

Commercial And Domestic Electronic Lever Lock





CADELL 52

Commercial And Domestic Electronic Lever Lock





"Smart, secure, and built tough -

- A commercial grade Smart Door Lock that retrofits effortlessly to common Australian mortice locks.

Built with weather protection, fire protection and convenience at its core.



- Designed without compromise, the CADELL52 sets a new standard in commercial smart locks combining superior strength, fire protection, and weather resistance for where it matters most.



(3)

2-Hours



SL8 : Physical Security Rating



D8 : Durability Rating (500,000 Cycles)



Design for Access and mobility - AS1428.1-2009





Design & finish

-Every detail of the CADELL52 has been carefully considered to complement common commercial hardware, ensuring a seamless and professional look in any commercial environment.



Australian Registered Design No. 202512170 Patent Rights Reserved in Australia & Internationally AU2025900875







Commercial And Domestic Electronic Lever Lock



'Commercial-Grade Security — for Work or at Home'

The CADELL52 Commercial Smart Door Lock
is also perfectly suited for residential use

 bringing unmatched commercial-grade
 strength, security, and quality to your home

'From Knobs to Deadbolts — CADELL 52 — Covers It All'

- The versatile design of the CADELL52 makes it the perfect upgrade, easily replacing most common knob or lever sets. With its convenient footprint and multiple patch plate options, it can even cover traditional latch-and-deadbolt combinations for a seamless, secure fit!









Commercial And Domestic Electronic Lever Lock

Electronic

'Convenient' 6 Ways to Unlock













Access Specifications

Access methods	Between 20 & 120kgs
Application	TTlock App
IP Rating	IP66
Key Override	6-Pin Australian Oval Cylinder with two keys
Number of users	Unlimited Bluetooth
Key tags (RFID)	1000
Fingerprints	100
PIN Code	Unlimited customised on code on TTlock App
Pin Code Length	4 to 9 digits

LeverLock

General

Door Weight	Between 20 & 120kgs	
Application Area	Commercial premises: Apartments Blocks, Schools, Businesses & Private Residences	
IP Rating	IP66	
Fire Rating	2 Hours	
Material thickness (Plate furniture)	2mm Pressed 304 Stainless steel	
Finish	Satin Nickel Plate & Matte Black	
Handle dimensions	263 x 52 x 22mm (HWD)	
Handle Material	Solid Stainless Steel	
Door thickness	32-60mm	
Batteries	4 x 1.5V AAA alkaline batteries	
Battery life	Approximately 1 year (10-20 uses per day)	



Smart Door Locks





CADELL 52 With - 95mm Mortice Lock

Art ID Description

CADELL52-SSS-ML95 'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT *BLACK* - Incl. 95mm Mortice Lock (Art. SG-ML95)

CADELL52-BLK-ML95 'E-Series' CADELL52 Commercial & Domestic Electronic Lever Lock KIT *BLACK* - Incl. 95mm Mortice Lock (Art. SG-ML95)

CADELL 52

Patch Plates

Art ID

PS-REC-52-1-BLK	S/Steel SCAR PLATE (RECTANGLE 280 x 70mm) *Black*
PS-REC-52-1-SS	S/Steel SCAR PLATE (RECTANGLE 280 x 70mm)
PS-REC-52-2-BLK	S/Steel SCAR PLATE (RECTANGLE 286 x 76mm) *Black*
PS-REC-52-2-SS	S/Steel SCAR PLATE (RECTANGLE 286 x 76mm)
PS-REC-52-3-BLK	S/Steel SCAR PLATE (RECTANGLE 296 x 86mm) *Black*
PS-REC-52-3-SS	S/Steel SCAR PLATE (RECTANGLE 296 x 86mm)

Description





Smart Door Locks











Screw / Spindle packs for Door Thickness

- 32-40mm
- 40-50mm
- 50-60mm

Commercial Mortice Lock



Fitting Templates & Instruction Manual



Turnsnib Kit



4x AAA Batteries



6-Pin 'C4' 50mm Oval Cylinder



