





























6 0




The fingerprint sensing area is perfectly located on the lever to naturally read a thumb print for quick entry & can store up to 100 x individual fingerprints





Emergency Key Overide






Use and Manage the ELEV64 via Phone App. Open the Lock, Add Users, Issue Temporary Codes + Lots More

ELEV64 - FITTING & RETROFITTING



ELEV64 can easily be fitted in place of most Knobsets, Leversets or Deadbolts. Additional Scar plates can be purchased to fit ELEV64 in place of a large range of other locks found in the Australian Market.



ELEV64 - APP / ADMIN FUNCTIONS

- Manage eKeys, Passcodes & Fingerprints all from within the APP
 - Review Access Logs in Timeline order
 - Receive 'UNLOCK' Notifications instantly
 - Update the Firmware on your locks

+ Setup & Send Unlimited eKeys

Grant or Revoke Access with E -Keys. E-Keys can be Time/Period Based, Permanent, One Time, Cyclic or Customised

E-KEY / PASSCODE TYPES	EXAMPLE USER
Permanent Passcode	Owner / Administrator
Timed Passcode	Short term stays , Air BNB
One-Time Passcode	Maintenance or Delivery to property
Custom Passcode	For Family & Friends
Recurring Passcode	Baby sitter, House cleaner





ELEV64 - G2-GATE

G2 GATE is a WiFi Bridge that extends the functionality of your E-Series locks by giving the administrator Control to access remotely, from anywhere in the world!



ELEV64 - E' SERIES RANGE



LOCKTON 'E-Series' SMART DOOR LOCK - ELEV64





PRODUCT DESCRIPTION

LOCKTON 'E-Series' Smart Door Lock supports:

- Fingerprints
 - **Digital PIN Codes**
- Mobile App functionality.
- Suitable for Domestic and Office applications.
- Retrofits most residential and commercial Knobsets and Leversets.
- Optional G2 Gateway accessory allows for Remote access and control of lock via WiFi.

PRODUCT SPECIFICATIONS

- Finish: Black or Silver
- Suitable door thickness: 35 50 mm
- Adjustable 60/70 mm Backset Latch
- Power Supply: 4 x AAA Alkaline Batteries
- Battery Life: Approx. 10,000 openings
- Safe Working Temperature: -20 to 50 Degrees Celsius



PRODUCT DESCRIPTION

Optional Gateway designed to suit LOCKTON ELEV64 Smartlock. The G2-GATE enables communication with your Smartlock via Wi-Fi, allowing you to Change PIN Codes, Add Fingerprints, Create Temporary PIN Codes, Review Audit Trails and other management tasks from anywhere with an Internet connection via the TT Lock App.

PRODUCT SPECIFICATIONS

- Dimensions: 70 x 70 x 26 mm
- Art ID. G2-GATE
- Network: WiFi 2.4G IEEE Standard: 802.11 b/g/n
 - Power Connection: Type C USB
 - Power Input: 5V/500mA

LOCKTON Spare OVERRIDE KEY - Suits Art. ELEV64 Smart Locks **PRODUCT DESCRIPTION**



Spare Override Key Blank to suit LOCKTON 'E-Series' ELEV64 Smart Lock.

PRODUCT SPECIFICATIONS

- Suits: ELEV64 Smart Lock
- Material: Chrome Plated Brass

LOCKTON Spare ADJUSTABLE LATCH - 60-70mm Backset



PRODUCT DESCRIPTION

Spare Adjustable Backset Latch, made to suit LOCKTON 'E-Series' ELEV64 Smart Lock.

PRODUCT SPECIFICATIONS

- Suits: ELEV64 Smart Lock
- Backset: 60 mm or 70 mm Adjustable



ELEV64 - E' SERIES RANGE



LOCKTON 'E-Series' ELEV64 Display stand

PRODUCT DESCRIPTION:

LOCKTON E-SERIES Display Stand. Fitted with Art. ELEV64-BLK.

This Display Stand comes complete with fully functioning ELEV64 Smart Door Lock. It is the best way to showcase this Lock in your shop.

PRODUCT SPECIFICATION :

- Height: 345 mm
- Width: 190 mm
- Depth: 190 mm
- Stand Colour: Enamelled White
- Header Card: Blue LOCKTON E-Series

Art. ELEV64-DISP



Art. PS-REC-TNC-SS Art. PS-REC-TNC-SS-BLK

LOCKTON - SCAR PLATE (RECTANGLE 225x69mm) - CUT-OUT: Round 54mm Dia.

PRODUCT DESCRIPTION:

This LOCKTON Scar Plate is designed to patch and cover-up drill holes and installation points on a variety of domestic entry locksets (see compatibility below).

This plate is also designed to retrofit the LOCKTON Art. ELEV64 to provide a neat and well presented installation.

PRODUCT SPECIFICATION :

- Dimensions (L X W X T): 225 x 69 x 1.2mm
- Hole Cut-out Diameter: 54mm
- Pack Quantity: 1 x Plate
- Compatibility: Gainsborough Trilock, Lockwood Nexion and Lane Corvan




This LOCKTON Scar Plate is designed to patch and cover-up drill holes and installation

well presented installation.

PRODUCT SPECIFICATION :

- Plate Diameter: 75mm
- Thickness: 1.2mm
- Hole Cut-Out Diameter: 54mm
- Pack Quantity: 1 x Plate



Art. PS-RND-85-SS Art. PS-RND-85-SS-BLK

Art. PS-RND-75-SS

Art. PS-RND-75-SS-BLK


PRODUCT DESCRIPTION:

This LOCKTON Scar Plate is designed to patch and cover-up drill holes and installation points on a variety of domestic entry locksets (see compatibility below).

This plate is also designed to retrofit the LOCKTON Art. ELEV64 to provide a neat and well presented installation.

PRODUCT SPECIFICATION :

- Plate Diameter: 85mm
- Thickness: 1.2mm
- Hole Cut-out Diameter: 54mm Pack Quantity: 1 x Plate





LOCKTON - SCAR PLATE (ROUND 75mm Dia.) - CUT-OUT: Round 54mm Dia.

PRODUCT DESCRIPTION:

points on a variety of domestic entry locksets (see compatibility below).

This plate is also designed to retrofit the LOCKTON Art. ELEV64 to provide a neat and