

**COLLECTORS
EDITION**

80 BIG PAGES OF LOCKS, KEYS & KNOW-HOW!

APPROVED
BY THE
SGLOCKS
COMIC CODE



AUTHORITY

**75-YEAR
ANNIVERSARY**

SGLOCKS
COMICS
GROUP

25¢

**THE ULTIMATE
LOCKSMITH
ADVENTURE!**

LOCKSMITH EXPO '26

HEROES RANGE



**RANGE
POWER!**

**ICONIC
INNOVATION**

**MEET THE SG
HEROES AT
EXPO '26!**

**SUPER GRIF
GUARDING
WHAT MATTERS**

WHERE LOCKSMITHS *UNITE* AND SAVINGS *SAVE* THE DAY! ★

**YOUR COMPLETE LINEUP FOR LOCKS, FURNITURE, KEY MACHINES,
CYLINDERS, HARDWARE AND MORE!**

INSIDE THIS ISSUE!

80-Pages of LOCKS, KEYS & KNOW HOW

Pg
4-15

**BURG
WÄCHTER**

**FORTRESS
FORCE!**
Safes! Padlocks! Key security!
BURG-WÄCHTER brings the muscle!



Pg
16-21

JMA

**KEY POWER
UNLEASHED!**
JMA powers up with machines,
keys, remotes and transponder action!



Pg
22-75



LOCKTON

**LOCKTON
LEGENDS!**

The mighty LOCKTON range steps forward —
Guarding What Matters across every category!

Pg **22-66**


LOCKTON
commercial



Pg **67-71**


LOCKTON
E-Series



Pg **72-75**


LOCKTON
ESSENTIALS



Pg
76-79

LK ORIGEN

**ORIGEN
RISING!**
Behold the launch of the new
LK ORIGEN — the next evolution
in key machine power!



Pg
80



**ORIGINAL
LISHI TOOLS**

李志勤

**LISHI
UNLOCKED!**
Free SG 75-Year Anniversary
LISHI Wallet with orders!



**FREE
GIVEAWAY!**

SGLOCKS



Newsletter

OCT 2026
ISSUE 131

— YEARS —



— TRUST & INNOVATION —
— SINCE 1951 —

**BURG
WÄCHTER**

German Security Heritage.

Modern Security Thinking.


Drawing on a lockmaking heritage that dates back to 1750 in Wetter-Volmarstein, Germany, BURG-WÄCHTER has grown into one of Europe's most recognised security brands.

Founded in 1920 and proudly family-owned through four generations, BURG-WÄCHTER combines decades of expertise with continuous innovation to develop safes, locks, key management solutions and smart security technologies that protect homes, businesses and valuable assets worldwide.

Today, customers around the globe trust BURG-WÄCHTER for the quality, reliability and security for which German engineering is renowned.

PROFI
Safe series for certified
burglary and fire protection

SAVE
Memories forever



**BURG
WÄCHTER**



Profi-Safe

CERTIFIED PROTECTION

**SCAN
TO WATCH**



**SUBSCRIBE
FOR FUTURE VIDEOS**



'BURG Display Board' - Magno & Ocean Padlocks

FREE
TO
STOCKISTS

PRODUCT DESCRIPTION

Art ID: DB3060-MO

Board Dimensions (H x W): 300 x 600mm

Board is fitted with the following products

- 1 x Art. 400-E-30 - 'Magno' 30mm PADLOCK
- 1 x Art. 400-E-40 - 'Magno' 40mm PADLOCK
- 1 x Art. 400-E-50 - 'Magno' 50mm PADLOCK
- 1 x Art. 400-E-HB-40/65 - 'Magno' 40/65mm LONG SHACKLE PADLOCK
- 1 x Art. 490-NI-30 - 'Ocean' 30mm PADLOCK
- 1 x Art. 490-NI-40 - 'Ocean' 40mm PADLOCK
- 1 x Art. 490-NI-50 - 'Ocean' 50mm PADLOCK
- 1 x Art. 490-NI-HB-40/65 - 'Ocean' 40/65mm LONG SHACKLE PADLOCK



'BURG Display Board' - Key Safes

FREE
TO
STOCKISTS

PRODUCT DESCRIPTION

Art ID: DB3060-KS

Board Dimensions (H x W): 300 x 600mm

Board is fitted with the following products

- 1 x Art. KS-10 - 'KeySafe' Combination (Max. 7cm Key)
- 1 x Art. KS-20 - 'KeySafe' Combination (Max. 12cm Key)
- 1 x Art. KS-30 - 'KeySafe' Combination (Max. 9cm Key)
- 1 x Art. KS-40 - 'KeySafe' Combination (Max. 11cm Key)
- 1 x Art. KS-50 - 'KeySafe' Combination (Max. 8cm Key)



'BURG Display Board' - Combination Padlocks

FREE
TO
STOCKISTS


PRODUCT DESCRIPTION

Art ID: DB3060-PC

Board Dimensions (H x W): 300 x 600mm

Board is fitted with the following products

- 1 x Art. 99-NI-50 - 'Commercial' 50mm COMBI. PADLOCK - 4 Digit
- 1 x Art. 99-NI-HB-50/65 - 'Commercial' 50/65mm L/SHACKLE COMBI. PADLOCK - 4 Digit
- 1 x Art. 80-15 - 'Combi-Lock' 15mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-20 - 'Combi-Lock' 20mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-30 - 'Combi-Lock' 30mm COMBI. PADLOCK - 3 Digit
- 1 x Art. 80-40 - 'Combi-Lock' 40mm COMBI. PADLOCK - 4 Digit
- 1 x Art. 23-C-70 - 'Circle' 70mm COMBI. PADLOCK



'BURG Display Board' - Chain & Cable Display

FREE
TO
STOCKISTS

PRODUCT DESCRIPTION

Art ID: DB3060-BL

Board Dimensions (H x W): 300 x 600mm

Board is fitted with the following products

- 1 x Art. 750-250 - Loop End CABLE - 250cm Long (10mm Dia.)
- 1 x Art. SKM-6/60 - Hardened Chain - 6mm Square Dia. - 60cm Long *** Sample Piece ***
- 1 x Art. SKM-8/90 - Hardened Chain - 8mm Square Dia. - 90cm Long *** Sample Piece ***
- 1 x Art. GKM-10/100 - Hardened Chain - 10mm Square Dia. - 100cm Long *** Sample Piece ***



Hard. CHAIN - 6 mm Sq. Diameter

Art ID.	Size	Length
SKM-6/60	6 mm	60 cm
SKM-6/90	6 mm	90 cm

Hard. CHAIN - 8 mm Sq. Diameter

Art ID.	Size	Length	Price ex. GST
SKM-8/90	8 mm	90 cm	

Hard. CHAIN - 10 mm Sq. Diameter

Art ID.	Size	Length	Price ex. GST
GKM-10/100	10 mm	100 cm	
GKM-10/150	10 mm	150 cm	
GKM-10/200	10 mm	200 cm	



Combination Padlocks

Art ID.	Size
99-NI-50	'Commercial' 50mm COMBI. PADLOCK - 4 Digit - CARDED
99-NI-HB-50/65	'Commercial' 50/65mm L/SHACKLE COMBI. PADLOCK - 4 Digit - CARDED
23-C-70	'Circle' 70mm COMBI. PADLOCK - CARDED



Combination KeySafes

Art ID.	Description
KS-10	'KeySafe' Combination (Max. 7cm Key) - CARDED
KS-20	'KeySafe' Combination (Max. 12cm Key) - CARDED
KS-30	'KeySafe' Combination (Max. 9cm Key) - CARDED
KS-40	'KeySafe' Combination (Max. 11cm Key) - CARDED
KS-50	'KeySafe' Combination (Max. 8cm Key) - CARDED (with Detachable Shackle)



**FREE
TO
STOCKISTS**



Art ID: DB3060-COMBO

'BURG Display Board' - 4 x Categories (COMBO) Board

PRODUCT DESCRIPTION

Board Dimensions (H x W): 300 x 600mm

Board is fitted with the following products

- 1 x Art. KS-20 - 'KeySafe' Combination (Max. 12cm Key)
- 1 x Art. KS-30 - 'KeySafe' Combination (Max. 9cm Key)
- 1 x Art. 99-NI-50 - 'Commercial' 50mm COMBI. PADLOCK - 4 Digit
- 1 x Art. 23-C-70 - 'Circle' 70mm COMBI. PADLOCK
- 1 x Art. SKM-6/60 - Hardened CHAIN - 6mm Square Dia. - 60cm Long *** Sample Piece ***
- 1 x Art. GKM-10-100 - Hardened CHAIN - 10mm Square Dia. - 100cm Long *** Sample Piece ***



'Magno' PADLOCK Range

PRODUCT DESCRIPTION

- Solid Brass Body
- Double Bolted
- Hardened Chrome Plated Steel Shackle
- Rustproof Interior
- High Breaking Strength

Art ID.	Size	Available variations
400-E-15	15 mm	KD, KA & Carded (KD)
400-E-20	20 mm	KD, KA, Carded (KD) & Long Shackle
400-E-25	25 mm	KD, KA & Carded (KD)
400-E-30	30 mm	KD, KA & Carded (KD) & S/S Shackle
400-E-35	35 mm	KD, KA & Carded (KD)
400-E-40	40 mm	KD, KA, Carded (KD), Long Shackle, S/S Shackle
400-E-45	45 mm	KD, KA & Carded (KD)
400-E-50	50 mm	KD, KA, Carded (KD), Long Shackle, S/S Shackle & Adjustable shackle
400-E-60	60 mm	KD, KA & Carded (KD)



'Combi-Lock' Combination Padlock Range

PRODUCT DESCRIPTION

- Solid Brass Body
- 3 Digit Rolls (80-15, 80-20, 80-30)
- 4 Digit Rolls (80-40)



Art ID.	Size	Length	Shackle Clearance	Shackle size
80-15	15 mm	44 mm	16 mm x 6.5 mm	3 mm
80-20	20 mm	55 mm	22 mm x 9 mm	3.2 mm
80-30	30 mm	75 mm	27 mm x 12 mm	5 mm
80-40	40 mm	90 mm	32.5 mm x 18.5 mm	6.5 mm



'Chromo' Combination Padlock Range

PRODUCT DESCRIPTION

- Aluminium Body
- Shackle Chrome Plated
- 3 Digit Rolls (90-20, 90-30)
- 4 Digit Rolls (90-40)



Art ID.	Size	Length	Shackle Clearance	Shackle size
90-20	20 mm	55 mm	22 mm x 9 mm	3.2 mm
90-30	30 mm	75 mm	27 mm x 12 mm	5 mm
90-40	40 mm	90 mm	32.5 mm x 18.5 mm	6.5 mm



Art ID. 99-Ni-50

'Commercial' Combination Padlock Range

PRODUCT DESCRIPTION

- Solid Brass Body
- Stainless Steel Shackle
- Double bolted
- Ideal for severe weather conditions
- Re-settable Combination
- 4 Digit Rolls



PRODUCT SPECIFICATION (99-NI-50)

- Carded
- Body Width: 50 mm
- Total Length: 80.5 mm
- Shackle Clearance: 30 mm (Height) x 25 mm (Width)
- Shackle Diameter: 8 mm

PRODUCT SPECIFICATIONS (99-NI-HB-50/65)

- Carded
- Body Width: 50 mm
- Total Length: 107.5 mm
- Shackle Clearance: 57 mm (Height) x 25 mm (Width)
- Shackle Diameter: 8 mm

Art ID. 99-Ni-HB-50/65



Art ID. 23-C-70

'Circle' 70mm COMBI. PADLOCK - CARDED

PRODUCT DESCRIPTION

- Stainless Steel Body
- Hardened Chrome-plated Shackle
- Protection against cutting
- 4 Digit Rolls
- 10,000 Different Combinations
- Rubber Impact Protection

PRODUCT SPECIFICATION

- Total Length: 70 mm
- Shackle Clearance: 14 mm (Height) x 24 mm (Width)
- Shackle Diameter: 9 mm





OCEAN

PADLOCK RANGE

SALTWATER RESISTANT

RUST RESISTANT

SUSTAINABLE



- Solid Coated Brass Body
- Impact and Scratch Resistant Plastic Coating
- Stainless Steel Shackle
- Double Locking Bracket
- Rust resistant Interior
- Seawater Resistant

Plastic coating made from 70% recycled plastic

'Ocean' 30mm PADLOCK

PRODUCT SPECIFICATION



- Body Width: 30mm
- Total Length: 50mm
- Shackle Clearance: 16mm (Height) x 16mm (Width)
- Shackle Diameter: 4.8mm
- Key Blank: BURG = Art. 67-R JMA = Art. BUR-20D
- Warranty: 2 Years - From Date of Sale to End-User (*)



Art ID.	Description
490-NI-30	'Ocean' 30mm PADLOCK (KD)
490-NI-30-KA7	'Ocean' 30mm PADLOCK (KA)
490-NI-30-KA9	'Ocean' 30mm PADLOCK (KA)
490-NI-30-SB	'Ocean' 30mm PADLOCK - CARDED (KD)

'Ocean' 40mm PADLOCK

PRODUCT SPECIFICATION



- Body Width: 40mm
- Total Length: 63.5mm
- Shackle Clearance: 22mm (Height) x 22mm (Width)
- Shackle Diameter: 6.3mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D
- Warranty: 2 Years - From Date of Sale to End-User (*)



Art ID.	Description
490-NI-40	'Ocean' 40mm PADLOCK (KD)
490-NI-40-KA7	'Ocean' 40mm PADLOCK (KA)
490-NI-40-KA9	'Ocean' 40mm PADLOCK (KA)
490-NI-40-SB	'Ocean' 40mm PADLOCK - CARDED (KD)

'Ocean' 40/65mm L/SHACKLE PADLOCK

PRODUCT SPECIFICATION



- Body Width: 40mm
- Shackle Length: 65mm
- Total Length: 104mm
- Shackle Clearance: 61mm (Height) x 22mm (Width)
- Shackle Diameter: 6.3mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D
- Warranty: 2 Years - From Date of Sale to End-User (*)



Art ID.	Description
490-NI-HB-40/65	'Ocean' 40/65mm L/SHACKLE PADLOCK (KD)
490-NI-HB-40/65-KA7	'Ocean' 40/65mm L/SHACKLE PADLOCK (KA)
490-NI-HB-40/65-KA9	'Ocean' 40/65mm L/SHACKLE PADLOCK (KA)
490-NI-HB-40/65-SB	'Ocean' 40/65mm L/SHACKLE PADLOCK - CARDED (KD)

'Ocean' 60mm PADLOCK

PRODUCT SPECIFICATION



- Body Width: 60mm
- Total Length: 90mm
- Shackle Clearance: 34mm (Height) x 34mm (Width)
- Shackle Diameter: 9.5mm
- Key Blank: BURG = Art. 68-R JMA = Art. BUR-19D
- Warranty: 2 Years - From Date of Sale to End-User (*)



Art ID.	Description
490-NI-60	'Ocean' 60mm PADLOCK (KD)
490-NI-60-KA7	'Ocean' 60mm PADLOCK (KA)
490-NI-60-KA9	'Ocean' 60mm PADLOCK (KA)
490-NI-60-SB	'Ocean' 60mm PADLOCK - CARDED (KD)



Art ID. KC20-C

'Combination' KEY CABINET - 20 Hooks

PRODUCT DESCRIPTION

- Lockable key box
- Combination lock
- 3 Digit rolls
- 20 Hooks

PRODUCT SPECIFICATION

- Height: 200 mm
- Width: 160 mm
- Depth: 60 mm



Art ID. KC36-C

'Combination' KEY CABINET - 36 Hooks

PRODUCT DESCRIPTION

- Lockable key box
- Combination lock
- 3 Digit rolls
- 36 Hooks

PRODUCT SPECIFICATION

- Height: 300 mm
- Width: 240 mm
- Depth: 60 mm



'6700 Series' KEY CABINET

PRODUCT DESCRIPTION

- Affordable key cabinet
- Folding keyboards
- Two colour varnishing (body dark grey, door light grey)

Art ID.	Height	Width	Depth	Hooks
6700/57-R	280 mm	215 mm	70 mm	57
6700/74-R	330 mm	245 mm	85 mm	74
6700/108-R	380 mm	285 mm	105 mm	108
6700/176-R	380 mm	285 mm	105 mm	176
6700/204-R	430 mm	325 mm	125 mm	204



Art ID. CODE 5020

'Combination' CASH BOX

PRODUCT DESCRIPTION

- Cash box with counting tray & combination lock
- Flush handle
- Practical cash box for the home or office
- Lock your jewellery, cash and other valuables
- Three-digit code combination

PRODUCT SPECIFICATION

- Dimensions (W x D x H): 200 x 160 x 90 mm
- Colour: RED



Art ID. CODE 5025

PRODUCT DESCRIPTION

- Cash box with counting tray & combination lock
- Flush handle
- Practical cash box for the home and office
- Lock your jewellery, cash and other valuables
- Three-digit code combination

PRODUCT SPECIFICATION

- Dimensions (W x D x H): 250 x 180 x 90 mm
- Colour: BLUE



'Money' CASH BOX

PRODUCT DESCRIPTION

- Cash box with tray
- Flush handle
- Supplied with 2 x keys

Art ID.	Height	Width	Depth	Colour
5015	80 mm	150 mm	120 mm	Green
5020	90 mm	200 mm	160 mm	Blue
5025	90 mm	250 mm	180 mm	Black
5030	90 mm	300 mm	240 mm	Grey





PURE-SAFE

Home & Office

Modern protection at home and in the office at an affordable price - new electronic lock provides the highest level of convenience.



Art ID. PS110-E

- Exterior Size (H x W x D): 180 x 280 x 200mm
- Interior Size (H x W x D): 176 x 276 x 143mm
- Door size (H x W): 130 x 186mm
- Weight (Kg): 7.1
- Volume (L): 6.7



Art ID. PS120-E

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 238mm
- Door size (H x W): 183 x 231mm
- Weight (Kg): 12.8
- Volume (L): 21



WITH
SLOT

Art ID. PS120-E-EWS

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 238mm
- Door size (H x W): 183 x 231mm
- Weight (Kg): 12.8
- Volume (L): 21



Art ID. PS130-E-LAPTOP

- Exterior Size (H x W x D): 200 x 445 x 380mm
- Interior Size (H x W x D): 196 x 441 x 318mm
- Door size (H x W): 129 x 331mm
- Weight (Kg): 14
- Volume (L): 28



Art ID. PS130-E

- Exterior Size (H x W x D): 320 x 440 x 350mm
- Interior Size (H x W x D): 316 x 436 x 293mm
- Door size (H x W): 242 x 317mm
- Weight (Kg): 19.2
- Volume (L): 39



Art ID. PS140-E

- Exterior Size (H x W x D): 500 x 416 x 350mm
- Interior Size (H x W x D): 496 x 412 x 293mm
- Door size (H x W): 422 x 293mm
- Weight (Kg): 26
- Volume (L): 58



Art ID. PS110-K

- Exterior Size (H x W x D): 180 x 280 x 200mm
- Interior Size (H x W x D): 176 x 276 x 143mm
- Door size (H x W): 130 x 186mm
- Weight (Kg): 7
- Volume (L): 6.7



Art ID. PS120-K

- Exterior Size (H x W x D): 255 x 350 x 300mm
- Interior Size (H x W x D): 251 x 346 x 238mm
- Door size (H x W): 183 x 235mm
- Weight (Kg): 12.7
- Volume (L): 21




Art ID. PS130-K

- Exterior Size (H x W x D): 320 x 440 x 350mm
- Interior Size (H x W x D): 316 x 436 x 293mm
- Door size (H x W): 242 x 317mm
- Weight (Kg): 19.2
- Volume (L): 39



- Premium workmanship

- **Double-walled construction** for enhanced strength and durability
- **Solid round bolt locking system** for secure door engagement
- **Internal hinges** for added protection and a clean exterior appearance
- **Rear grip rail on the hinge side** for additional structural stability



- Integrated interior lighting

- **Built-in LED lighting** for clear visibility
- Ensures **easy access and organisation** of contents inside the safe

- Elegant design, convenient opening

- **Electronic combination lock with intuitive, user-friendly operation**
- **Illuminated touch control panel with a clear graphic display**
- **Two individually programmable 6-digit codes** (administrator and user)
- **Up to 1,000,000 possible code combinations** for enhanced security





Profi-Safe

CERTIFIED PROTECTION



INSURABLE RATING
Recommended up to
\$35,000



Security Level S2
Certified protection against burglary



FIRE RESISTANCE GRADE LFS 30
Certified protection against fire

PRODUCT DESCRIPTION

- The BURG-WÄCHTER Profi-Safe range of Safe Cabinets are both Security & Fire Certified. They are ideal for the safe storage of documents, cash, jewellery, coins and valuables.
- New Safe Body Design w/ Metal Turn Handle
- Security Level S 2 according to DIN EN 14450
- Insurance Rating \$35,000 approx.
- Fire Resistance LFS 30 according to EN15659 - 30 minutes fire protection for paper
- Fire-protective material according to DIN 4102
- Composite insulation in front of the door leaf as heat protection for the lock and bolts
- Tested and certified protection against burglary and fire
- Double-walled construction
- Internal hinge
- Lateral locking through strong round bolts of 25mm plus sliding bolt on the top
- All-over gripping rail on the hinge side
- Prepared for both wall and floor fixing, with fixing material - extreme high breaking strength
- Colour: Black
- Standard series with 1 shelf each
- Fixing hole diameter to suit up to 10mm bolt
- Interior Motion Sensing LED included
- SecuTronic - Code lock with EBS Certification**
- Updated and Enhanced Codepad design
- ECB-S certified safe lock according to EN 1300 Class A
- Programmable electronic combination lock
- Up to 6 Digit Admin & User Codes (1 of each)
- Audit Trail shows time and date that User 1 has opened safe
- 1,000,000 different codes possible Version E "SecuTronic"



Art ID. PRS-510-E

- Exterior Size (H x W x D): 320 x 435 x 380mm (not including key pad)
- Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe
- Interior Size (H x W x D): 205 x 320 x 232mm
- Door Size (H x W): 205 x 265mm
- Weight (KG): 44kg
- Volume(L): 15L
- Warranty: 2 Years - From Date of Sale to End-User (*)

TRADE



Art ID. PRS-520-E



Art ID. PRS-540-E



Art ID. PRS-580-E

- Exterior Size (H x W x D): 360 x 495 x 445mm (not including key pad)
- Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe
- Interior Size (H x W x D): 245 x 380 x 297 mm
- Door Size (H x W): 245 x 325mm
- Weight (KG): 55kg
- Volume(L): 27L
- Warranty: 2 Years - From Date of Sale to End-User (*)
- Exterior Size (H x W x D): 560 x 495 x 445mm (not including key pad)
- Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe
- Interior Size (H x W x D): 445 x 380 x 297mm
- Door Size (H x W): 445 x 325mm
- Weight (KG): 77kg
- Volume(L): 50L
- Warranty: 2 Years - From Date of Sale to End-User (*)
- Exterior Size (H x W x D): 820 x 495 x 445mm (not including key pad)
- Key pad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe
- Interior Size (H x W x D): 694 x 380 x 297mm
- Door Size (H x W): 694 x 324mm
- Weight (KG): 111kg
- Volume(L): 78L
- Warranty: 2 Years - From Date of Sale to End-User (*)



'Karat' SAFE - Electronic

PRODUCT DESCRIPTION:

- Insurance rating \$70,000
- Protected against burglary and fire.
- Triple-walled body.
- Exterior walls made from flame-cutting resistant stainless steel.
- Double-walled door, with additional armouring.
- Door leaf thickness 7 mm Siemens-Martin Steel.
- Three sided locking through strong square bolts.
- Top and bottom bolts feature integrated steel rollers to protect against cutting attacks.
- Extreme protection against flame cutting, drilling and attack
- All over gripping hinge.
- Prepared for both wall and floor fixing - fixing materials extremely high breaking strength.
- Fire protective material in body and door, with special fire-fold for added protection.
- Depth for files of common size, with 1 adjustable shelf.
- Platinum grey finish.
- Armoured high security double-bit lock (Resettable lock)
- **SecuTronic - the first biometric safe lock with VdS Certification**
- Developed by BURG-WÄCHTER.
- VdS approved lock with fingerscan module, EN 1300 class 2.
- Programmable electronic lock.
- 10 x 6-digit pincodes.
- 1,000,000 possible combinations.
- Up to 20 x fingerscans.
- When opening with fingerscan, 2 different fingers must be entered/programmed.
- Scanner only accepts 'real, live fingers.'
- Precise finger scanner, for accurate reading.
- Intelligent, menu driven operation.
- Administration of up to 10 users, 1 million different combinations and up to 300 optional TSE E-keys.
- User names, access times and rights, calendar functions etc are available.



INSURABLE RATING

Recommended up to

\$70,000



SECURITY GRADE 0 ECB-S

Certified protection against burglary



Electronic / Fingerscan
(EN 1300 CLASS B LOCK)



- New Pad design
- High quality touch electronics
- 1 administrator and 9 user codes
- Simple intuitive menu structure
- Time - Date - Year
- Audit trail
- Integrated fingerprint module
- 20 fingerprints



Art ID. MT640-E-FP

- Exterior Size (H x W x D): 340 x 430 x 390 mm
- Interior Size (H x W x D): 250 x 348 x 294
- Door Size (H x W): 250 x 336
- Weight (KG): 48kg
- Volume(L): 25.8
- Keypad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe



Art ID. MT660-E-FP

- Exterior Size (H x W x D): 530 x 430 x 390
- Interior Size (H x W x D): 440 x 348 x 294
- Door Size (H x W): 440 x 336
- Weight (KG): 67
- Volume(L): 45.3
- Keypad protrudes 15mm & handle protrudes 63mm only when pulled out to open safe

'Karat' SAFE - Keyed



Art ID. MT640-K

- Exterior Size (H x W x D): 340 x 430 x 390 mm
- Interior Size (H x W x D): 250 x 348 x 294 mm
- Door Size (H x W): 250 x 336 mm
- Weight (KG): 48
- Volume(L): 25.8



Art ID. MT660-K

- Exterior Size (H x W x D): 530 x 430 x 390 mm
- Interior Size (H x W x D): 440 x 348 x 294 mm
- Door Size (H x W): 440 x 336 mm
- Weight (KG): 67
- Volume (L): 45.3



INSURABLE RATING

Recommended up to
\$110,000



SECURITY GRADE 1 ECB-S/VdS

Certified protection against burglary



FIRE RESISTANCE GRADE LFS 60 P

Certified protection against fire

Electronic / Fingerscan (EN 1300 CLASS B LOCK)



- New Pad design
- High quality touch electronics
- 1 administrator and 9 user codes
- Simple intuitive menu structure
- Time - Date - Year
- Audit trail
- Integrated fingerprint module
- 20 fingerprints



Art ID. MTD780-E-FP

- Exterior Size (H x W x D): 985 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 860 x 372 x 300 mm
- Door Size (H x W): 860 x 337 mm
- Weight (KG): 186
- Volume(L): 96.0



Art ID. MTD760-E-FP

- Exterior Size (H x W x D): 625 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 500 x 372 x 300 mm
- Door Size (H x W): 500 x 337 mm
- Weight (KG): 132
- Volume(L): 55.8



Art ID. MTD750-E-FP

- Exterior Size (H x W x D): 470 x 500 x 462 mm (not including key pad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 345 x 372 x 300 mm
- Door Size (H x W): 345 x 337 mm
- Weight (KG): 104
- Volume(L): 38.5



Art ID. MTD740-E-FP

- Exterior Size (H x W x D): 380 x 500 x 462 mm (Does not include keypad)
- Keypad protrudes 15 mm & handle protrudes 63 mm only when pulled out to open safe
- Interior Size (H x W x D): 255 x 372 x 300 mm
- Door Size (H x W): 255 x 337 mm
- Weight (KG): 92
- Volume(L): 28.3


'Diplomat' SAFE - Electronic/Finger Scan

PRODUCT DESCRIPTION:

- Tested and supervised security by ECB.S/VdS.
- Insurance rating \$110,000
- Certified protection against burglary and fire.
- ECB.S Certified to Resistance Grade 1
- Resistance Grade 1 according to EN 1143-1
- Certified fire protection according to EN 15659. LFS 60 P
- Certified 60 minute protection against fire.
- Triple-walled body with armoured, special fireproof insulation.
- BURG-WÄCHTER special 'FPC Buildup' insulation in body and door.
- Special rear wall construction with additional armoured.
- Four-walled door with extensive armoured to protect boltwork and lock.
- Door also features BURG-WÄCHTER's patented, non-resettable double emergency locking system.
- Four sided locking through strong round bolts.
- Recessed door for added protection.
- Specially concealed hinges.
- Heat sensitive seals - swells to seal door in event of a fire.
- Prepared for both wall and floor fixing - fixing materials included.
- Accepts up to 12 mm bolt
- Depth for files of common size, with 1 adjustable shelf.
- Silver metallic finish.

SecuTronic - the first biometric safe lock with VdS Certification

- Developed by BURG-WÄCHTER.
- VdS approved lock with fingerscan module, EN 1300 class 2.
- Programmable electronic lock.
- 10 x 6-digit pin codes.
- 1,000,000 possible combinations.
- Up to 20 x fingerscans.
- When opening with fingerscan, 2 different fingers must be entered/programmed.
- Scanner only accepts 'real, live fingers.'
- Precise finger scanner, for accurate reading.
- Intelligent, menu driven operation.
- Administration of up to 10 users, 1 million different combinations and up to 300 optional TSE E-keys.
- User names, access times and rights, calendar functions etc are available.



JMA[®]

Opening the future

About **JMA[®]**

More Than Keys.
A Partner in Innovation.

For over 80 years, JMA has been helping locksmiths adapt, grow and succeed.

Founded in Mondragón, Spain, JMA is now a global leader in key blanks, automotive solutions, transponder technology, remotes and key duplication systems, with products trusted in more than 100 countries worldwide.

By combining technical expertise with a relentless focus on innovation, JMA continues to develop the solutions shaping the future of locksmithing.



JMA[®]

Opening the future



MULTICODE NXT



'MULTICODE NXT SINGLE' CODE MACHINE with Edge Cutter

PRODUCT DESCRIPTION

- The JMA MULTICODE-NXT-S is the next generation code cutting machine for the locksmithing professional. Designed to be used in a workshop or van.
- Powered by the new KEYPRO 2.0 Software platform with greater speed, connectivity & user-friendliness
- Can efficiently cut Domestic Edge Cut Keys & Inline Restricted
- Cut Keys to Code & Duplicates Keys
- Fast Easy Searching - Find the correct key either by make or by key blank number - multiple key brands in data base for easier searching.
- Fast Key Cutting - A powerful motor and high-speed cutting for producing keys in a single motion (1-Pass Cutting)

PRODUCT SPECIFICATION

- Cylindrical Cutter Material & Speed: Carbide / 12000rpm
- 4 Face MPI Clamp for Flat/Inline Keys
- Width: 427mm
- Height with Tablet Support Mount: 612mm
- Height without Tablet Support: 431mm
- Depth: 413mm
- Weight: 27kg
- Motor: 24V DC 7.5 Amp 180W
- Effective Travel: X = 45mm / Y = 45mm / Z = 30mm
- 3 Year Warranty (*)

Compatible with:

InstaCode PC



Compatible with:

PROMASTER MASTER KEYING



Art ID. MULTICODE-NXT-S



Art ID	DESCRIPTION	
MULTICODE-NXT	'MULTICODE NXT' CODE MACHINE with Edge & Milling Cutters	
MULTICODE-NXT-ENG	'MULTICODE NXT' CODE MACHINE with Edge & Milling Cutters *With ENGRAVING*	



BERNA Compact Semi-Auto Duplicator



PRODUCT DESCRIPTION

- The BERN A is a compact, durable machine that is especially suited for key cutting professionals. It combines simplicity and versatility to easily duplicate flat keys for cylinder locks, vehicle keys, cruciform keys and even specialty keys using its special 4-sided clamps.

PRODUCT SPECIFICATION

- Size : 340 x 234 x 435 mm
- Weight : 17 Kg.
- Power: 240V

STD.
KEYS



Art ID. BERN A

BERNA BIT Compact Semi-Auto Duplicator - Bit Keys



PRODUCT DESCRIPTION

- High-quality mortice & bit key duplication
- Simple, precise & versatile design
- Smooth, accurate cutting
- Built for professional locksmiths

The features of the machine include:

- Auto-start system designed around carriage unlock trigger that guarantees user safety and ergonomics
- 3-Sided Steel Clamps
- Fluid Movement of the Carriage
- Nylon Abrasive Brush

PRODUCT SPECIFICATION

- Cutter: FP19 (Ø80 x 1.4 x 16mm)
- Size (W x H x D): 340 x 243 x 435mm
- Weight: 15 kg
- Speed: 712 RPM
- Useful Run: X = 74mm
- Motor: Single Phase 220V, 50HZ, 0.18KW, 1350RPM 1.7 amp
- Power Supply: 220V
- 3 Year Warranty (*)

BIT
KEYS



Art ID. BERN A-BIT

BERNA AUTO Compact AUTOMATIC Duplicator

NEW

**SEMI - AUTOMATIC
KEY DUPLICATOR**



PRODUCT DESCRIPTION

- The BERN A is designed & built for everyday key cutting professionals. Compact, durable & versatile.
- Features include:**
- Flat key duplication for cylinder, vehicle & cruciform keys
 - 4-way clamps for specialty key support
 - Simple, reliable operation

PRODUCT SPECIFICATION

- Size : 496 x 243 x 435 mm
- Weight : 18.5 Kg.
- Speed: 1200 RPM
- Motor: 220V AC (0.18kW)
- Power: 240V

Art ID. BERN A-AUTO

STD.
KEYS





**STD.
KEYS**



Art ID. NOMAD

\ NOMAD Lightweight & Compact Duplicator - 240V



PRODUCT DESCRIPTION

- The NOMAD is designed & built for the mobile locksmith.
- Precise, lightweight & compact.
- Features Include:**
- Micrometric Adjustments
- 4 Way Ergonomic Jaws
- XL Jaw Distance (92mm)
- Fluid movement of the carriage
- Nylon Abrasive brush

PRODUCT SPECIFICATION

- Size: (W X H X D): 266 x 215 x 165 mm
- Weight: 6.5 Kg
- Power: 240V



**Dual Powered
240V & Battery**



\ NOMAD GO Lightweight & Compact Duplicator - 240V + BAT



Art ID. NOMAD-GO

PRODUCT DESCRIPTION

- Micro-metric Adjustments
- 4-Way Ergonomic Jaws
- Fluid Movement of the Carriage
- Nylon Abrasive Brush
- 4-Hours continuous run time on Battery

PRODUCT SPECIFICATION

- Cutter: FPII (Ø63 x 5 x 16mm)
- Weight: 8 kg
- Speed: 2100 RPM
- Size (W X H X D) 266mm x 255mm x 165mm
- Useful Run: X = 53mm
- Motor: 24V DC - 150W
- Power Supply: 240V & Lithium Ion Battery 25.9V



**BIT
KEYS**



\ NOMAD BIT Lightweight & Compact DUPLICATOR - BIT KEYS



Art ID. NOMAD-BIT

PRODUCT DESCRIPTION

- The NOMAD-BIT is a lightweight & extremely compact Mortice & Safe key duplicating machine.
- Micro-metric Adjustments
- 3-Way Ergonomic Jaws
- Fluid Movement of the Carriage
- Nylon Abrasive Brush

PRODUCT SPECIFICATION

- Size (W x H x D): 266 x 215 x 165mm
- Weight: 6.5 kg
- Speed: 2800 RPM
- Useful Run: X = 73mm
- Ribbed Belt Transmission
- Motor: 220V DC - 150W or 110V DC - 150W
- Power Supply: 240V



DIMPLE TRACK GEM

\ MOVE Compact Track (Wave+Gem) Key Duplicator



Art ID. MOVE

PRODUCT DESCRIPTION

The JMA MOVE Track Key Duplicator is a Highly precise, compact and economical duplicator. It is JMA's latest innovation in the world of key-cutting.

The MOVE makes duplication of Track, Laser, Dimple and Tubular keys a comfortable, quick and easy task.

New key features of the machine include the ability to adjust the height of the tracer bit and a modular clamp system that allows easy swap over to Tubular and Dimple key duplication.

PRODUCT SPECIFICATION

- Motor: 220V DC 150W
- Size (W x H x D): 320 x 380 x 370mm
- Weight: 12kg
- Speed: 5500 RPM
- Useful Run Distance: X = 28mm, Y = 58mm, Z = 25mm
- Lighting: LED
- Flat Belt Transmission
- Displacement: Linear Roller Bearings
- Power: 240V





M-BT-ADVANCED

Advanced DUPLICATING REMOTE - for Fixed & Rolling Code Remotes

PRODUCT DESCRIPTION

This new and improved version of the M-BT comes with a greater signal strength improving operating distance and an expanded compatibility range with more FIXED and ROLLING code remotes that are currently available on the market.

The M-BT-ADVANCED remote control duplicates 95% of Fixed code remotes and more than 40 rolling code brands using the latest Cutting Edge mobile technology.

The M-BT-ADVANCED Remote can integrate up to 4x different remotes to the 1 remote

Using the JMA REMOTES PRO phone App, you can identify, generate and copy remotes via Bluetooth.

Capable of integrating codes for 4 different original remotes on 1 device

When integrated with the JMA REMOTES PRO APP it is possible to generate an aftermarket remote for many of the popular brands that can be introduced to the Receiver

PRODUCT SPECIFICATION

- 4-Buttons (each programmable to a different remote)
- Frequency: 433 - 868 Mhz
- Fixed Code or Rolling Code: Both Fixed and Rolling
- Programming Method: Peer to Peer or via Dedicated App
- Battery Type: Coin Battery (CR2032)



Art ID. M-BT-ADV

M-BT-ADVANCED-BIO

Biometric DUPLICATING REMOTE - for Fixed & Rolling Code Remotes

PRODUCT DESCRIPTION

The new M-BT Biometric remote further expands JMA's extensive remote technology capability, in addition offering a greater signal strength and a new design with the option for biometric authentication.

Greater security and personalisation with activation via fingerprint.

The new biometric system allows exclusive access for up to 50 different users via fingerprint recognition, this feature greatly increases onsite security and will prevent any unauthorised entries in the event of lost or stolen remotes.

Capable of cloning and duplicating a wide range of FIXED and ROLLING code remotes.

Using the JMA REMOTES PRO phone App, you can generate and copy remotes via Bluetooth or via side-by-side copying.

Capable of integrating codes for 4 different original remotes on 1 device.

PRODUCT SPECIFICATION

- 4-Buttons (each programmable to a different remote)
- Frequency: 433 - 868 Mhz
- Fixed Code or Rolling Code: Both Fixed and Rolling
- Programming Method: Peer to Peer or via Dedicated App
- Max. Biometric Users: 50
- Battery Type: 2 x Coin Batteries (CR2032)



Art ID. M-BT-BIO



M-TC

Dedicated TRI-CODE remote ATA and B&D

PRODUCT DESCRIPTION

JMA M-TC TRI-CODE Universal remote, is a compact, durable remote that is compatible with ATA Triocode and B&D Tri-Tran Garage & Gate Motors.

The MT-C comes with a Pre-coded default coding type to suit ATA TrioCode Remotes.

The MT-C Can easily be converted to a B&D Remote by:

Holding down the top 2 x buttons (1&2) on the MT-C Remote. The LED will turn on,

After 4 seconds, LED will Turn Off

Release the buttons, The coding has now been switched successfully

The remote is registered into the ATA or B&D receiver using the factory manual procedure

PRODUCT SPECIFICATION

- 4-Buttons
- Frequency: Triple Frequency 433.92, 433.47 & 434.37 MHz
- Replaces PTX5v2 and B&D Tri-Tran Remotes
- Battery Type: Coin Battery (CR2032)



Art ID. M-TC



REBADGE

Advanced KEY FOB DUPLICATOR

PRODUCT DESCRIPTION

JMA Art. REBADGE-2-KIT Advanced Key Fob Duplicator w/ 25 Pack of Cloneable Fobs

The REBADGE-2 enables quick, easy and secure duplication/cloning of Proximity Key Fobs for a wide range of Access Control systems across the market.

The copying process is made easy and intuitive via the companion JMAREbadgePro app with step by step instructions (available on Android and iOS).

The app also keeps a record of all fob copies made making repeat jobs even faster and easier.

The device is highly portable and easy to carry with a built-in rechargeable battery enabling quick and efficient mobile servicing.

Can copy access fobs/cards based on 13.56 Mhz and 125 kHz systems and is also compatible with some Anti-Copy Closed Systems.

PRODUCT SPECIFICATION

- Battery: 3.7 V Rechargeable
- Compatible Systems: RFID 13.56 MHz / 125 kHz
- Connection Type: Bluetooth
- Supplied with:
 - 10 x Art. RBLF-BK Low Frequency Black Fobs
 - 10 x Art. RBHF-BL High Frequency Blue Fobs
 - 5 x Art. RBHF-UL-GN Ultralight High Frequency Green Fobs

Art ID.
REBADGE-2-KIT



\ 10 x Low frequency
Cloning Fobs



\ 10 x High frequency
Cloning Fobs



\ 5 x High frequency
Cloning Fobs



Art ID.	Description	KIT QTY.
REBADGE-2	'REBADGE 2' - Advanced RFID FOB Duplicator	1
RBLF-BK	Low Frequency KEY FOB (125KHz) - Suits JMA REBADGE-2 *BLACK*	10
RBHF-BL	High Frequency KEY FOB (13.56MHz) - Suits JMA REBADGE-2 *BLUE*	10
RBHF-UL-GN	High Frequency KEY FOB (13.56MHz) - ULTRALIGHT Compat. - Suits JMA REBADGE-2 *GREEN*	5



LOCKTON

GUARD WHAT MATTERS

LOCKTON brings together mechanical security, electronic access and practical security solutions under one trusted brand.

The Griffin symbolises vigilance, guardianship and protection.

Behind every lock is something valuable.

Behind every security decision is a promise to protect it.



GUARD
WHAT
MATTERS



Art ID: SG-ML60

QTY
\$

LOCKTON 60mm Mortice Lock

PRODUCT SPECIFICATION

- Easy change Lock Functions - turn the dial on the side of the lock body (Consistent with the LOCKTON 23 mm Backset & 30 mm Backset Mortice Locks)
- Accepts Australian Oval Cylinder
- Easy close action for electric strikes
- Uses industry standard cams
- 4-hour fire rating
- 10-year warranty
- Cycle tested
- Fits doors between 32-50 mm
- Suits left & right opening doors



BLACK

Art ID: SG-ML60-BLK

QTY
\$

10 YEARS WARRANTY



4-Hours



SLB : Physical
Security Rating



DB : Durability Rating
(500,000 Cycles)



Design for Access and
mobility - AS1428.1-2009



Art ID: SG-ML95

LOCKTON 95mm Mortice Lock

PRODUCT SPECIFICATION

- 'Easy Change' Lock Functions - turn the dial on the side of the lock body (Consistent with the LOCKTON 23, 30 & 60mm Backset Mortice Locks)
- Kick off function
- Accepts Australian oval cylinder (like the LOCKTON 410 Range)
- Easy close action for electric strikes
- Uses industry standard cams
- 2-Hour fire rating
- 10 year warranty
- Cycle tested
- Fits doors between 32-50mm
- Suits left & right opening doors



BLACK

Art ID: SG-ML95-BLK



2-Hours



Design for Access and
mobility - AS1428.1-2009

10 YEARS WARRANTY



Art ID: SG-ML60-DB

QTY
\$

LOCKTON 60mm DEADBOLT Mortice Lock

PRODUCT SPECIFICATION

- Accepts Australian oval cylinder (like the LOCKTON 410 Range)
- Uses industry standard (N) cams
- Supplied with Art. ADAPTOR-Y Mortice Lock Adaptor & Art. CAM-N Mortice Lock Cam
- 10 year warranty
- Fits doors between 32-50 mm
- Suits left & right opening doors.



BLACK

Art ID: SG-ML60-DB-BLK

QTY
\$

10 YEARS WARRANTY



Art ID: SG-ML60-SLD

QTY
\$

LOCKTON 60mm SLIDING Mortice Lock

PRODUCT SPECIFICATION

- Accepts Australian oval cylinder (like the LOCKTON 410 Range)
- Uses industry standard (N) cams
- Supplied with Art. ADAPTOR-Y Mortice Lock Adaptor & Art. CAM-N Mortice Lock Cam
- 10 year warranty (*)
- Fits doors between 32-50 mm
- Suits Sliding doors.



BLACK

Art ID: SG-ML60-SLD-BLK

QTY
\$

10 YEARS WARRANTY



LOCKTON
commercial

ML SERIES



**SCAN
TO WATCH**



SUBSCRIBE
FOR FUTURE VIDEOS

"Great to use to promote to your customers"



*D8 : Durability Rating
(500,000 Cycles)*



*SL8 : Physical
Security Rating*



*Design for Access and
mobility - AS1428.1-2009*

10 YEARS
WARRANTY



SEMA™

CLEAR STATUS AT A GLANCE

*Wide Plate Indicator Furniture
- for Commercial Mortice Locks*

Australian Registered Design
No. 202615334
No. 202615333
New Zealand Registered Design
No. 437396
No. 437397


**SCAN
TO WATCH**





Commercial Mortice Lock Furniture



Larger Window. Clearer Status.

SEMA combines a large viewing window, clear text and high-contrast colour indication to make door status easy to identify at a glance.



Change the Message to Suit the Space.

A range of interchangeable display panels makes SEMA adaptable to a wide variety of environments.



One Furniture System. Complete Compatibility.

Compatible with latch, deadbolt and sliding mortice lock applications.



Commercial Mortise Lock Furniture



'SEMA™'

- Indicating Furniture for **Latching** Mortise Locks

PRODUCT DESCRIPTION

LOCKTON SEMA™ is a new generation of wide plate indicator furniture available for commercial latching mortise lock applications.

Incorporating SEMA™ Status Indication Technology, the range features a large viewing window with clear text and high-contrast status indication, making door status easier to identify at a glance.

Change the message to suit the application. Interchangeable display panels provide flexibility across a wide range of environments, while durable construction and extensive cycle testing ensure reliable long-term performance.

Ideal for commercial bathrooms, meeting rooms, accommodation and shared facilities where clear lock status is important.



SEMA - External Furniture



Art ID:
SQSM-53C-25-LU-SCP

QTY
\$



Art ID:
SQSM-53C-25-LU-BLK

QTY
\$

'SEMA™' Wide (SQ END) External *Locked/Unlocked Ind.* Emerg. Turn & Lever

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate & Handle) & Stainless Steel (Display Panel)
- Handing: Easy change handing (Handle)
- External Emergency Turn & Lever w/ Integrated LOCKED / UNLOCKED Indicator Window
- Mechanical link between snib position and viewing window provides real-time lock status
- Quality Return Spring
- Mounting Screw Size: M5 x 55mm
- 10 Year Warranty (*)
- Dimensions (L x W x D): 165 x 46 x 12mm

SEMA - Internal Furniture



Art ID:
SQSM-63VDA-25-LU-SCP

QTY
\$



Art ID:
SQSM-63VDA-25-LU-BLK

QTY
\$

'SEMA™' Wide (SQ END) Internal *Locked/Unlocked Ind.* DA Snib & Lever

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate & Handle) & Stainless Steel (Display Panel)
- Handing: Easy change handing (Handle & Turn Snib)
- Internal Turn Snib w/ Integrated LOCKED / UNLOCKED Indicator Window
- Mechanical link between snib position and viewing window provides real-time lock status
- Quality Return Spring
- Mounting Screw Size: M5 x 55mm
- 10 Year Warranty (*)
- Dimensions (L x W x D): 165 x 46 x 12mm

SEMA - Interchangeable Display Panels



Art ID Description / Message

SEMA-DP-AIU-45 AVAILABLE / IN-USE

SEMA-DP-VO-45 VACANT / OCCUPIED

SEMA-DP-WDND-45 WELCOME / DO NOT DISTURB



Commercial Mortice Lock Furniture



'SEMA™'

- Indicating Furniture for **Deadbolt & Sliding Mortice Locks**

PRODUCT DESCRIPTION

LOCKTON SEMA™ is a new generation of wide plate indicator furniture available for commercial deadbolt mortice lock applications.

Incorporating SEMA™ Status Indication Technology, the range features a large viewing window with clear text and high-contrast status indication, making door status easier to identify at a glance.

Change the message to suit the application. Interchangeable display panels provide flexibility across a wide range of environments, while durable construction and extensive cycle testing ensure reliable long-term performance.

Ideal for commercial bathrooms, accessible facilities, accommodation and privacy applications where clear lock status is important.



SEMA™
CLEAR STATUS AT A GLANCE



SEMA - External Furniture



Art ID:
SQSM-59C-LU-SCP



Art ID:
SQSM-59C-LU-BLK

QTY
\$

QTY
\$

'SEMA™' Wide (SQ END) External
Locked/Unlocked Ind. Emergency Turn Only

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate & Handle) & Stainless Steel (Display Panel)
- External Emergency Turn w/ Integrated LOCKED / UNLOCKED Indicator Window
- Mechanical link between snib position and viewing window provides real-time lock status
- Quality Return Spring
- Mounting Screw Size: M5 x 55mm
- 10 Year Warranty (*)
- Dimensions (L x W x D): 165 x 46 x 12mm

SEMA - Internal Furniture



Art ID:
SQSM-07VDA-LU-SCP



Art ID:
SQSM-07VDA-LU-BLK

QTY
\$

QTY
\$

'SEMA™' Wide (SQ END) Internal
Locked/Unlocked Ind. DA Snib Only

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate) & Stainless Steel (Display Panel)
- Handling: Easy change handing (Turn Snib)
- Internal DA Turn Snib w/ Integrated LOCKED / UNLOCKED Indicator Window
- Mechanical link between snib position and viewing window provides real-time lock status
- Quality Return Spring
- Mounting Screw Size: M5 x 55mm
- 10 Year Warranty (*)
- Dimensions (L x W x D): 165 x 46 x 12mm

SEMA - Interchangeable Display Panels



Art ID	Description / Message
SEMA-DP-AIU-90	AVAILABLE / IN-USE
SEMA-DP-VO-90	VACANT / OCCUPIED
SEMA-DP-WDND-90	WELCOME / DO NOT DISTURB



SEMA™
CLEAR STATUS AT A GLANCE

"LOCKTON SEMA™ - Indicating Furniture

Inspired by semaphore — the universal system of visual signalling — SEMA™ delivers clear, mechanical indication of door status at a glance.


Designed for commercial environments where clarity matters, SEMA ensures immediate understanding of occupancy and lock position."





SEMATM
CLEAR STATUS AT A GLANCE

FEATURE PROMO VIDEO



**SCAN
TO WATCH**




SUBSCRIBE
FOR FUTURE VIDEOS


"Share with your customers"



Mortice Lock Furniture



External Furniture Range



LEG-TON™ (SQ. END) - EXTERNAL Furniture Range

PRODUCT DESCRIPTION

"Many Brands - One Interchangeable Solution"
The 'LEG-TON' Furniture range is designed to be an interchangeable furniture solution for all major Australian and New Zealand Mortice Lock Furniture Brands such as LOCKWOOD™, DORMAKABA™ & LEGGE™. The External Furniture comes with a multi-thread design that aligns with every common mounting screw pattern. The flexible application of the range means you can easily replace one or both sides of existing furniture installations. It is also carefully designed to cover existing marks, holes and paint outlines from previous installations.

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate & Handle)
- Handing: Easy change handing
- Quality Return Spring
- Mounting Screw Size: M4 x 68mm
- Supplied with: 2 x M4 Fixing Screws
- 10 Year Warranty (*)

PLATE SPECIFICATIONS

- Dimensions (L x W x D): 175 x 48 x 12mm
- Mounting Screw Spacing: 148 or 158mm
- End Type: Square
- Finish: Satin Chrome





Design for Access and mobility - AS1428.1-2009



D8 : Durability Rating (500,000 Cycles)



4-Hours





Mortice Lock Furniture



Internal Furniture Range



LEG-TON™ (SQ. END) - INTERNAL Furniture Range

PRODUCT DESCRIPTION

"Many Brands - One Interchangeable Solution"

The 'LEG-TON' Furniture range is designed to be an interchangeable furniture solution for all major Australian and New Zealand Mortice Lock Furniture Brands such as LOCKWOOD™, DORMAKABA™ & LEGGE™.

The Internal Furniture comes with an easy to fit rotatable Insert - Select Top Hole for LEGGE™ or Bottom Hole for all other brands.

The flexible application of the range means you can easily replace one or both sides of existing furniture installations. It is also carefully designed to cover existing marks, holes and paint outlines from previous installations.

PRODUCT SPECIFICATION

- Material: Solid Brass (Plate & Handle)
- Handing: Easy change handing
- Quality Return Spring
- Mounting Screw Size: M4 x 68mm
- Supplied with: 2 x M4 Fixing Screws & 1 x Screw Position Insert
- 10 Year Warranty (*)

PLATE SPECIFICATIONS

- Dimensions (L x W x D): 175 x 48 x 12mm
- Mounting Screw Spacing: 148 or 158mm
- End Type: Square
- Finish: Satin Chrome

10 YEARS WARRANTY




Design for Access and mobility - AS1428.1-2009



D8 : Durability Rating (500,000 Cycles)



4-Hours





Wide Plate - Furniture

STRENGTH, SECURITY, LONGEVITY

PRODUCT DESCRIPTION

- Commercial door furniture designed for demanding, long-term service.
- Suits most 60mm Australian Mortice Locks
- Retrofits most existing Wide Plate Furniture

PRODUCT SPECIFICATIONS


- Material: Solid Brass (Plate & Handle)
- Handing: Easy change handing
- Quality Return Spring
- Mounting Screw Size: M5 x 55mm
- Supplied with: M5 Fixing Screws
- 10 Year Warranty (*)

10 YEARS
WARRANTY

PLATE SPECIFICATIONS

- Dimensions (L x W x D): 165 x 46 x 12mm
- Mounting Screw Spacing: 150mm
- End Type: Square & Round

SOLID BRASS
- Built to Last



- Brass is proven for its durability,
Strength and long service life in
Commercial applications

PLATE STYLES

- Square End
- Round End



FINISHES



Satin Chrome



Matte Black (PVD)

PROVEN PERFORMANCE



4-Hour
Fire Rating



SL8 : Physical
Security
Rating



D8 : Durability
(500,000 Cycles)



Design for Access
and mobility
- AS1428.1-2009

COMPLETE RANGE
FOR EVERY
APPLICATION



Scan the QR code
to explore the full range
of kit options and
configurations.



Wide Plate

- Mortice Lock Kits

COMPLETE COMMERCIAL SOLUTION



CLASSROOM KIT



ENTRANCE KIT



PASSAGE KIT



DOUBLE CYL. KIT



DISABILITY KIT



INDICATING DA & CYL. KIT



INDICATING DA TOILET KIT



Scan the QR code
to explore the full range
of kit options and
configurations.



10 YEARS
WARRANTY

PROVEN PERFORMANCE



4-Hour
Fire Rating



SL8 : Physical
Security
Rating



D8 : Durability
(500,000 Cycles)



Design for Access
and mobility
- AS1428.1-2009

FINISHES



Satin Chrome



Matte Black (PVD)



Round Rose - Furniture

STRENGTH, SECURITY, LONGEVITY

PRODUCT DESCRIPTION

- Commercial door furniture designed for demanding, long-term service.
- Suits most 60mm Australian Mortice Locks
- Retrofits most existing Round Rose Furniture

PRODUCT SPECIFICATIONS

- Material: Solid Brass
- Finish: Satin Chrome & Matte Black
- 2 x Indicating Lock Angles: 48° & 90°
- Rose Diameter: 53mm
- Rose Depth: 10mm
- 10 Year Warranty (*)

10 YEARS WARRANTY 

IN THE BOX



FINISHES



Satin Chrome



Matte Black (PVD)

ALSO SUITS

HEAVY DUTY - Latch & Deadbolt Range



COMMERCIAL MORTICE LOCKS
- Latching, Deadbolt, Sliding



COMPLETE RANGE

FOR EVERY APPLICATION



Scan the QR code to explore the full range of kit options and configurations.



Round Rose

- Mortice Lock Kits

COMPLETE COMMERCIAL SOLUTION



CLASSROOM KIT



ENTRANCE KIT



PASSAGE KIT



DOUBLE CYL. KIT



**INDICATING DA
& CYL. KIT**



**INDICATING DA
TOILET KIT**



Scan the QR code
to explore the full range
of kit options and
configurations.

FINISHES



Satin Chrome



Matte Black (PVD)



10 YEARS
WARRANTY

LATCH KITS



INDICATING PRIVACY KIT



PRIVACY KIT



PASSAGE KIT



**INDICATING
TOILET KIT**



Square Plate - Furniture

STRENGTH, SECURITY, LONGEVITY

PRODUCT DESCRIPTION

- LOCKTON '162 SERIES' Square plate door furniture is designed to retrofit both common types of Plate furniture currently available on the market.
- It can be used with Art. SG-ML60 & SG-ML95 mortice locks or most existing common mortice locks.
- '162 SERIES' can now be kept as stock due to its economical price point & flexibility to be used with new installs & retrofitting.

PRODUCT SPECIFICATIONS

- Material: 316 Stainless Steel
- Finish: Satin Stainless Steel
- Dimensions: 166mm (H) x 166mm (W) x 2mm (T).
- Handling: Left & Right-handed
- Door Thickness: 35mm-50mm
- Warranty: 10-Year warranty

10 YEARS
WARRANTY



INNOVATIVE DESIGN



Retrofits existing common
Square Plate ML Furniture

ECONOMICAL

Carry the most common
'162 SERIES' configurations,
and be 'ready to retrofit'

PROVEN PERFORMANCE



2-Hour
Fire Rating



SL8 : Physical
Security
Rating



D8 : Durability
(500,000 Cycles)



Design for Access
and mobility
- AS1428.1-2009

COMPLETE RANGE

**FOR EVERY
APPLICATION**



Scan the QR code
to explore the full range
of kit options and
configurations.




STRIKE PAK

Stackable Strike Spacer System

The StrikePak range is designed for Australian mortice locks, using stackable modular packers to bridge oversized door-to-frame gaps and improve latch engagement. The MP4 Main Packer Kit includes a 4 mm spacer, striker plate and fixings, while 2 mm, 4 mm and 8 mm extra packers provide precise on-site adjustment. Available in Silver or Black.



MAIN STRIKE PLATE



Art ID:
STPK-MP4-SIL

Art ID:
STPK-MP4-BLK

'StrikePak'
MAIN STRIKE PLATE (4mm Thick)

PRODUCT SPECIFICATION

- Strike Plate Material: Stainless Steel
- Packer Material: Anodised Aluminium
- Dimensions (H x W x D): 90.8 mm x 32.4 mm x 4 mm
- Suits: 23, 30, 60 & 95 mm backset Australian mortice locks
- Supplied with:
- 1 x 'StrikePak' Mainplate
- 1 x Art. STML60-STD Standard Strike Plate
- 2 x Strike Plate Fixing Screws
- 2 x Long Timber Screws (40mm)
- 2 x Short Timber Screws (30mm)
- 2 x Long Self-Tapping Metal Thread Screws (40mm)
- 2 x Short Self-Tapping Metal Thread Screws (30mm)



SCAN TO WATCH



10 YEARS
WARRANTY


EXTRA PACKERS



PE2 EXTRA
PACKER
(2mm Thick)

Art ID: STPK-PE2-SIL


Art ID: STPK-PE2-BLK



PE4 EXTRA
PACKER
(4mm Thick)

Art ID: STPK-PE4-SIL

Art ID: STPK-PE4-BLK



PE8 EXTRA
PACKER
(8mm Thick)

Art ID: STPK-PE8-SIL

Art ID: STPK-PE8-BLK



Dual - CounterCurve Latch



LOCKTON 23mm Mortice Lock

10 YEARS WARRANTY

PRODUCT DESCRIPTION

The Art. SG-SBML23 retrofits Australian standard 23mm Narrow Mortice Locks and comes with the required fixing screws, strikes, cylinder retaining pins, turn snib adaptor, templates and instructions.

The enhanced **Dual-CounterCurve** latch design improves strike pickup earlier in the closing cycle, delivering a noticeably smoother, more controlled closing action and stronger, more reliable deadlatch engagement compared to standard single-radius latch profiles.

PRODUCT SPECIFICATION

- Latch Material: Stainless Steel (Reversible)
- **Dual-CounterCurve Latch Profile** for earlier pickup and improved deadlatch engagement
- 'Easy Change' Lock Functions - turn the dial on the side of the lock body
- Electric Strike Compatible
- Accepts Australian Oval Cylinders (Like the LOCKTON 410 range)
- Suits Left & Right Handed Doors
- Mortice Lock (Body ONLY) is 38.5mm deep, this does NOT include the face plate
- 10 Year Warranty (*)

BLACK

Art ID: SG-SBML23

Art ID: SG-SBML23-BLK



QTY
\$



QTY
\$



SBML SERIES

SHORT BACKSET MORTICE LOCK



**SCAN
TO WATCH**



SUBSCRIBE
FOR FUTURE VIDEOS

"Great to use to promote to your customers"



Narrow Plate - Furniture

STRENGTH, SECURITY, LONGEVITY

PRODUCT DESCRIPTION

- Commercial door furniture designed for demanding, long-term service.
- Suits most 23 & 30mm Australian Mortice Locks
- Retrofits most existing Narrow Stile Furniture

PRODUCT SPECIFICATIONS

- Material: Solid Brass (Plate & Handle)
- Handing: Non-Handed
- Quality Return Spring
- Mounting Screw Size: M4 x 55mm
- Supplied with: 4 x M4 Mounting Screws

10 YEARS
WARRANTY

PLATE SPECIFICATIONS

- Dimensions (L x W x D): 185 x 25 x 14mm
- Mounting Screw Spacing: 160mm
- End Type: Square



PLATE STYLES

- Square End
- Round End



FINISHES



Satin Chrome



Matte Black (PVD)

ALSO SUITS



Art ID: SG-SBML23
Short Backset
Mortice lock 23mm




Art ID: SG-SBML30
Short Backset
Mortice lock 30mm

COMPLETE RANGE
FOR EVERY
APPLICATION



Scan the QR code
to explore the full range
of kit options and
configurations.



Narrow Plate

- Mortice Lock Kits

COMPLETE COMMERCIAL SOLUTION

23mm Backset Kits



CLASSROOM KIT



ENTRANCE KIT



PASSAGE KIT



DOUBLE CYL. KIT



DISABILITY KIT



10 YEARS
WARRANTY 

30mm Backset Kits



CLASSROOM KIT



ENTRANCE KIT



PASSAGE KIT



DOUBLE CYL. KIT



DISABILITY KIT



Scan the QR code
to explore the full range
of kit options and
configurations.

FINISHES



Satin Chrome



Matte Black (PVD)



QUICKDRAW

 **Interchangeable
Bolt Design**

 **200,000
Cycle
Tested**

SS Solid S/Steel
Bolts & Body

 **DDA
Compliant
Accessories**



‘QUICKDRAW’ Swing Bolt Mortice Lock Series (QD)

Australian Registered Design
No. 202610002
New Zealand Registered Design
No. 436537


**SCAN
TO WATCH**





WHY CHOOSE **QUICKDRAW**

- 3 Stainless Steel Bolt Versions
(22mm, 36mm & 28mm Hook)



- Tested to 200,000 Cycles for Durability

- Retrofits Existing 590 Mortice Locks


- Hockey Stick Cylinder Retaining Pin



- 3mm Stainless Steel Faceplate

- Quick change Bolt Design

- DDA Compliant Accessories available



- Satin Stainless Steel or Matte Black Finishes

10 YEARS
WARRANTY 

**SCAN
TO WATCH**



Australian Registered Design
No. 202610002
New Zealand Registered Design
No. 436537



Swing Bolt Range



'QUICKDRAW' - Swing Bolt Mortice Lock Series (QD)

PRODUCT DESCRIPTION

"Strength, Speed, Compatibility — in One Lock Series"

The QUICKDRAW range has been purpose-designed to retrofit existing 590 mortice locks while delivering significant performance enhancements and installer-focused benefits such as a quick change bolt system for on-the-fly function changes.

"Hockey Stick" style cylinder retaining pins make re-keying or cylinder replacement jobs more efficient and convenient.

The Stainless Steel construction on both lock body & faceplate plus extensive cycle testing ensures longevity and durability for demanding environments.

QuickDraw - Mortice Lock Bodies



'QuickDraw' SWING BOLT *22mm* (Short Throw) Mortice Lock

PRODUCT SPECIFICATION

- Bolt Length: 22mm (Can be converted to 36mm Bolt or 28mm Hook Bolt)
- Material: Stainless Steel
- Finish: Satin Stainless Steel or Matte Black
- Dimensions (H x W x D): 181 x 36 x 18.4mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- 10 Year Warranty (*)
- Cycle Tested : 200,000 Cycles

Art ID: 590ML-QD-22B

QTY
\$



Art ID: 590ML-QD-22B-BLK

QTY
\$



'QuickDraw' SWING BOLT *36mm* (Long Throw) Mortice Lock

PRODUCT SPECIFICATION

- Bolt Length: 36mm Bolt (Can be converted to 22mm Bolt or 28mm Hook Bolt)
- Material: Stainless Steel
- Finish: Satin Stainless Steel or Matte Black
- Dimensions (H x W x D): 181 x 36 x 18.4mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- 10 Year Warranty (*)
- Cycle Tested : 200,000 Cycles

Art ID: 590ML-QD-36B

QTY
\$



Art ID: 590ML-QD-36B-BLK

QTY
\$



'QuickDraw' SWING BOLT *28mm* (Hook Bolt) Mortice Lock

PRODUCT SPECIFICATION

- Bolt Length: 28mm Hook Bolt (Can be converted to 22mm or 36mm Bolt)
- Material: Stainless Steel
- Finish: Satin Stainless Steel or Matte Black
- Dimensions (H x W x D): 181 x 36 x 18.4mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- 10 Year Warranty (*)
- Cycle Tested : 200,000 Cycles

Art ID: 590ML-QD-28HKB

QTY
\$



Art ID: 590ML-QD-28HKB-BLK

QTY
\$





Swing Bolt Range



'QUICKDRAW' - Bolt Swap Kits




PRODUCT DESCRIPTION

The LOCKTON 'QuickDraw' Bolt Swap Kit range gives installers instant flexibility, letting you switch between bolt types in seconds. Carry a few kits and you're ready for any installation that calls for a swing bolt or hook bolt solution.



QuickDraw - Bolt Swap Kits



'QuickDraw' BOLT SWAP KIT - Inc. 22mm (Short) BOLT + S/Steel FACE PLATE

Kit Contains

- 1 x 22mm 'QuickDraw' Bolt
- 1 x Stainless Steel Face Plate for 22mm Swing Bolt Mortice Lock

Art ID. BLT-QD-22B-KIT

PRODUCT SPECIFICATION

- Bolt Dimensions (L x W): 60 x 35mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- Bolt & Plate Material: Stainless Steel



'QuickDraw' BOLT SWAP KIT - Inc. 36mm (Long) BOLT + S/Steel FACE PLATE

Kit Contains

- 1 x 36mm 'QuickDraw' Bolt
- 1 x Stainless Steel Face Plate for 36mm Swing Bolt Mortice Lock

Art ID. BLT-QD-36B-KIT

PRODUCT SPECIFICATION

- Bolt Dimensions (L x W): 75 x 35mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- Bolt & Plate Material: Stainless Steel



'QuickDraw' BOLT SWAP KIT - Inc. 28mm (Hook) BOLT + Latching STRIKE + S/Steel

Kit Contains

- 1 x 28mm 'QuickDraw' Hook Bolt
- 1 x Latching Strike
- 1 x Stainless Steel Face Plate for 28mm Hook Swing Bolt Mortice Lock

Art ID. BLT-QD-28HKB-KIT

PRODUCT SPECIFICATION

- Bolt Dimensions (L x W): 65 x 35mm
- Faceplate Dimensions (L x W x T): 155 x 25 x 3mm
- Strike Plate Dimensions (L x W x T): 125 x 25 x 3mm
- Latching Strike Dimensions (L x W x D): 146 x 20 x 25mm
- Bolt, Strike & Plate Material: Stainless Steel



Swing Bolt Range



'QUICKDRAW' Timber Door kits



QUICKDRAW

RANGE DESCRIPTION

The QUICKDRAW Timber Kits extend the versatility of the QUICKDRAW 590 mortice lock series by enabling seamless installation on timber doors.

Each kit includes a purpose-built Timber Faceplate and matching Timber Strike that fit directly to the QUICKDRAW primary mortice lock body, ensuring correct alignment, secure mounting, and reliable operation on timber frames.

Ideal for commercial, specialty, or mixed-material projects, the Timber Kit delivers a clean, secure, and professional finish on timber door installations.



QuickDraw' Extended (for TIMBER) FACEPLATE & STRIKE PLATE - KIT - Suits (590ML-QD-22) 22 mm* (Short Throw)

PRODUCT DESCRIPTION

The LOCKTON Art. TBR-QD-22B-KIT 'QuickDraw' Timber Kit Includes an extended Timber Faceplate and matching extended Timber Strike Plate, designed to suit the QUICKDRAW 22 mm* (Short Throw) Mortice Lock Body for installation on timber doors. The extended design also helps cover larger cut-outs for a clean, professional finish.

Art ID. TBR-QD-22B-KIT

PRODUCT SPECIFICATION

FACEPLATE - SPECS

- Dimensions (L x W): 222 x 25mm
- Plate Thickness: 3mm
- Supplied with: 5 x Fixing Screws
- Material: Stainless Steel

STRIKEPLATE - SPECS

- Dimensions (L x W): 183 x 25mm
- Plate Thickness: 2mm
- Supplied with: 2 x Fixing Screws
- Material: Stainless Steel



QuickDraw' Extended (for TIMBER) FACEPLATE & STRIKE PLATE - KIT - Suits (590ML-QD-36) 36 mm* (Long Throw)

PRODUCT DESCRIPTION

The LOCKTON Art. TBR-QD-36B-KIT 'QuickDraw' Timber Kit Includes an extended Timber Faceplate and matching extended Timber Strike Plate, designed to suit the QUICKDRAW 36 mm* (Long Throw) Mortice Lock Body for installation on timber doors. The extended design also helps cover larger cut-outs for a clean, professional finish.

Art ID. TBR-QD-36B-KIT

PRODUCT SPECIFICATION

FACEPLATE - SPECS

- Dimensions (L x W): 222 x 25mm
- Plate Thickness: 3mm
- Supplied with: 5 x Fixing Screws
- Material: Stainless Steel

STRIKEPLATE - SPECS

- Dimensions (L x W): 183 x 25mm
- Plate Thickness: 2mm
- Supplied with: 2 x Fixing Screws
- Material: Stainless Steel



QuickDraw' Extended (for TIMBER) FACEPLATE & STRIKE PLATE - KIT - Suits (590ML-QD-28) 28 mm* (Hook Bolt)

PRODUCT DESCRIPTION

The LOCKTON Art. TBR-QD-28HKB-KIT 'QuickDraw' Timber Kit Includes an extended Timber Faceplate and matching extended Timber Strike Plate, designed to suit the QUICKDRAW 28 mm* (Hook Bolt) Mortice Lock Body for installation on timber doors. The extended design also helps cover larger cut-outs for a clean, professional finish.

Art ID. TBR-QD-28HKB-KIT

PRODUCT SPECIFICATION

FACEPLATE - SPECS

- Dimensions (L x W): 222 x 25mm
- Plate Thickness: 3mm
- Supplied with: 5 x Fixing Screws
- Material: Stainless Steel

STRIKEPLATE - SPECS

- Dimensions (L x W): 183 x 28.5mm
- Plate Thickness: 2mm
- Supplied with: 4 x Fixing Screws
- Material: Stainless Steel



Swing Bolt Range



QuickDraw - DDA Exit Snibs



Design for Access and
mobility - AS1428.1-2009

'QuickDraw' EXIT SNIB
- suits Swing Bolt (590) Mortice Lock (Oval Cyl Fit)



PRODUCT SPECIFICATION

- Material: Solid Brass
- Reversible Handling
- Snib Length: 55mm
- Satin Chrome Finish
- Comes with "Rabbit Ear" Cams
- Meets the requirements of AS1428.1-2009, design for access and mobility
- 10 Year Warranty (*)

Art ID. 590CYL-13VDA-SC

'QuickDraw' EXIT SNIB
- suits Swing Bolt (590) Mortice Lock (Oval Cyl Fit) *Matte Black*



PRODUCT SPECIFICATION

- Material: Solid Brass
- Reversible Handling
- Snib Length: 55mm
- Matte Black (PVD) Finish
- Comes with "Rabbit Ear" Cams
- Meets the requirements of AS1428.1-2009, design for access and mobility
- 10 Year Warranty (*)

Art ID. 590CYL-13VDA-BLK



'QuickDraw' ESCAPE LEVER
- suits Swing Bolt (590) Mortice Lock (Oval Cyl Fit)

PRODUCT SPECIFICATION

- Material: Solid Brass
- Reversible Handling
- Lever Length: 100mm
- Satin Chrome Finish
- Comes with "Rabbit Ear" Cams
- Meets the requirements of AS1428.1-2009, design for access and mobility
- 10 Year Warranty (*)

Art ID. 590CYL-EL-SC



'QuickDraw' ESCAPE LEVER
- suits Swing Bolt (590) Mortice Lock (Oval Cyl Fit) *Matte Black*

PRODUCT SPECIFICATION

- Material: Solid Brass
- Reversible Handling
- Lever Length: 100mm
- Matte Black (PVD) Finish
- Comes with "Rabbit Ear" Cams
- Meets the requirements of AS1428.1-2009, design for access and mobility
- 10 Year Warranty (*)

Art ID. 590CYL-EL-BLK





'100 Series' DOOR CLOSER

- Rack & Pinion (2/3/4)



Art ID. SGDC100-S

PRODUCT SPECIFICATION

- Suits Left & Right Handed Doors
- Suits Inward & Outward Opening Doors
- Comes with Standard arm
- Parallel Arm Bracket
- Supplied with both Timber and "Self Tapping" Metal screw packs
- Can be fitted with optional Hold Open Arm
- Closing, Latching Speed & Backcheck Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2/3/4 by mounting template adjustment
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg



Art ID. SGDC150-S

'150 Series' DOOR CLOSER

- Rack & Pinion (2/3/4)

PRODUCT SPECIFICATION

- Suits Left & Right Handed Doors
- Suits Inward & Outward Opening Doors
- Comes with Standard arm
- Parallel Arm Bracket
- Supplied with both Timber and "Self Tapping" Metal screw packs
- Can be fitted with optional Hold Open Arm
- Closing, Latching Speed & Backcheck Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2/3/4 by mounting template adjustment
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg



2-Hours



'160 Series' DOOR CLOSER

- Rack & Pinion (2/3/4)



Art ID. SGDC160-S

PRODUCT SPECIFICATION

- Suits Left & Right Opening Doors
- Suits Inward & Outward Opening Doors
- Comes with Standard arm
- Parallel Arm Bracket
- Supplied with both Timber and "Self Tapping" Metal Screw Packs
- Adjustable Backcheck (opening limit)
- Simple to read installation instructions
- Can be fitted with optional Hold Open Arm or Slide Arm.
- Closing & Latching Speed Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2-4 adjustable on door with Hex Key
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg



Art ID. SGDC165-S

'165 Series' DOOR CLOSER

- Rack & Pinion (2/3/4/5/6)

PRODUCT SPECIFICATION

- Suits Left & Right Opening Doors
- Suits Inward & Outward Opening Doors
- Delayed action function between 180° - 65°
- Comes with Standard arm
- Parallel Arm Bracket
- Supplied with both Timber and "Self Tapping" Metal Screw Packs
- Adjustable Backcheck (opening limit)
- Simple to read installation instructions
- Can be fitted with optional Hold Open Arm or Slide Arm.
- Closing & Latching Speed Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2-6 adjustable on door with Hex Key
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg
- Size #5: Door width of 1250mm & Weight of 100kg
- Size #6: Door width of 1400mm & Weight of 120kg



4-Hours



(500,000 Cycles)



2-Hours



(500,000 Cycles)



PULL

Art ID. SGDC190-S-B

PUSH

Art ID. SGDC190-S-G

'190 Series' DOOR CLOSER

- Cam Action (2/3/4)

10 YEARS WARRANTY



2-Hours



(500,000 Cycles)



DDA

PRODUCT SPECIFICATION

- Cam Action
- Suits Left & Right Opening Doors
- Effortless Opening & Smooth Operation
- Supplied with both Timber and "Self Tapping" Metal Screw Packs
- Adjustable Backcheck (opening limit)
- Simple to read Installation Instructions
- Can be fitted with optional Hold Open Insert + Slide arm Cushion
- Closing & Latching Speed Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2-4 adjustable on door with Hex Key
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & Weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg
- 10 Year Warranty (*)
- Fire Rated AS1905, AS1530
- Tested & certified to BS EN 1154:1997
- MADE IN TAIWAN



PULL

Art ID. SGDC195-S-B

PUSH

Art ID. SGDC195-S-G

'195 Series' DOOR CLOSER

- Cam Action (2/3/4/5)

10 YEARS WARRANTY



2-Hours



(500,000 Cycles)



DDA

PRODUCT SPECIFICATION

- Cam Action
- Suits Left & Right Opening Doors
- Effortless Opening & Smooth Operation
- Supplied with both Timber and "Self Tapping" Metal Screw Packs
- Adjustable Backcheck (opening limit)
- Delayed Action
- Simple to read Installation Instructions
- Can be fitted with optional Hold Open Insert + Slide arm Cushion
- Closing & Latching Speed Adjustment
- Closing range 180° - 15°
- Latching speed range 15° - 0°
- Suitable for door sizes 2-5
- Size #2: Door width of 850mm & Weight of 40kg
- Size #3: Door width of 950mm & weight of 60kg
- Size #4: Door width of 1100mm & Weight of 80kg
- Size #5: Door width of 1100mm & Weight of 100kg
- 10 Year Warranty (*)
- Fire Rated AS1905, AS1530
- Tested & certified to BS EN 1154:1997
- MADE IN TAIWAN



PULL

Art ID. SGDC195-BLK-B

PUSH

Art ID. SGDC195-BLK-G



'6000' Series - Cylindrical - Leversets & Knob/Lever

PROVEN, DURABLE, RELIABLE

PRODUCT DESCRIPTION

- Heavy-duty commercial cylindrical locksets tested to 400,000 cycles
- Available in lever, knob/lever and clutching options to suit common commercial requirements.
- Designed for commercial applications with fire-rated and DDA compliant options

PRODUCT SPECIFICATIONS

- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- Design for Access and mobility: This product complies with the Disability Access requirements of AS1428.1-2009 (DDA)
- 70mm Backset, Cylindrical Latch
- 1 x 6 pin C4 PD Cylinder
- 2 x Keys Per Lockset (LW5)
- Accepts most restricted key systems
- Door thickness - 35mm to 45mm
- Ext. to Doors 46-50mm w/ Art. CL6-4650
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 85mm
- Standard "T" Strike



DESIGN STYLES



Leverset
Clutching or Non-Clutching



Knob & Lever

FINISHES



Satin Chrome



Matte Black

PROVEN PERFORMANCE



2-Hour
Fire Rating

10 YEARS
WARRANTY



Cycle Tested
(400,000 Cycles)



Design for Access
and mobility
- AS1428.1-2009

COMMON FUNCTIONS



ENTRANCE



CLASSROOM



PASSAGE



DOUBLE CYL.



HALFSET



PRIVACY



STOREROOM



DUMMY





'3000' Series - Cylindrical - Knobsets

PROVEN, DURABLE, RELIABLE

PRODUCT DESCRIPTION

- Commercial Grade 2 cylindrical knobsets tested to 400,000 cycles
- Available in 60mm and 70mm backsets with a comprehensive range of commercial door functions
- C4 cylinder platform compatible with most restricted key systems, with fire-rated options and a 10-year warranty

PRODUCT SPECIFICATIONS

- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- 60 or 70mm Backset, Cylindrical Latch
- C4 PD Cylinder
- 2 x Keys Per Lockset (LW5)
- Accepts most restricted key systems
- Door thickness - 35mm to 51mm
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 75mm
- Standard "T" Strike



DESIGN STYLES



60mm
Backset



70mm
Backset

FINISHES



Satin Chrome



Matte Black

COMMON FUNCTIONS



ENTRANCE



CLASSROOM



PASSAGE



DOUBLE CYL.



HALFSET



PRIVACY



STOREROOM



DUMMY

PROVEN PERFORMANCE



2-Hour
Fire Rating

10 YEARS
WARRANTY



Cycle Tested
(400,000 Cycles)



Scan the QR code
to explore the full range
of options and
configurations.



'6000' Series - Tiebolt - Leversets & Knob/Lever

PROVEN, DURABLE, RELIABLE

PRODUCT DESCRIPTION

- Heavy-duty commercial lever and knob/lever sets, cycle tested to 400,000 cycles and fire rated to 2 hours
- Adjustable 60/70mm backset Tiebolt latch for easier installation across common commercial door applications
- Available in multiple commercial functions with C4 cylinder compatibility and a 10-year warranty

PRODUCT SPECIFICATIONS

- Tested to meet Commercial Specifications
- Design for Access and mobility: This product complies with the Disability Access requirements of AS1428.1-2009 (DDA)
- Adjustable 60/70mm Backset Tiebolt Latch
- 6 pin C4 PD Cylinder
- 2 x Keys Per Lockset (LW5)
- Accepts most restricted key systems
- Door thickness - 35mm to 51mm
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 75mm
- Standard "T" Strike



DESIGN STYLES



Leverset



Knob & Lever

FINISHES



Satin Chrome



Matte Black

PROVEN PERFORMANCE



2-Hour
Fire Rating

10 YEARS
WARRANTY



Cycle Tested
(400,000 Cycles)



Design for Access
and mobility
- AS1428.1-2009

COMMON FUNCTIONS



ENTRANCE



CLASSROOM



PASSAGE



DOUBLE CYL.



HALFSET



PRIVACY



STOREROOM



DUMMY





'3000' Series - Tiebolt - Knobsets

PROVEN, DURABLE, RELIABLE

PRODUCT DESCRIPTION

- Heavy-duty commercial Knobsets, cycle tested to 400,000 cycles.
- Adjustable 60/70mm backset Tiebolt latch for easier installation across common commercial door applications
- Available in multiple commercial functions with C4 cylinder compatibility and a 10-year warranty

PRODUCT SPECIFICATIONS

- Tested to meet Commercial Specifications
- Adjustable 60/70mm Backset Tiebolt Latch
- 6 pin C4 PD Cylinder
- 2 x Keys Per Lockset (LW5)
- Accepts most restricted key systems
- Door thickness - 35mm to 51mm
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 75mm
- Standard "T" Strike



ADJUSTABLE BACKSET



Adjustable
60/70 mm
Latch

FINISHES



Satin Chrome



Matte Black

COMMON FUNCTIONS



ENTRANCE



CLASSROOM



PASSAGE



DOUBLE CYL.



HALFSET



PRIVACY



STOREROOM



DUMMY

PROVEN PERFORMANCE

10 YEARS
WARRANTY



Cycle Tested
(400,000 Cycles)



Scan the QR code
to explore the full range
of options and
configurations.



500 SERIES

PROVEN, DURABLE, RELIABLE



Scan the QR code
to explore the full range
of options and
configurations.

PRODUCT DESCRIPTION

"The LOCKTON 500 Series provides a comprehensive range of re-keyable padlocks and accessories, designed to suit a wide variety of commercial, industrial and specialised applications."

10 YEARS
WARRANTY



ONE SYSTEM TOTAL FLEXIBILITY



Quick Change Shackle



Key Release or Key Retain



**Compatible with Most
Restricted Key Systems**



Available in :
KA | KD | ALB | ALC
Engraving options for all



40mm

- Body Material: Solid Brass
- Body Width: 40mm
- Cylinder Profile: C4 (LW5)
- Shackle Clearance: 27mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Stainless Steel (Also available in Boron or Brass)
- Shackle Thickness: 6.35mm



45mm

- Body Material: Solid Brass
- Body Width: 45mm
- Cylinder Profile: C4 (LW5)
- Shackle Clearance: 27mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Boron (Also available in S/Steel or Brass)
- Shackle Thickness: 8mm



50mm

- Body Material: Nickel Plated Solid Brass
- Body Width: 50mm
- Cylinder Profile: C4 (LW5)
- Shackle Clearance: 30mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Boron (Also available in S/Steel or Brass)
- Shackle Thickness: 9mm



55mm

- Body Material: Chrome Plated Solid Brass
- Body Width: 55mm
- Cylinder Profile: C4 (LW5)
- Shackle Clearance: 27mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Boron (Also available in S/Steel or Brass)
- Shackle Thickness: 10mm

FULL RANGE OF ACCESSORIES

Shackle Collar
Available for
all padlock sizes



Shackle lanyard
Available for
all padlock sizes



Weather Covers
Available for
40 & 45mm
Padlocks





LOCKTON
commercial

500
SERIES

AL¹³

**FEATURE
PROMO VIDEO**



**SCAN
TO WATCH**



**SUBSCRIBE
FOR FUTURE VIDEOS**

"Share with your customers"

Re-Keyable Padlocks



AL¹³

Aluminium Padlocks

**LIGHTWEIGHT, HIGH STRENGTH,
CORROSION RESISTANT**



Scan the QR code
to explore the full range
of options and
configurations.

PRODUCT DESCRIPTION

"The LOCKTON 500 Series AL13 provides a lightweight, re-keyable aluminium padlock solution, designed for commercial, industrial, and outdoor applications where corrosion resistance is essential."

10 YEARS
WARRANTY

AVAILABLE SIZES



500
SERIES

- High Tensile Strength
- High Stress Crack Resistance
- Superior Corrosion Resistance
(further increased by anodising)



40mm

- Body Material: 6063 Aluminium
- Body Width: 40mm
- Configuration: KA, KD, ALB, ALC - All options with Engraving
- Cylinder Profile: C4 (LW5)
- Quick Change Shackle: Yes
- Shackle Clearance: 27mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Stainless Steel
- Shackle Thickness: 6.35mm
- Key Release Function: Yes
- Key Retain Function: Yes



45mm

- Body Material: 6063 Aluminium
- Body Width: 45mm
- Configuration: KA, KD, ALB, ALC - All options with Engraving
- Cylinder Profile: C4 (LW5)
- Quick Change Shackle: Yes
- Shackle Clearance: 27mm (Fitted as Standard, longer shackle options are available)
- Shackle Material: Stainless Steel
- Shackle Thickness: 8mm
- Key Release Function: Yes
- Key Retain Function: Yes

AVAILABLE FINISHES

VIBRANT RANGE



BLUE

GREEN

RED

ORANGE

PINK

INDUSTRIAL RANGE



BLACK

GUN METAL
GREY

SILVER

ONE SYSTEM TOTAL FLEXIBILITY



Quick Change Shackle



Key Release or Key Retain



Compatible with Most
Restricted Key Systems



Available in :
KA | KD | ALB | ALC
Engraving options for all



Display Boards



Art ID. DB6090-SEMA

3 x NEW



Commercial Range Shop Display Boards

FREE
for Stockists


- * Talk to your Sales Manager to order.



Art ID. DB6090-QD



Art ID. DB6090-AL13



EUROSPAN⁶

- Built to Span Distance




**SCAN
TO WATCH**





Offset & Extended Euro Cylinders



EXTENDED RANGE Equal projection for Thick doors



OFFSET RANGE Unequal projection for Offset doors



FIX THE FIT

Euro Cylinders designed to fit where standard cylinders won't

Key System Compatibility

6-Pin C4 Inline (standard)

Optional 5-Pin conversion

Supports Inline restricted systems



Built for Locksmith Efficiency

Tough solid brass housing for durability

Fast rekey (6-pin C4)

No spacers or modular builds

Simple 6-pin to 5-pin conversion



Range Summary

Available in ALB, KA & KD

OFFSET (unequal sides)

35 / 45 mm

35 / 55 mm

35 / 65 mm

35 / 75 mm


EXTENDED (equal sides)

45 / 45 mm

55 / 55 mm



Offset & Extended Euro Cylinders



EUROSPAN⁶
- Built to *Span Distance*



*Equal projection
for thick doors*

EXTENDED RANGE

90mm



'EUROSPAN-6™' CYLINDER *EXTENDED*
(90mm) DBL EURO FIXED 6-Pln
Satin Chrome

ALB

Art ID: 496-1-E/90-SC-ALB

KA

Art ID: 496-1-E/90-SC-KA1

KD

Art ID: 496-1-E/90-SC-KD



110mm



'EUROSPAN-6™' CYLINDER *EXTENDED*
(110mm) DBL EURO FIXED 6-Pln
Satin Chrome

ALB

Art ID: 496-1-E/110-SC-ALB

KA

Art ID: 496-1-E/110-SC-KA1

KD

Art ID: 496-1-E/110-SC-KD



EUROSPAN⁶
- Built to *Span Distance*



*Unequal projection
for Offset doors*

OFFSET RANGE

35/45mm



'EUROSPAN-6™' CYLINDER *OFFSET*
(35mm/45mm) DBL EURO FIXED 6-Pln
Satin Chrome

ALB


Art ID: 496-1-O/35/45-SC-ALB

KA

Art ID: 496-1-O/35/45-SC-KA1


KD

Art ID: 496-1-O/35/45-SC-KD





Offset & Extended Euro Cylinders



EUROSPAN 6

OFFSET RANGE Continued

35/55mm



'EUROSPAN-6™' CYLINDER *OFFSET*
(35mm/55mm) DBL EURO FIXED 6-Pin
Satin Chrome

ALB

Art ID: 496-1-O/35/55-SC-ALB

KA

Art ID: 496-1-O/35/55-SC-KA1

KD

Art ID: 496-1-O/35/55-SC-KD



35/65mm



'EUROSPAN-6™' CYLINDER *OFFSET*
(35mm/65mm) DBL EURO FIXED 6-Pin
Satin Chrome

ALB


Art ID: 496-1-O/35/65-SC-ALB

KA

Art ID: 496-1-O/35/65-SC-KA1

KD

Art ID: 496-1-O/35/65-SC-KD



35/75mm



'EUROSPAN-6™' CYLINDER *OFFSET*
(35mm/75mm) DBL EURO FIXED 6-Pin
Satin Chrome

ALB

Art ID: 496-1-O/35/75-SC-ALB

KA

Art ID: 496-1-O/35/75-SC-KA1

KD

Art ID: 496-1-O/35/75-SC-KD



EUROSPAN 6
SNIB-KITS



Extension
Components
& Hub Kit

SNIB-KIT - EXTENDED RANGE

Art ID

Description

496-2-E-SK/110-SC

'EUROSPAN-6™' SNIB KIT (6-PIN) *EXTENDED* (110mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

496-2-E-SK/90-SC

'EUROSPAN-6™' SNIB KIT (6-PIN) *EXTENDED* (90mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

SNIB-KIT - OFFSET RANGE

Art ID

Description

496-2-O-SK/35/45-SC

'EUROSPAN-6™' SNIB KIT (6-PIN) *OFFSET* (35mm/45mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

496-2-O-SK/35/55-SC

'EUROSPAN-6™' SNIB KIT (6-PIN) *OFFSET* (35mm/55mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

496-2-O-SK/35/65-SC


'EUROSPAN-6™' SNIB KIT (6-PIN) *OFFSET* (35mm/65mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

496-2-O-SK/35/75-SC

'EUROSPAN-6™' SNIB KIT (6-PIN) *OFFSET* (35mm/75mm) - Inc. 1 x 6-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*



Offset & Extended Euro Cylinders



5-PIN - CONVERSION KITS

EXTENDED

Art ID	Description
495-1-E-BK/110-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *EXTENDED* (110mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*
495-1-E-BK/90-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *EXTENDED* (90mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*

OFFSET

Art ID	Description
495-1-O-BK/35/45-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *OFFSET* (35mm/45mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*
495-1-O-BK/35/55-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *OFFSET* (35mm/55mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*
495-1-O-BK/35/65-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *OFFSET* (35mm/65mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*
495-1-O-BK/35/75-SC	EUROSPAN-5™ CONVERT KIT (5-PIN) *OFFSET* (35mm/75mm) - Inc. 2 x Barrels + Rods + Circlips + Keys *Satin Chrome*



5-PIN - SNIB KITS

EXTENDED

Art ID	Description
495-2-E-SK/110-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *EXTENDED* (110mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*
495-2-E-SK/90-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *EXTENDED* (90mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*

OFFSET

Art ID	Description
495-2-O-SK/35/45-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *OFFSET* (35mm/45mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*
495-2-O-SK/35/55-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *OFFSET* (35mm/55mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*
495-2-O-SK/35/65-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *OFFSET* (35mm/65mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*
495-2-O-SK/35/75-SC	EUROSPAN-5™ SNIB KIT (5-PIN) *OFFSET* (35mm/75mm) - Inc. 1 x 5-Pin Barrel + Snib + Extensions + Keys *Satin Chrome*



FISHTAIL



Universal
BARREL EXTENSION SYSTEM
- For Oval Cylinders

Patent Rights Reserved in
Australia & Internationally
AU2025904757



**SCAN
TO WATCH**





Barrel Extension System



Extended Oval Cylinder Range - 50mm



50mm

Door Thickness:
Wide Plate Furniture
65mm - 85mm
CADELL52 Furniture
32mm - 64mm

Art ID.

Description

410/50-SC-ALB 570 OVAL CYL. *EXTENDED* 50mm (ALB) *Satin Chrome*

QTY
\$

410/50-BLK-ALB 570 OVAL CYL. *EXTENDED* 50mm (ALB) *Matte Black*

QTY
\$

FISHTAIL 50 mm

FishTail BARREL
EXTENSION (570)
- suits 50mm Oval
Cylinder Housing



Art ID. 410-FT-EXT50



Extended Oval Cylinder Range - 62mm



62mm

Door Thickness:
Wide Plate Furniture
85mm - 110mm
CADELL52 Furniture
64mm - 90mm

Art ID.

Description

410/62-SC-ALB 570 OVAL CYL. *EXTENDED* 62mm (ALB) *Satin Chrome*

QTY
\$

410/62-BLK-ALB 570 OVAL CYL. *EXTENDED* 62mm (ALB) *Matte Black*

QTY
\$

FISHTAIL 62 mm

FishTail BARREL
EXTENSION (570)
- suits 62mm Oval
Cylinder Housing



Art ID. 410-FT-EXT62



NEW

Extended Oval Cylinder Range - 74mm



74mm

Door Thickness:
Wide Plate Furniture
110mm - 140mm
CADELL52 Furniture
90mm - 120mm

Art ID.

Description

410/74-SC-ALB 570 OVAL CYL. *EXTENDED* 74mm (ALB) *Satin Chrome*

QTY
\$

410/74-BLK-ALB 570 OVAL CYL. *EXTENDED* 74mm (ALB) *Matte Black*

QTY
\$

FISHTAIL 74 mm

FishTail BARREL
EXTENSION (570)
- suits 74mm Oval
Cylinder Housing



Art ID. 410-FT-EXT74





LOCKTON
E-Series

NEW

CADELL **30**

NARROW



Fingerprint



Digital
Password



RFID Tag



6-Pin C4
Key Override



App



Remote
Authorization



Smart Alarm



Battery
Powered



Powerful
CPU

SMART, SECURE BUILT TOUGH FOR TIMBER DOORS

CADELL 52

Commercial And Domestic Electronic Lever Lock



WHY CHOOSE CADELL 52

- Six ways to Unlock: Fingerprint, Pincode, RFID tag, Key Override or Bluetooth App, WiFi App
- Tested to 1 Million Cycles for Durability
- Retrofits Existing Wide Plate Furniture
- Satin Stainless Steel or Matte Black Finishes Available



Manage Access
Anytime, Anywhere

10 YEARS
WARRANTY



Backed by a market leading warranty:

- 10 Year Mechanical Warranty
- 3 Year Electronic Warranty

**SCAN
TO WATCH**





LOCKTON
E-Series



2-Hours



IP66



**1 Million
Cycle
Tested**



E-Series

**SMART LOCK
MOBILE APP**



CADELL 52

Commercial And Domestic Electronic Lever Lock



ELEV36

SMART EURO DOOR LOCK



6 WAYS TO UNLOCK



Fingerprint | PIN Code | RFID Tag | C4 Key Override | App / Bluetooth | WiFi

VERSATILE



Suitable for Hinged or Sliding doors
Backsets 25mm-70mm
Door Thickness 28-50mm
Euro Pitch 85mm

IP66 RATING



IP66 rating on external handle means this lock can be installed in most applications.

C4 KEY OVERRIDE



6-Pin C4 rekeyable Half-Euro Cylinder that can be converted to a restricted profile if required.



E-Series

SMART LOCK MOBILE APP



**ELECTRONIC
LOCK
EXTREMELY
VERSATILE**

HINGED



ARCHITECTURAL



SLIDING





ELEV36

Electronic Lock Extremely Versatile

FEATURE PROMO VIDEO



SCAN TO WATCH

"Great to use to promote to your customers"





NEW

LOCKTON - LARGE KEYRING RANGE



Vivid Range

KTID7-L-BL	*Large* KEY TAGS (VIVID) *Blue* - Pkt of 20
KTID7-L-GN	*Large* KEY TAGS (VIVID) *Green* - Pkt of 20
KTID7-L-OR	*Large* KEY TAGS (VIVID) *Orange* - Pkt of 20
KTID7-L-PU	*Large* KEY TAGS (VIVID) *Purple* - Pkt of 20
KTID7-L-RD	*Large* KEY TAGS (VIVID) *Red* - Pkt of 20
KTID7-L-WH	*Large* KEY TAGS (VIVID) *White* - Pkt of 20
KTID7-L-YE	*Large* KEY TAGS (VIVID) *Yellow* - Pkt of 20
KTID7-L-RF35	'Refill' *Large* KEY TAGS - VIVID Colours - 35 Tags
KTID7-L-D70	'Barrel' *Large* KEY TAGS - VIVID Colours - 70 Tags



Fluro Range

KTR7-L-FGN	*Large* KEY TAGS (FLURO) *Green Gecko* - Pkt of 20
KTR7-L-FOR	*Large* KEY TAGS (FLURO) *Orange Clown-Fish* - Pkt of 20
KTR7-L-FPK	*Large* KEY TAGS (FLURO) *Pink Glo* - Pkt of 20
KTR7-L-FYE	*Large* KEY TAGS (FLURO) *Safety Yellow* - Pkt of 20
KTR7-L-GWH	*Large* KEY TAGS (FLURO) *Glow-In-Dark White* - Pkt of 20
KTR7-L-FRF35	'Refill' *Large* KEY TAGS - FLURO Colours - 35 Tags
KTR7-L-FD70	'Barrel' *Large* KEY TAGS - FLURO Colours - 70 Tags





Key Tags



Vivid Range (Standard size)

Key Tag Containers



Vivid Colours

Art ID. KTID5-D140

KEY TAG BARREL - 140 KEY TAGS

PRODUCT DESCRIPTION

- Round & Clear Plastic Barrel
- 140 x Key Tags Assorted Colours

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25 mm Diameter
- 20 x White
- 20 x Blue
- 20 x Yellow
- 20 x Green
- 20 x Orange
- 20 x Purple
- 20 x Red



Vivid Colours

Art ID. KTID5-D175

KEY TAG JAR - 175 KEY TAGS

PRODUCT DESCRIPTION

- Cylindrical & Clear Plastic Jar
- 175 x Key Tags Assorted Colours

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25 mm Diameter
- 25 x White
- 25 x Blue
- 25 x Yellow
- 25 x Green
- 25 x Orange
- 25 x Purple
- 25 x Red



Art ID. KTID5-D420

KEY TAG HOPPER *PERSPEX* - 420 KEY TAGS

PRODUCT DESCRIPTION

- Large Clear Perspex Hopper
- Hopper Dimensions (H x D x W) : 310 x 180 x 200 mm
- Eye Catching Display
- Hopper Holds 210 Tags
- Supplied with 420 Tags Total

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25 mm Diameter
- 60 x White
- 60 x Blue
- 60 x Yellow
- 60 x Green
- 60 x Orange
- 60 x Purple
- 60 x Red

Key Tag Refills



KEY TAGS INDIVIDUAL COLOUR - Pkt of 20

PRODUCT DESCRIPTION

- See-Through Coloured Plastic
- Individual colour
- Packet of 20

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25 mm Diameter

Blue	Green	Orange	Purple
Art. KTID5-BL	Art. KTID5-GN	Art. KTID5-OR	Art. KTID5-PU
Red	Yellow	White	
Art. KTID5-RD	Art. KTID5-YE	Art. KTID5-WH	



Art ID. KTID5-RF70

KEY TAG REFILL - Asst. Colours - 70 KEY TAGS

PRODUCT DESCRIPTION

- Refill Pack for LOCKTON Key Tag Displays
- 70 x Key Tags Assorted Colours

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25 mm Diameter
- 10 x White
- 10 x Blue
- 10 x Yellow
- 10 x Green
- 10 x Orange
- 10 x Purple
- 10 x Red



Art ID. KTID5-RF175

KEY TAG REFILL - Asst. Colours - 175 KEY TAGS

PRODUCT DESCRIPTION

- Refill Pack for LOCKTON Key Tag Displays
- 175 x Key Tags Assorted Colours

PRODUCT SPECIFICATION:

- KEY TAG = 54 mm x 28 mm
- SPLIT RING = 25mm Diameter
- 25 x White
- 25 x Blue
- 25 x Yellow
- 25 x Green
- 25 x Orange
- 25 x Purple



Fluro Range
(Standard size)

KEY TAG BARREL -
Asst. FLURO COLOURS
- 140 KEY TAGS

Art ID.
KTFR5-FD140

KEY TAG JAR -
Asst. FLURO COLOURS
- 175 KEY TAGS

Art ID.
KTFR5-FD175

LOCKTON - FLURO RANGE KEY TAGS



Key Tags



Fluro Range (Standard size)



KEY TAGS
(FLURO RANGE)
Safety Yellow
- Pkt of 20

Art ID.
KTR5-FYE



KEY TAGS
(FLURO RANGE)
Green Gecko
- Pkt of 20

Art ID.
KTR5-FGN



KEY TAGS
(FLURO RANGE)
Pink Glo
- Pkt of 20

Art ID.
KTR5-FPK



KEY TAGS
(FLURO RANGE)
Orange Clown-Fish
- Pkt of 20

Art ID.
KTR5-FOR



KEY TAGS
(FLURO RANGE)
Glow-In-Dark White
- Pkt of 20

Art ID.
KTR5-GWH



KEY TAG REFILL -
Asst. FLURO Colours
- 175 KEY TAGS
(Qty 35 of 5 Fluro
Colours)

Art ID.
KTR5-FRF175



KEY TAG REFILL -
Asst. FLURO Colours
- 70 KEY TAGS
(Qty 14 of 5 Fluro
Colours)

Art ID.
KTR5-FRF70

"SG75 YEARS - UNLOCK 75 YEARS OF HISTORY"


**ORIGINAL
LISHI TOOLS**


**SPEND OVER
\$990.00***
ON


sglocks.co.nz


**In the one order
AND RECEIVE YOUR
SG75 YEARS PICK CASE**

October Promo valid until 31 October 2026 or whilst stocks last.

* Free Promotion Item is only valid for online orders * Pricing shown excludes GST

pricing as of 01/10/2026 and is subject to change. For most accurate pricing please check the sglocks website.

For more information please see www.sglocks.com.au/page/7/promo-terms-and-conditions or talk to your sales representative.



SPECIAL EDITION SG75 YEARS PRESSED LOGO

Compact & Durable Design
A Premium Keepsake
Honouring
75 Years of Industry Heritage



6 POSITION MAGNETIC TOOL HOLDER

Suitable for Original Lishi Picks
or
Regular Picks



MEET MAT STEELE

We are pleased to welcome Mat Steele to the SG LOCKS team as our new Queensland Sales Manager.

With over 9 years of experience in the locksmithing industry, Mat brings extensive knowledge across electronic and commercial security solutions. His expertise spans smart locks, digital locking systems, and the day-to-day needs of locksmiths and security professionals. Known for his practical approach and strong customer focus, Mat is looking forward to supporting locksmiths and customers throughout Queensland.

Queensland customers can expect to hear from Mat soon as he gets out on the road and introduces himself across the region.

Mob: 0437 770 576

Email: mat.s@siepergroup.com



PH : 02 9352 0600
FAX: 02 9748 0566
E-MAIL: sales@siepergroup.com

**Your Sales
Managers:**



Collin McFarland
02 9352 0600
0491 445 005



Mat Steele
07 2142 5080
0437 770 576



Ian York
08 6383 7553
0472 698 398



Ross Berryman
03 4232 3656
0407 551 786



David Clohesy
08 7094 4849
0492 090 558



NZ Toll Free
0800 00 15 98