


'6000 Series' Cylindrical LEVERSET 'DDA' Range

- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- Design for Access and mobility: This product complies with the Disability Access requirements of AS1428.1-2009 (DDA)
- 70mm Backset, Cylindrical Latch
- C4 PD Cylinder
- 2 x Keys Per Lockset
- Accepts most restricted key systems
- Door thickness - 35mm to 45mm
- Ext. to Doors 46-50mm with Art. CL6-4650 *
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 85mm
- Standard "T" Strike
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty

Art Id.	Description
EU6000	ENTRANCE (85mm Rose / 70mm BSet) *Satin Chrome*
EU6000-BLK	ENTRANCE (85mm Rose / 70mm BSet) *Matte Black*
EU6011	DOUBLE CYLINDER SET (85mm Rose / 70mm BSet) *Satin Chrome*
EU6011-BLK	DOUBLE CYLINDER SET (85mm Rose / 70mm BSet) *Matte Black*
EU6012	CLASSROOM (85mm Rose / 70mm BSet) *Satin Chrome*
EU6012-BLK	CLASSROOM (85mm Rose / 70mm BSet) *Matte Black*
EU6030	PRIVACY (85mm Rose / 70mm BSet) *Satin Chrome*
EU6030-BLK	PRIVACY (85mm Rose / 70mm BSet) *Matte Black*
EU6052	LATCHING HALF SET (85mm Rose / 70mm BSet) *Satin Chrome*
EU6052-BLK	LATCHING HALF SET (85mm Rose / 70mm BSet) *Matte Black*
EU6061	INSTITUTION SET (85mm Rose / 70mm BSet) *Satin Chrome*
EU6061-BLK	INSTITUTION SET (85mm Rose / 70mm BSet) *Matte Black*
EU6062	STOREROOM (85mm Rose / 70mm BSet) *Satin Chrome*
EU6062-BLK	STOREROOM (85mm Rose / 70mm BSet) *Matte Black*
EU6079	HALF DUMMY (85mm Rose) *Satin Chrome*
EU6079-BLK	HALF DUMMY (85mm Rose) *Matte Black*
EU6082	PASSAGE (85mm Rose / 70mm BSet) *Satin Chrome*
EU6082-BLK	PASSAGE (85mm Rose / 70mm BSet) *Matte Black*



‘6000 Series’ Cylindrical LEVERSET ‘DDA’ Range



- Heavy Duty Cylindrical Leverset
- 70mm Backset Latch
- Fits doors between 35-50mm*
- 85mm Rose Diameter



2-Hour Fire Rating




*Cycle Tested
(400,000 Cycles)*



*Design for Access
and mobility - AS1428.1-2009*



10-Year Warranty



‘6000 Series’ Cylindrical **CLUTCHING** LEVERSET ‘DDA’ Range

- Heavy Duty Cylindrical Leverset
- 70mm Backset Latch
- Fits doors between 35-50mm*
- 85mm Rose Diameter



2-Hour Fire Rating




*Cycle Tested
(400,000 Cycles)*



*Design for Access
and mobility - AS1428.1-2009*



10-Year Warranty




'6000 Series' Cylindrical **CLUTCHING** 'DDA' Range



- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- Designed for Access and mobility: This product complies with the Disability Access requirements of AS1428.1-2009 (DDA)
- 70mm Backset, Cylindrical Latch
- C4 PD Cylinder
- 2 x Keys Per Lockset
- Accepts most restricted key systems
- Door thickness - 35mm to 45mm
- Ext. to Doors 46-50mm with Art. CL6-4650 *
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 85mm
- Standard "T" Strike
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty



Art Id.	Description
EU6000CL	ENTRANCE *Clutching* (85mm Rose / 70mm BSet) *Satin Chrome*
EU6000CL-BLK	ENTRANCE *Clutching* (85mm Rose / 70mm BSet) *Matte Black*
EU6012CL	CLASSROOM *Clutching* (85mm Rose / 70mm BSet) *Satin Chrome*
EU6012CL-BLK	CLASSROOM *Clutching* (85mm Rose / 70mm BSet) *Matte Black*
EU6062CL	STOREROOM *Clutching* (85mm Rose / 70mm BSet) *Satin Chrome*
EU6062CL-BLK	STOREROOM *Clutching* (85mm Rose / 70mm BSet) *Matte Black*



'6000 Series' COMBO SET Range



- Heavy Duty Cylindrical Knob & Leverset
- 70mm Backset Latch
- Fits doors between 35-50mm*
- 85mm Rose Diameter




2-Hour Fire Rating



*Cycle Tested
(400,000 Cycles)*



10-Year Warranty



'6000 Series' COMBO SETS (KNOB & LEVER)



- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- 70mm Backset, Cylindrical Latch
- C4 PD Cylinder
- 2 x Keys Per Lockset
- Accepts most restricted key systems
- Door thickness - 35mm to 45mm
- Ext. to Doors 46-50mm with Art. CL6-4650 *
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 85mm
- Standard "T" Strike
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty

Art Id.	Description
EL6000	ENTRANCE (85mm Rose / 70mm BSet) *Satin Chrome*
EL6000-BLK	ENTRANCE (85mm Rose / 70mm BSet) *Matte Black*
EL6012	CLASSROOM (85mm Rose / 70mm BSet) *Satin Chrome*
EL6012-BLK	CLASSROOM (85mm Rose / 70mm BSet) *Matte Black*
EL6062	STOREROOM (85mm Rose / 70mm BSet) *Satin Chrome*
EL6062-BLK	STOREROOM (85mm Rose / 70mm BSet) *Matte Black*



‘3000 Series’ Cylindrical KNOBSET Range

- Heavy Duty Cylindrical Knobset
- 60 or 70mm Backset Latch
- Fits doors between 35-51mm
- 75mm Rose diameter




2-Hour Fire Rating



*Cycle Tested
(400,000 Cycles)*



10-Year Warranty




'3000 Series' Cylindrical KNOBSET Range



- Tested to meet Grade 2 (Heavy Duty) specification of 400,000 cycles
- 60 or 70mm Backset, Cylindrical Latch
- C4 PD Cylinder
- 2 x Keys Per Lockset
- Accepts most restricted key systems
- Door thickness - 35mm to 51mm
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 75mm
- Standard "T" Strike
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty

Art Id.	Description
EA3000	ENTRANCE (70mm) *Satin Stainless Steel*
EA3000-BLK	ENTRANCE (70mm) *Matte Black*
EA3000-60	ENTRANCE (60mm) *Satin Stainless Steel*
EA3000-60-BLK	ENTRANCE (60mm) *Matte Black*
EA3011	DOUBLE CYLINDER SET (70mm) *Satin Stainless Steel*
EA3011-BLK	DOUBLE CYLINDER SET (70mm) *Matte Black*
EA3012	CLASSROOM (70mm) *Satin Stainless Steel*
EA3012-BLK	CLASSROOM (70mm) *Matte Black*
EA3030	PRIVACY (70mm) *Satin Stainless Steel*
EA3030-BLK	PRIVACY (70mm) *Matte Black*
EA3052	LATCHING HALF SET (70mm) *Satin Stainless Steel*
EA3052-BLK	LATCHING HALF SET (70mm) *Matte Black*
EA3061	INSTITUTION SET (70mm) *Satin Stainless Steel*
EA3061-BLK	INSTITUTION SET (70mm) *Matte Black*
EA3062	STOREROOM (70mm) *Satin Stainless Steel*
EA3062-60	STOREROOM (60mm) *Satin Stainless Steel*
EA3062-60-BLK	STOREROOM (60mm) *Matte Black*
EA3062-BLK	STOREROOM (70mm) *Matte Black*
EA3075	HALF DUMMY *Satin Stainless Steel*
EA3075-BLK	HALF DUMMY *Matte Black*
EA3082	PASSAGE (70mm) *Satin Stainless Steel*
EA3082-BLK	PASSAGE (70mm) *Matte Black*



‘3000 Series’ Tiebolt KNOBSET Range



- Heavy Duty Tiebolt Knobset
- 60 / 70mm Backset Latch
- Fits doors between 35-51mm
- 75mm Rose diameter



*Cycle Tested
(400,000 Cycles)*



10-Year Warranty




‘3000 Series’ Tiebolt KNOBSET Range

- Tested to meet Commercial Specifications
- Adjustable 60 /70mm Backset, Tiebolt Latch
- 1 x 6 pin C4 PD Cylinder
- 2 x Keys Per Lockset
- Accepts most restricted key systems
- Door thickness - 35mm to 51mm
- Door Prep - 54mm diameter cross bore
- Assembly Screw Size: M8 x 40mm
- Rose Diameter: 75mm
- Standard “T” Strike’
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty



Art Id.	Description
TA3000	ENTRANCE (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3011	DOUBLE CYLINDER SET (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3012	CLASSROOM (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3030	PRIVACY (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3052	LATCHING HALF SET (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3062	STOREROOM (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3082	PASSAGE (75mm Rose / 60-70mm BSet) *Satin Stainless Steel*
TA3000-BLK	ENTRANCE (75mm Rose / 60-70mm BSet) *Matte Black*
TA3011-BLK	DOUBLE CYLINDER SET (75mm Rose / 60-70mm BSet) *Matte Black*
TA3012-BLK	CLASSROOM (75mm Rose / 60-70mm BSet) *Matte Black*
TA3030-BLK	PRIVACY (75mm Rose / 60-70mm BSet) *Matte Black*
TA3052-BLK	LATCHING HALF SET (75mm Rose / 60-70mm BSet) *Matte Black*
TA3062-BLK	STOREROOM (75mm Rose / 60-70mm BSet) *Matte Black*
TA3082-BLK	PASSAGE (75mm Rose / 60-70mm BSet) *Matte Black*





'4000 Series' **DEADBOLT Range**


- Heavy Duty Deadbolt
- 60 / 70mm Adj. Backset Latch
- Fits doors between 35-45mm



Cycle Tested
(400,000 Cycles)



10-Year Warranty



'4000 Series' DEADBOLT Range

- Grade 2 (Heavy Duty) specification, Tested to 400,000 cycles
- 25mm Throw bolt with saw resistant hardened steel roller pin
- Suits door thickness 35mm - 45mm (up to 50mm without roses)
- Adjustable 60mm-70mm backset
- C4 PD cylinder
- 2 x keys per lock
- Suitable for restricted key systems
- Cylinder Profile: C4 (LW5)
- 10 Year Warranty



Art Id.	Description
SGDB4010	'4000 Series' DEADBOLT - Single Cylinder (60-70mm BSet) *Satin Stainless Steel*
SGDB4010-BLK	'4000 Series' DEADBOLT - Single Cylinder (60-70mm BSet) *Matte Black*
SGDB4011	'4000 Series' DEADBOLT - Double Cylinder (60-70mm BSet) *Satin Stainless Steel*
SGDB4011-BLK	'4000 Series' DEADBOLT - Double Cylinder (60-70mm BSet) *Matte Black*