

// Dumpmaster®



Lift Height	Capacity	Bin Compatibility	Power Source	Length	Width	Height	Weight	IP Rating	Safety Rating
700mm	-250kg*	EN840 wheelie bins: 80L/120L/140L/240L	DMXXXX-B: Battery powerpack, 24V/20Ah GEL (3hr charge on 100-264VAC 1-ph 50/60Hz ≤3A) DMXXXX-3: Mains powerpack, ~415VAC 3-ph 50/60Hz ≤3.6A DMXXXX-1: Mains powerpack, ~230VAC 1-ph 50/60Hz ≤12A [deprecated]	1175mm	965mm	1760mm	~160kg	IP56*	
1200mm						2260mm	~190kg		
1500mm						2560mm	~210kg		CAT1/PLc
1800mm						2860mm	~220kg		(optionally CAT3/PLd or CAT4/PLe)
2100mm						3160mm	~260kg		
2400mm						3460mm	~280kg		
2700mm						3760mm	~300kg		
3000mm						4060mm	~320kg		
			Options and accessories						
K Bin-Hook Kit, with two adjustable hooks to hold machine in position									
Boltdown Kit, with four galvanised steel lugs for permanent installation									
F Chute, 200mm throw, frame mounted, bolt-on, 2.0mm PGI									
Chute, 300mm throw, frame mounted, bolt-on, 2.0mm PGI									
Offroad Kit, with four 200mm hard-rubber wheels (2 fixed, 2 swivel)									
Operator Guard Kit, with transparent panel to shield operator from harmful debris									
Scaleset Kit, with MI101 indicator and 2x shearbeam load cells (2021 spec)									
Solar Power Kit, with 80W/24V panel, adjustable mount and controller									
Autocycle Kit for Simpro bin lifters with programmable PLC, AUTO/MANUAL mode & E-Stop									
K Fork Pocket Kit for Simpro bin lifters, with crane lugs, bolts to top cross-member									
For custom requirements please enquire									
	700mm 1200mm 1500mm 1500mm 2100mm 2400mm 2700mm 3000mm Bin-Hook Ki Boltdown Ki Chute, 200m Chute, 300m Offroad Kit, Operator Gi Scaleset Kit, Solar Power Autocycle Ki Fork Pocket	700mm 1200mm 1500mm 1800mm 2100mm 2400mm 2700mm 3000mm Bin-Hook Kit, with two Boltdown Kit, with fou Chute, 200mm throw, Chute, 300mm throw, Offroad Kit, with four Operator Guard Kit, w Scaleset Kit, with MI10 Solar Power Kit, with 8 Autocycle Kit for Simp Fork Pocket Kit for Simp	1200mm 1500mm 2100mm 2100mm 2400mm 2700mm 3000mm Bin-Hook Kit, with two adjustable hooks to ho Boltdown Kit, with four galvanised steel lugs of Chute, 200mm throw, frame mounted, bolt-or Chute, 300mm throw, frame mounted, bolt-or Offroad Kit, with four 200mm hard-rubber who Operator Guard Kit, with transparent panel to Scaleset Kit, with MI101 indicator and 2x sheat Solar Power Kit, with 80W/24V panel, adjustable Autocycle Kit for Simpro bin lifters, with craft or Simpro bin lifters with craft or Simpro bin lifters, with craft or Simpro bin lifters, with craft or Simpro bin lifters with craft or Simpro bi	DMXXXX-B: Battery powerpack, 24V/20Ah GEL (3hr charge on 100-264VAC 1-ph 50/60Hz ≤3A) DMXXXX-3: Mains powerpack, 24V/20Ah GEL (3hr charge on 100-264VAC 1-ph 50/60Hz ≤3.6A DMXXXX-3: Mains powerpack, -415VAC 3-ph 50/60Hz ≤3.6A DMXXXX-1: Mains powerpack, -230VAC 1-ph 50/60Hz ≤3.6A DMXXXX-1: Mains powerpack, -230VAC 1-ph 50/60Hz ≤12A [deprecated] Options and accessories	Toomm Too	Toomm Too	Toomm Too	Toomm Too	Toomm Toom



0.7m - 6.0m
Standard tipping heights



250 kgCapacity (max gross bin weight)



10,000kg of material per charge 5,000kg per hour continuous

Duty cycle—battery/mains-powered



Battery/Solar/3-phase Power supply

"Our bin lifter is Solar powered and has not needed to be charged for 18 months!"

Les Pettifer - Kumeu Equestrian Trainer - Auckland

The Simpro Dumpmaster safely empties any kind of bin at any height, with a unique electro-hydraulic mechanism that can lift and tip more than 250kg. The Dumpmaster was the very first mobile bin-tipping machine on the market, and has been continuously improved over more than thirty years.

Dumpmaster bin tippers are very versatile and are used in dozens of applications; from emptying rubbish bins into skips to pouring food ingredients into mixers. They feature a unique tipping action which lifts the bin straight up, then gently rolls it upside down over the lip of the receptacle. Less than 1m² of floor space is required regardless of tipping height, since the weight of the bin is maintained within the floor footprint at all times.

The Dumpmaster was designed for safety, with full guarding and door interlock systems fitted as standard. The machine can be optionally certified to various safety standards, including ISO13849 and AS/NZS4024 up to PLe if required.

No matter how it is used, the Simpro Dumpmaster has proven to be safe, reliable and economical to operate, year after year.





Simpro has been developing, manufacturing and retailing Smart Lifting solutions for over thirty years. From humble beginnings as a small engineering firm in Auckland, New Zealand, the company has grown to become a leading supplier of equipment for niche applications – such as bin lifting, tipping and handling equipment, pallet trucks, stackers, order pickers, and goods lifts.

Simpro products play an unobtrusive but essential role for thousands of companies around the world, in industries as diverse as waste

66 Rangi Road
Takanini 2105
Auckland, New Zealand

PO Box 74

Takanini 2245

Auckland, New Zealand

management, resource extraction, pharmaceutical manufacturing and food processing. They are distributed through a worldwide network of agents, and are backed by a sophisticated in-house design and fabrication capability.

Simpro is a family-owned company, registered with the New Zealand Companies Office as Simpro Handling Equipment Ltd, company no. 1827916.

The products in this catalogue contain intellectual property, including design elements registered to or licensed by <u>Simpro Handling Equipment Ltd.</u>

+64 9 634 7445

sales@simpro.world

shop.simpro.world

in @simpro-world

@SimproWorld_Lifters

