



Safety Data Sheet

OXIVIR EXCEL WIPES

Revision: 2020-12-16

Version: 01.0

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: OXIVIR EXCEL WIPES

1.2 Recommended use and restrictions on use

Identified uses:

Disinfectant wipe - Hospital Grade

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

DIVERSEY NEW ZEALAND LTD.

24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand

Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

HSNO Classification

6.3B - Mildly irritating to the skin

GHS Equivalent Classification

Skin irritation, Category 3

2.2 Label elements

Signal word: Warning

Hazard statements:

H316 - Causes mild skin irritation.

Prevention statement(s):

Avoid contact with eyes, skin and clothing.

P264 - Wash thoroughly after handling.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS number	EC number	Weight percent
alkylbenzenesulphonic acid	85536-14-7	287-494-3	0.1-1
hydrogen peroxide	7722-84-1	231-765-0	0.1-1
methanesulphonic acid	75-75-2	200-898-6	0.1-1

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

OXIVIR EXCEL WIPES

ATE, if available, are listed in section 11.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	No known effects or symptoms in normal use.
Eye contact:	No known effects or symptoms in normal use.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Turn off all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use non-sparking tools.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a well-ventilated place. Store in a closed container. Keep only in original

OXIVIR EXCEL WIPES

packaging. Keep from freezing. Keep cool. Keep away from heat and direct sunlight.
For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
hydrogen peroxide	1 ppm 1.4 mg/m ³		

Biological limit values, if available:

8.2 Exposure controls

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.*

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment**Eye / face protection:**

Safety glasses or goggles (EN 166).

Hand protection:

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical State: Liquid

Appearance: Liquid on inert carrier material

Colour: Clear , Light , from Yellow to Colourless

Odour: Product specific

Odour threshold: Not applicable

pH < 2 (neat)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Method / remark

ISO 4316

Not relevant to classification of this product

Flammability (liquid): Not flammable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

Evaporation rate: Not determined

Flammability (solid, gas): Not applicable to liquids

Lower and upper explosion limit/flammability limit (%): Not determined

Vapour pressure: Not determined

Vapour density: Not determined

Relative density: ≈ 1.00 (20 °C)

Not relevant to classification of this product

Not relevant to classification of this product
OECD 109 (EU A.3)

OXIVIR EXCEL WIPES

Solubility in / Miscibility with Water: Fully miscible
Partition coefficient: n-octanol/water No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive. Vapours may form explosive mixtures with air.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive

OECD 115

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with alkali.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000
 ATE - Dermal (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkylbenzenesulphonic acid	LD ₅₀	1470	Rat	OECD 401 (EU B.1)		1470
hydrogen peroxide	LD ₅₀	> 300-2000	Rat	Weight of evidence		Not established
methanesulphonic acid	LD ₅₀	649	Rat	OECD 401 (EU B.1)		649

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
alkylbenzenesulphonic acid	LD ₅₀	> 2000	Rat	OECD 402 (EU B.3)		Not established
hydrogen peroxide	LD ₅₀	> 2000	Rabbit	Substance was tested as 35 % aqueous solution		Not established
methanesulphonic acid	LD ₅₀	> 1000	Rabbit	OECD 402 (EU B.3)		1000

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
---------------	----------	--------------	---------	--------	-------------------

OXIVIR EXCEL WIPES

alkylbenzenesulphonic acid		No data available			
hydrogen peroxide	LC ₅₀	No mortality observed	Rat	Method not given	4
methanesulphonic acid	LC ₅₀	> 0.0188 (vapour) No mortality observed	Mouse	Method not given	1

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
alkylbenzenesulphonic acid	Not established	Not established	Not established	Not established
hydrogen peroxide	Not established	Not established	Not established	Not established
methanesulphonic acid	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	Corrosive	Rabbit	OECD 404 (EU B.4)	
hydrogen peroxide	Corrosive	Rabbit	Method not given	
methanesulphonic acid	Corrosive	Mouse		1 hour(s)

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	
hydrogen peroxide	Corrosive	Rabbit	Method not given	
methanesulphonic acid	Severe damage	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	No data available			
hydrogen peroxide	Irritating to respiratory tract		Method not given	
methanesulphonic acid	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
hydrogen peroxide	Not sensitising	Guinea pig	Method not given	
methanesulphonic acid	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkylbenzenesulphonic acid	No data available			
hydrogen peroxide	No data available			
methanesulphonic acid	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkylbenzenesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
hydrogen peroxide	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	Method not given
methanesulphonic acid	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
alkylbenzenesulphonic acid	No evidence for carcinogenicity, weight-of-evidence
hydrogen peroxide	No evidence for carcinogenicity, negative test results
methanesulphonic acid	No data available

Toxicity for reproduction

OXIVIR EXCEL WIPES

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkylbenzenesulphonic acid	NOAEL	Teratogenic effects	300	Rat	Read across	20 day(s)	
hydrogen peroxide			No data available				No evidence for reproductive toxicity
methanesulphonic acid	NOAEL	Impaired fertility Developmental toxicity	≥ 400	Rat	OECD 414 (EU B.31), oral OECD 421, oral		No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
hydrogen peroxide	NOAEL	100	Mouse	OECD 408 (EU B.26)	90	
methanesulphonic acid		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
hydrogen peroxide		No data available				
methanesulphonic acid		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkylbenzenesulphonic acid		No data available				
hydrogen peroxide	NOAEL	7	Mouse	OECD 413 (EU B.29)	28	
methanesulphonic acid	NOAEL	0.026	Rat	Method not given	30	

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkylbenzenesulphonic acid	Oral	NOAEL	85	Rat	Read across	9 month(s)		
hydrogen peroxide			No data available					
methanesulphonic acid			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkylbenzenesulphonic acid	No data available
hydrogen peroxide	No data available
methanesulphonic acid	Respiratory tract

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkylbenzenesulphonic acid	No data available
hydrogen peroxide	No data available
methanesulphonic acid	Respiratory tract

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	LC ₅₀	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
hydrogen peroxide	LC ₅₀	16.4	<i>Pimephales promelas</i>	EPA-OPPTS 850.1075	96
methanesulphonic acid	LC ₅₀	73	<i>Oncorhynchus mykiss</i>	OECD 203 (EU C.1)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	EC ₅₀	1 - 10	<i>Daphnia magna</i> Straus	OECD 202 (EU C.2)	48
hydrogen peroxide	EC ₅₀	2.4	<i>Daphnia pulex</i>	Method not given	48
methanesulphonic acid	EC ₅₀	10 - 100	<i>Daphnia magna</i> Straus	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkylbenzenesulphonic acid	EC ₅₀	10 - 100	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
hydrogen peroxide	EC ₅₀	2.5	<i>Chlorella vulgaris</i>	OECD 201 (EU C.3)	72
methanesulphonic acid	EC ₅₀	12 - 24	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkylbenzenesulphonic acid		No data available			-
hydrogen peroxide	ErC ₅₀	1.38	<i>Skeletonema costatum</i>	Method not given	72
methanesulphonic acid		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkylbenzenesulphonic acid		No data available			
hydrogen peroxide	EC ₅₀	466	<i>Activated sludge</i>	Method not given	
methanesulphonic acid	EC ₂₀	> 1000	<i>Activated sludge</i>	DIN EN ISO 8192-OECD 209-88/302/EEC	0.5 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkylbenzenesulphonic acid	NOEC	0.1 - 1	<i>Lepomis macrochirus</i>	Read across	28 day(s)	
hydrogen peroxide	NOEC	4.3	<i>Pimephales promelas</i>	Method not given	96 hour(s)	
methanesulphonic acid		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkylbenzenesulphonic acid	NOEC	1 - 10	<i>Not specified</i>	Read across	32 day(s)	
hydrogen peroxide	NOEC	1	<i>Daphnia pulex</i>	Method not given	48 hour(s)	
methanesulphonic acid		No data available				

OXIVIR EXCEL WIPES

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	LD ₅₀	> 1000	<i>Eisenia fetida</i>	OECD 207	14	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid	EC ₅₀	167		OECD 208	21	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkylbenzenesulphonic acid		No data available			-	
hydrogen peroxide		No data available			-	
methanesulphonic acid		No data available			-	

12.2 Persistence and degradability**Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
hydrogen peroxide	24 hour(s)	Method not given	OH radical	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkylbenzenesulphonic acid			94 % in 28 day(s)	OECD 301A	Readily biodegradable
hydrogen peroxide	Activated sludge, aerobe	Specific analysis (primary degradation)	> 50 % in < 1 day(s)		Not applicable (inorganic substance)
methanesulphonic acid		COD removal	>70 % in 28 day(s)	OECD 301A	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
alkylbenzenesulphonic acid	3.2	Method not given	Low potential for bioaccumulation	
hydrogen peroxide	-1.57		No bioaccumulation expected	
methanesulphonic acid	-5.17		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkylbenzenesulphonic acid	2 - 500		Method not given	Low potential for bioaccumulation	
hydrogen peroxide	No data available				
methanesulphonic acid	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
alkylbenzenesulphonic acid	No data available				Low mobility in soil
hydrogen peroxide	2				Mobile in soil
methanesulphonic acid	0		Model calculation		Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** Non-dangerous goods**14.2 UN proper shipping name:** Non-dangerous goods**14.3 Transport hazard class(es):** Non-dangerous goods**14.4 Packing group:** Non-dangerous goods**14.5 Environmental hazards:** Non-dangerous goods**14.6 Special precautions for user:** Non-dangerous goods**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** Non-dangerous goods

OXIVIR EXCEL WIPES

Other relevant information:

Hazchem code: None allocated

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

HSNO Approval Number	HSR002530.
Group standard	Cleaning Products (Subsidiary Hazard) Group Standard 2017
Inventory Listing(s)	New Zealand: NZIoC (New Zealand Inventory of Chemicals) All components are listed on the NZIoC inventory, or are exempt

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS32000640

Version: 01.0

Revision: 2020-12-16

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet