

NT 70/2

Kärcher quality at an affordable price: the NT 70 range boasts powerful vacuum cleaners with up to three motors. With their high suction power, the machines are impressive in wet applications and when used on coarse dirt.



Made in Europe

Order no.

1.667-269.0

- Robust bumper, large wheels
- Ergonomic push handle
- Optional wet filter available


Technical data

| | | |
|----------------------------|---------------|-------------------------|
| EAN code | 4039784725379 | |
| Current type | Ph / V / Hz | 1 / 220 - 240 / 50 - 60 |
| Air flow rate | l/s | 2 x 74 |
| Vacuum | mbar / kPa | 254 / 25.4 |
| Container capacity | l | 70 |
| Container material | plastic | |
| Rated input power | W | max. 2400 |
| Standard nominal width | ID 40 | |
| Cable length | m | 10 |
| Sound pressure level | dB(A) | 79 |
| Colour | anthracite | |
| Weight without accessories | kg | 25.2 |
| Weight incl. packaging | kg | 32.4 |
| Dimensions (L x W x H) | mm | 720 x 510 x 975 |

Equipment

| | | |
|----------------------------|-----------------|---------|
| Suction hose length | m | 4 |
| Bend | | plastic |
| Quantity of suction tubes | Piece(s) | 2 |
| Suction tubes length | mm | 550 |
| Suction tubes material | Stainless steel | |
| Wet/dry floor nozzle width | mm | 360 |
| Crevice nozzle | | ■ |
| Cartridge filter | Paper | |
| Drain hose | | ■ |
| Sturdy bumper | | ■ |
| Push handle | | ■ |
| Protection class | II | |

■ Included in delivery.

**Integrated accessory storage**

- Large bumper with accessory storage.

Integrated drain hose


- The container is easy to empty via the drain hose. Extremely practical due to the very large 70-litre deposit capacity.

Ergonomic push handle

- The NT 70 has an ergonomic push handle so that the machine can be rolled.

EQUIPMENT FOR NT 70/2

1.667-269.0



| | | Order no. | Description | |
|--|----|-------------|---|-------------------------------------|
| CARTRIDGE FILTER, STANDARD, BIA C OR UP TO DUST CLASS M | | | | |
| Cartridge filter paper | | | | |
| Cartridge filter | 1 | 6.907-038.0 | Paper cartridge filter (M BIA-C dust class M), suitable as a main filter for dry and wet pick up. | <input checked="" type="checkbox"/> |
| BENDS | | | | |
| Bend, plastic | | | | |
| Elbow packaged NW40 1K | 2 | 2.889-171.0 | | <input checked="" type="checkbox"/> |
| Bend, NT, DN 35, plastic, clip 1.0 at hose end, cone at accessory end | 3 | 5.031-718.0 | DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end. | <input type="checkbox"/> |
| Bend, NT, DN 35, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end | 4 | 5.031-939.0 | Electrically conductive DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end. | <input type="checkbox"/> |
| Bend, NT, DN 40, plastic, electrically conductive, clip 1.0 at hose end, cone at accessory end | 5 | 5.032-427.0 | Electrically conductive DN 40 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 1.0 connection at the hose end and a cone connection at the accessory end. | <input type="checkbox"/> |
| Bends, metal | | | | |
| Bend, NT, DN 35, chrome-plated metal, cone at hose end, cone at accessory end | 6 | 6.900-519.0 | DN 35 chrome-plated metal bend for wet and dry vacuum cleaners by Kärcher. The bend has a cone connection at both the hose end and the accessory end. | <input type="checkbox"/> |
| Bend, stainless steel, ID 35 | 7 | 6.903-141.0 | Stainless steel and crooked, ID 35 | <input type="checkbox"/> |
| Bend, ID 40, metal | 8 | 6.900-276.0 | Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0, C 40-DN 40, plastic, el.). | <input type="checkbox"/> |
| Bend, stainless steel, ID 40 | 9 | 6.902-079.0 | Stainless steel and crooked, ID 40 | <input type="checkbox"/> |
| SUCTION NOZZLES | | | | |
| Floor nozzles | | | | |
| Floor tool packaged NW40 360mm | 10 | 2.889-153.0 | | <input checked="" type="checkbox"/> |
| Floor tool DN40-370 | 11 | 6.903-018.0 | All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Wet/dry floor nozzle, aluminium, DN 40 | 12 | 6.906-383.0 | All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Floor tool neutrally DN35 | 13 | 6.906-384.0 | All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Crevice nozzles | | | | |
| Crevice nozzle DN 40 300mm 1:50 | 14 | 5.130-655.0 | | <input checked="" type="checkbox"/> |

 Included in delivery. Available accessories.

EQUIPMENT FOR NT 70/2

1.667-269.0



| | | Order no. | Description | |
|---|----|-------------|--|-------------------------------------|
| SUCTION NOZZLES | | | | |
| Crevice nozzles | | | | |
| Crevice nozzle, DN 35, plastic, length 210 mm | 15 | 2.889-130.0 | With the DN 35 plastic crevice nozzle, corners and crevices can be vacuumed quickly and thoroughly. Length: 210 mm. | <input type="checkbox"/> |
| Crevice nozzle, NT, DN 35, metal, 500 mm long | 16 | 6.900-922.0 | The metal crevice nozzle (DN 35) enables vacuuming in crevices and corners. Length: 500 mm. | <input type="checkbox"/> |
| Crevice nozzle DN40 | 17 | 6.905-817.0 | Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm. | <input type="checkbox"/> |
| All-purpose brushes | | | | |
| All-purpose brush | 18 | 6.903-863.0 | Natural bristles (ox hair), bristle element 120 x 45 mm. | <input type="checkbox"/> |
| Car cleaning nozzles | | | | |
| Car nozzle, ID 40, 90 mm | 19 | 6.900-952.0 | Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Gangway nozzles | | | | |
| Wide nozzle | 20 | 4.130-432.0 | Vacuuming larger Areas in connection with NT 70/1, NT 70/2 or NT 70/3 versions only. | <input type="checkbox"/> |
| Rubber suction tools, nose 45° | | | | |
| Rubber suction tool, nose 45° | 21 | 6.902-104.0 | 45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | <input type="checkbox"/> |
| | 22 | 6.902-105.0 | 45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners. | <input type="checkbox"/> |
| Pipe dusting nozzles | | | | |
| Pipe brush 35/100 | 23 | 6.903-035.0 | Plastic, pipe diameter 100 mm | <input type="checkbox"/> |
| Pipe brush 35/200 | 24 | 6.903-036.0 | Plastic, pipe diameter 200 mm | <input type="checkbox"/> |
| Suction brushes | | | | |
| Suction brush, DN 32 | 25 | 6.903-887.0 | The rotating suction brush (DN 32, plastic) with PA brush attachment measures 70 x 45 mm. Only for BV and T vacuum cleaners. | <input type="checkbox"/> |
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Hose packaged NW40 4m | 26 | 2.889-138.0 | | <input checked="" type="checkbox"/> |
| Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0 | 27 | 2.889-137.0 | The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |
| Hose oil resistant packaged NW40 4m | 28 | 2.889-140.0 | | <input type="checkbox"/> |

Included in delivery. Available accessories.

EQUIPMENT FOR NT 70/2

1.667-269.0



| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| SUCTION HOSES | | | | |
| Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on) | | | | |
| Hose electrically conducting packaged NW | 29 | 2.889-141.0 | | <input type="checkbox"/> |
| Extension hose packaged NW40 2.5m | 30 | 2.889-146.0 | | <input type="checkbox"/> |
| Repair set NW40 | 31 | 2.889-150.0 | | <input type="checkbox"/> |
| Hose connection | | | | |
| Adapter, ID 32/35, with internal thread | 32 | 6.902-077.0 | Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35. | <input type="checkbox"/> |
| Adapter, ID 40, with internal thread | 33 | 6.900-286.0 | Electrically non-conductive adapter with screw thread at both ends. For connecting 2 DN 40 suction hoses without connectors. | <input type="checkbox"/> |
| Suction hoses with clip system 1.0 (compatible with vacuum cleaners up to model year 2016) | | | | |
| Repair kit for suction hoses DN 40 Clip 1.0 | 34 | 2.639-873.0 | Repair set (C40) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system. | <input type="checkbox"/> |
| Extension hose, C 40 | 35 | 6.906-344.0 | 2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system. | <input type="checkbox"/> |
| Suction hose, complete, (clip system), C ID 40, 16 m + DN 40 bushing | 36 | 4.440-784.0 | 16 m suction hose (C-DN 40) with bayonet and straight adapter. | <input type="checkbox"/> |
| Suction hose | 37 | 6.906-279.0 | 10 m standard suction hose without bend and adapter. With bayonet at vacuum end and C 40 clip connection at accessory end. | <input type="checkbox"/> |
| Suction hose, NT, DN 40, length 4 m, clip 1.0, bayonet 1.0 | 38 | 6.906-321.0 | The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners. | <input type="checkbox"/> |
| Suction hose | 39 | 6.906-635.0 | With bayonet and clip connection. | <input type="checkbox"/> |
| | 40 | 6.906-877.0 | Suction hose with bayonet coupling, electrically conductive. | <input type="checkbox"/> |
| Suction hoses with cone connection | | | | |
| Suction hose, complete | 41 | 4.440-263.0 | Electrically non-conductive 4.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end. | <input type="checkbox"/> |
| | 42 | 4.440-303.0 | Oil-resistant | <input type="checkbox"/> |

 Available accessories.

EQUIPMENT FOR NT 70/2**1.667-269.0**

| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| SUCTION HOSES | | | | |
| Suction hoses with cone connection | | | | |
| Suction hose, complete | 43 | 4.440-463.0 | Electrically non-conductive 10.0m standard suction hose with bayonet at vacuum end and DN 40 cone at accessory end. | <input type="checkbox"/> |
| | 44 | 4.440-466.0 | Electrically conductive, 10.0m, ID 40 | <input type="checkbox"/> |
| Suction hose, complete, ID 40, 10 m, oil-resistant | 45 | 4.440-612.0 | Oil-resistant. | <input type="checkbox"/> |
| Suction hose, ID 61, 4 m, complete | 46 | 4.440-264.0 | 4-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end. | <input type="checkbox"/> |
| Suction hose, complete | 47 | 4.440-328.0 | Industrial hose, PVC/elastomer with steel spiral, smooth inside | <input type="checkbox"/> |
| Suction hose, complete, ID 61, 10 m | 48 | 4.440-467.0 | 10-m standard suction hose with DN 61 bayonet connector at the device end and DN 61 tapered connector at the accessory end. | <input type="checkbox"/> |
| Suction hose, complete, ID 61, 4 m, oil-resistant | 49 | 4.440-613.0 | Oil-resistant. | <input type="checkbox"/> |
| Suction hose, complete, ID 40, 4 m, electrically conductive | 50 | 4.440-616.0 | Electrically conductive. | <input type="checkbox"/> |
| FILTER BAGS | | | | |
| Paper filter bags | | | | |
| Paper filter bags, 5 Piece(s), NT 48, NT 65, NT 70, NT 72, NT 75, NT 80, WET VAC | 51 | 6.904-285.0 | Premium 3-layer paper filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack. | <input type="checkbox"/> |
| FILTER T/ NT | | | | |
| Coarse dirt filter for wet vacuuming | | | | |
| Foam filter for wet applications of wet and dry vacuum cleaners NT 70, NT 72/2 | 52 | 2.889-083.0 | Quick-drying foam filter for wet applications using wet and dry vacuum cleaners from Kärcher that have a mechanical floating switch off. | <input type="checkbox"/> |
| Wet filter bag | | | | |
| Wet filter bag | 53 | 6.904-252.0 | Approved for dust class L, general cleaning, wet and dry, tear-resistant. | <input type="checkbox"/> |
| Plastic sacks for dust-free disposal | | | | |
| Plastic bag for dust-free disposal, 10 Piece(s), NT 65, NT 70, NT 72, NT 75, NT 602, NT 700, NT 702 | 54 | 6.900-698.0 | PE plastic sack. | <input type="checkbox"/> |
| Fabric filter | | | | |
| Membrane filter, NT 65, NT 70, NT 72, NT 75, NT 551, NT 602, NT 700, NT 702, NT 802, NT 993 | 55 | 6.904-282.0 | Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners. | <input type="checkbox"/> |
| SUCTION TUBES | | | | |
| Suction pipes, stainless steel | | | | |
| Suction tube, DN 35, 505 mm, stainless steel | 56 | 6.902-154.0 | Suction tube made of high-quality stainless steel in DN 35 and 505 mm long for wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |

 Available accessories.

EQUIPMENT FOR NT 70/2

1.667-269.0



| | | Order no. | Description | |
|--|----|-------------|--|--------------------------|
| SUCTION TUBES | | | | |
| Suction pipes, stainless steel | | | | |
| Suction tube, ID 40 | 57 | 6.902-081.0 | Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| | 58 | 6.906-531.0 | Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Suction pipes, metal | | | | |
| Suction tube, NT, DN 35, 505 mm long, chrome-plated steel, suitable for: NT 25/1, NT 27/1, NT 30/1, NT 35/1, NT 40/1, NT 48/1, NT 50/1, NT 55/2, NT 65/2, NT 70/2, NT 70/3, NT 72/2, NT 75/1, NT 75/2, NT 611, NT 802 IV | 59 | 6.900-514.0 | The suction tube made of chrome-plated steel (DN 35, 505 mm long) is suitable for wet and dry vacuum cleaners from Kärcher. | <input type="checkbox"/> |
| CONNECTING SLEEVES | | | | |
| Y-adapter kit | | | | |
| Y-adapter kit | 60 | 2.637-217.0 | Plastic distributor – suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Connection adapter C ID (clip to cone), electrically conductive | | | | |
| C-ID 35 adapter | 61 | 5.407-112.0 | C 35 hose connector for DN 35 accessory, electrically conductive. | <input type="checkbox"/> |
| Reducing sleeves | | | | |
| Reducer | 62 | 5.407-108.0 | Threaded reducer – from C-40 to DN 35. Suitable for NT vacuum cleaners. | <input type="checkbox"/> |
| Reducer adapter from DN 40 to DN 35 | 63 | 6.902-017.0 | Reducer, enabling accessories (upholstery nozzle, crevice nozzle, etc.) with a DN 35 connection adapter to be connected to accessory parts that have a DN 40 connection adapter. | <input type="checkbox"/> |
| Sleeve C40 / C35 | 64 | 5.407-113.0 | Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system. | <input type="checkbox"/> |
| Reducer from ID 35 to ID 32 | 65 | 6.902-072.0 | Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners. | <input type="checkbox"/> |
| TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR VACUUM CLEANERS | | | | |
| Professional cleaning kit | 66 | 2.637-353.0 | Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0). | <input type="checkbox"/> |
| Car cleaning accessory kit | 67 | 2.862-166.0 | Target group-specific accessory nozzles in DN 35 for interior cleaning of vehicles, upholstery & fixtures. | <input type="checkbox"/> |
| Swarf kit | 68 | 2.640-760.0 | Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle. | <input type="checkbox"/> |
| OTHER ACCESSORIES NT | | | | |
| Cyclone preseparators CS 40 Me | 69 | 2.863-026.0 | The highly efficient CS 40 Me cyclone preseparators for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry. | <input type="checkbox"/> |
| Adapter connection old elektr. leitend | 70 | 5.031-436.0 | | <input type="checkbox"/> |

 Available accessories.

EQUIPMENT FOR NT 70/2**1.667-269.0**

| | | Order no. | Description | |
|--------------------------------------|----|-------------|---|--------------------------|
| OTHER ACCESSORIES FOR BR / BD | | | | |
| Miscellaneous | | | | |
| Extension cable | 71 | 6.647-022.0 | Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve. | <input type="checkbox"/> |

 Available accessories.