Safety Data Sheet

SUMA MULTI-PURPOSE CLEANER DEGREASER SMARTDOSE

Revision: 2023-12-13 **Version:** 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier
Product name: SUMA MULTI-PURPOSE CLEANER DEGREASER SMARTDOSE

1.2 Recommended use and restrictions on use
Identified uses:
General purpose kitchen hard surface cleaner
Restrictions of use:
Uses other than those identified are not recommended

1.3 Details of the supplier
DIVERSEY NEW ZEALAND LTD.
24 Bancroft Crescent, Glendene, Auckland, 0602, New Zealand
Telephone: 0800 803 615 (toll free)

Website: www.diversey.com

1.4 Emergency telephone number
Seek medical advice (show the label or safety data sheet where possible)
Call 0800 243 622 (24 hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin irritation, Category 2
Serious eye damage, Category 1
Acute aquatic toxicity, Category 2

2.2 Label elements

Signal word: Danger

Hazard statements:
H315 - Causes skin irritation.
H318 - Causes serious eye damage.
H401 - Toxic to aquatic life.

Prevention statement(s):
P233 - Keep container tightly closed.
P264 - Wash face, hands and any exposed skin thoroughly after handling.
P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):
P332 + P313 - If skin irritation occurs: Get medical advice or attention.
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTRE, doctor or physician.
P321 - Specific treatment (see supplemental first aid instructions on this label).
P362 - Take off contaminated clothing.

Disposal statement(s):
P501 - Dispose of unused content as chemical waste.

2.3 Other hazards
No other hazards known.

2.4 Classification diluted product:
Recommended maximum concentration (% w/w): 0.53

Not classified as hazardous

SECTION 3: Composition/information on ingredients

3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
propane-1,2-diol	57-55-6	200-338-0	10-30
cocoamidopropyl betaine hydrogenated	-	931-333-8 931-513-6 931-296-8	3-10
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	308062-28-4	931-292-6	3-10
alkyl polyglucoside	68515-73-1	500-220-1	1-3
sodium hydroxide	1310-73-2	215-185-5	0.1-1
decan-1-ol	112-30-1	203-956-9	0.1-1
formaldehyde	50-00-0	200-001-8	0.01-0.1

[4] Polymer.
Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures

4.1 Description of first aid measures
Inhalation: Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact: Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities: Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed
Inhalation: No known effects or symptoms in normal use.
Skin contact: Causes irritation.
Eye contact: Causes severe or permanent damage.
Ingestion: No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed
No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 0800 764 766 (0800 POISON)

SECTION 5: Firefighting measures

5.1 Extinguishing media
Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture
No special hazards known.

5.3 Advice for firefighters
As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code
None allocated

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions
Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up
Absorb with liquid-binding material (sand, diatomite, universal binders).

6.4 Reference to other sections
For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling
Measures to prevent fire and explosions:
No special precautions required.

Measures required to protect the environment:
For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:
Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless adviced by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with eyes. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities
Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging.
For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)
No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters
Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s)	Short term value(s)	Ceiling value(s)
sodium hydroxide			2 mg/m³

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.
If available, please refer to the product information sheet for application and handling instructions.
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:
Covering activities such as filling and transfer of product to application equipment, flasks or buckets

Appropriate engineering controls: If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment
Eye / face protection: Safety glasses or goggles (AS/NZS 1337.1).
Hand protection: Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.
Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm
Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm
In consultation with the supplier of protective gloves a different type providing similar protection may

be chosen.
Body protection: Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.53

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: No special requirements under normal use conditions.

Personal protective equipment
Eye / face protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Method / remark
Physical state: Liquid	
Colour: Clear , from Blue to Green	
Odour: Product specific	
Odour threshold: Not applicable	
pH: ≈ 7.7 (neat)	ISO 4316
Dilution pH: ≈ 7 (1%)	ISO 4316
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	
Flammability (liquid): Not flammable.	
Flash point (°C): > 93.4 °C	closed cup
Sustained combustion: Not applicable.	
(UN Manual of Tests and Criteria, section 32, L.2)	
Evaporation rate: Not determined	Not relevant to classification of this product
Flammability (solid, gas): Not applicable to liquids	
Lower and upper explosion limit/flammability limit (%): Not determined	
Vapour pressure: Not determined	
Relative density: ≈ 1.02 (20 °C)	OECD 109 (EU A.3)
Relative vapour density: Not determined.	Not relevant to classification of this product
Particle characteristics: No data available.	Not applicable to liquids.
Solubility in / Miscibility with water: Fully miscible	
Partition coefficient: n-octanol/water No information available.	

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information
Surface tension (N/m): Not determined
Corrosion to metals: Not corrosive
0.00 %P

SECTION 10: Stability and reactivity

10.1 Reactivity
No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions
No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid
None known under normal storage and use conditions.

10.5 Incompatible materials
None known under normal use conditions.

10.6 Hazardous decomposition products
None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):
ATE - Oral (mg/kg): >5000

Eye irritation and corrosivity
Result: Eye damage 1 **Method:** Bridging

Substance data, where relevant and available, are listed below:.

Acute toxicity
Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LD_{50}	2335	Rat	OECD 401 (EU B.1)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD_{50}	1064	Rat	OECD 401 (EU B.1)	
alkyl polyglucoside	LD_{50}	> 5000	Rat	OECD 401 (EU B.1)	
sodium hydroxide		No data available			

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LD_{50}	> 5000	Rat	OECD 402 (EU B.3)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LD_{50}	> -	Rat	OECD 402 (EU B.3)	
alkyl polyglucoside	LD_{50}	> 2000	Rabbit	OECD 402 (EU B.3)	
sodium hydroxide	LD_{50}	1350	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LC_{50}	> 5 (mist)	Rat	Method not given	4
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
alkyl polyglucoside		No data available			
sodium hydroxide		No data available			

Irritation and corrosivity
Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	Mild irritant	Rabbit	OECD 404 (EU B.4)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
alkyl polyglucoside	Not irritant	Rabbit	OECD 404 (EU B.4)	4 hour(s)
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time

cocoamidopropyl betaine hydrogenated	Severe damage	Rabbit	OECD 405 (EU B.5)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
alkyl polyglucoside	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
alkyl polyglucoside	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl polyglucoside	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
cocoamidopropyl betaine hydrogenated	No data available			
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available			
alkyl polyglucoside	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
cocoamidopropyl betaine hydrogenated	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13) OECD 476	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkyl polyglucoside	No evidence for mutagenicity, negative test results	Read across	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)	Effect
cocoamidopropyl betaine hydrogenated	No evidence for carcinogenicity, weight-of-evidence
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No evidence for carcinogenicity, negative test results
alkyl polyglucoside	No evidence for carcinogenicity, weight-of-evidence
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
cocoamidopropyl betaine hydrogenated	NOEL	Developmental toxicity	300	Rat	OECD 414 (EU B.31), oral		
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	Teratogenic effects	25	Rat	Non guideline test		
alkyl polyglucoside			No data available		OECD 416, (EU B.35), oral		No evidence for reproductive toxicity
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
cocoamidopropyl betaine hydrogenated	NOAEL	300	Rat	OECD 408 (EU B.26)	90	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOAEL	-		OECD 422, oral		
alkyl polyglucoside	NOAEL	100	Rat	OECD 408 (EU B.26)	90	
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
cocoamidopropyl betaine hydrogenated		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
alkyl polyglucoside		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
cocoamidopropyl betaine hydrogenated		No data available				
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available				
alkyl polyglucoside		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
cocoamidopropyl betaine hydrogenated			No data available					
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides			No data available					
alkyl polyglucoside			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
cocoamidopropyl betaine hydrogenated	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
alkyl polyglucoside	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
cocoamidopropyl betaine hydrogenated	No data available
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available
alkyl polyglucoside	No data available
sodium hydroxide	No data available

Aspiration hazard
Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms
Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture .

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	LC_{50}	1.11	*Pimephales promelas*	OECD 203, semi-static	96
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	LC_{50}	2.67-3.46	*Pimephales promelas*	Similar to OECD 203	96
alkyl polyglucoside	LC_{50}	100.81	*Brachydanio rerio*	ISO 7346	96
sodium hydroxide	LC_{50}	35	*Various species*	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	EC_{50}	1.9	*Daphnia*	OECD 202, static	48
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC_{50}	3.1	*Daphnia magna Straus*	OECD 202, static	48
alkyl polyglucoside	EC_{50}	> 100	*Daphnia magna Straus*	OECD 202 (EU C.2)	48
sodium hydroxide	EC_{50}	40.4	*Ceriodaphnia sp.*	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
cocoamidopropyl betaine hydrogenated	$E_r C_{50}$	2.4	*Not specified*	Method not given	72
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	$E_r C_{50}$	0.143	*Pseudokirchneriella subcapitata*	Method not given	72
alkyl polyglucoside	EC_{50}	27.22	*Desmodesmus subspicatus*	Method not given	72
sodium hydroxide	EC_{50}	22	*Photobacterium phosphoreum*	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
cocoamidopropyl betaine hydrogenated	ErC_{50}	0.74	*Skeletonema costatum Phaeodactylum tricornutum*	ISO 10253	72
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides		No data available			
alkyl polyglucoside	EC_{50}	12.43	*Skeletonema costatum*	Method not given	3
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
cocoamidopropyl betaine hydrogenated	EC_{50}	3000	*Bacteria*	ISO 13641 (2003), anaerobic	16 hour(s)
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	EC_{10}	> -	*Bacteria*	Non guideline test	- hour(s)
alkyl polyglucoside	EC_{10}	> 560	*Pseudomonas putida*	Method not given	6 hour(s)
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	0.135	*Oncorhynchus mykiss*	OECD 210	37 day(s)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.42	*Pimephales promelas*	Method not given	302 day(s)	
alkyl polyglucoside	NOEC	1	*Brachydanio rerio*	Method not given	28 day(s)	
sodium hydroxide		No data				

		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	0.3	*Daphnia magna*	OECD 211	21 day(s)	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	NOEC	0.7	*Daphnia magna*	OECD 211, flow-through	21 day(s)	
alkyl polyglucoside	NOEC	1	*Daphnia magna*	OECD 202	21 day(s)	
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	≥ 846	*Eisenia fetida*		14	
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
cocoamidopropyl betaine hydrogenated	NOEC	84.6	*Brassica alba Lepidium sativum Triticum aestivum*	OECD 208	17	
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hydroxide		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
cocoamidopropyl betaine hydrogenated	Activated sludge, aerobe	CO_2 production	91.6 % in 28 day(s)	OECD 301B	Readily biodegradable
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Activated sludge, aerobe	CO_2 production	90 % in 28 day(s)	OECD 301B	Readily biodegradable
alkyl polyglucoside	Activated sludge, aerobe	DOC reduction	100 % in 28 day(s)	OECD 301E	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
cocoamidopropyl betaine hydrogenated			76% in 28 day(s)	OECD 306	Readily biodegradable
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT 50	Method	Evaluation
sodium hydroxide					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
cocoamidopropyl betaine hydrogenated	4.2	Method not given	Low potential for bioaccumulation	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	< -	Method not given	No bioaccumulation expected	
alkyl polyglucoside	0.07	Method not given	No bioaccumulation expected	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
cocoamidopropyl betaine hydrogenated	71		QSAR	Low potential for bioaccumulation	
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				
alkyl polyglucoside	< 1.77		Method not given	No bioaccumulation expected	
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
cocoamidopropyl betaine hydrogenated	2.0-5.1		QSAR		Potential for mobility in soil, soluble in water
amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	No data available				Low mobillity in soil
alkyl polyglucoside	No data available				
sodium hydroxide	No data available				Mobile in soil

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products: The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation: Dispose of observing national or local regulations.

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

ADG, IMO/IMDG, ICAO/IATA
14.1 UN number or ID number: Non-dangerous goods
14.2 UN proper shipping name: Non-dangerous goods
14.3 Transport hazard class(es): Non-dangerous goods
14.4 Packing group: Non-dangerous goods
14.5 Environmental hazards: Non-dangerous goods
Environmentally hazardous: No
14.6 Special precautions for user: Non-dangerous goods
14.7 Maritime transport in bulk according to IMO instruments: The product is not transported in bulk tankers. Non-dangerous goods

Other relevant information:
Hazchem code: None allocated

This product has been classified, labelled and package in accordance with the requirements of the NZ Land Transport Rule: Dangerous Goods, ADG, and the provisions of the IMDG Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002530.
Group standard	Cleaning Products (Subsidiary Hazard) Group Standard 2020
Inventory Listing(s)	New Zealand: NZIoC (New Zealand Inventory of Chemicals) All components are listed on the NZIoC inventory, or are exempt
HSNO Classification	6.3A - Irritating to the skin 8.3A - Corrosive to ocular tissue 9.1D - Slightly harmful to the aquatic environment or are otherwise designed for biocidal action

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS3200565 **Version:** 01.1 **Revision:** 2023-12-13

Reason for revision:
This data sheet contains changes from the previous version in section(s):, 8

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Abbreviations and acronyms:
• DNEL - Derived No Effect Limit
• AUH - Non GHS hazard statement
• PNEC - Predicted No Effect Concentration
• ATE - Acute Toxicity Estimate
• LD50 - Lethal Dose, 50% / Median Lethal dose
• LC50 - Lethal Concentration, 50% / Median Lethal Concentration
• EC50 - effective concentration, 50%
• NOEL - No observed effect level
• NOAEL - No observed adverse effect level
• STOT-RE - Specific target organ toxicity (repeated exposure)
• STOT-SE - Specific target organ toxicity (single exposure)
• EC No. - European Community Number
• OECD - Organisation for Economic Cooperation and Development

End of Safety Data Sheet