Identification of Substance & Company

Product

Product name Move-It Moss & Mould

HSNO approval HSR002530

Approval description Cleaning Products (Subsidiary Hazard) Group Standard 2020

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses Cleaning agent

Company Details

Company Totara Industries NZ Limited

Physical Address 24 Neil Park Drive

East Tamaki New Zealand

 Postal Address
 09 273 8855

 Telephone
 09 274 6945

Emergency Telephone Number: 0508 888 444

2. Hazard Identification

Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020). The substance has been classified as hazardous according to the criteria in the Hazardous Substances (Hazard Classification) Notice 2020.

GHS 7 Classes

Hazard Statements

Skin irritation cat 2 H315 - Causes skin irritation. Eye irritation cat 2 H320 - Causes eye irritation.

SYMBOLS

WARNING



Other Classifications

There are no other classifications that are known to apply.

Precautionary Statements

P103 - Read label before use.

P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves/eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

P362 - Take off contaminated clothing and wash before re-use.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Benzododecinium chloride	proprietary	1-<2.5%
Biodegradable surfactant	proprietary	1-10%
Ingredients not contributing to GHS 7 classes	proprietary	1-10%
Water	7732-18-5	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

4. First Aid

General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

facilities

Ready access to running water is recommended.

Exposure

Inhaled

Swallowed Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use. Generally, inhalation of vapours is unlikely to result in adverse health effects. If

coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the side) for

transport and contact a doctor.

Advice to Doctor

Treat symptomatically

5. Firefighting Measures

Fire and explosion hazards:

Suitable extinguishing

substances:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or

alcohol resistant foam.

Unsuitable extinguishing

substances:

Unknown.

Products of combustion: Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

Protective equipment:

No special measures are required.

Hazchem code:

NA

6. Accidental Release Measures

Containment If greater than 10000L is stored, secondary containment and emergency plans to

manage any potential spills must be in place. In all cases design storage to prevent

discharge to storm water.

Emergency procedures If a significant spill occurs: Stop leak if safe/necessary; Isolate area. Collect spill – see

below; Transfer to container for disposal. Dispose of according to guidelines below

(Section 13).

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

Disposal Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions No special protective clothing is normally necessary.

Page 2 of 6

November 2021 Product Name: Move-It Moss & Mould

7. Storage & Handling

Storage Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

Handling Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements.

8. Exposure Controls / Personal Protective Equipment

Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA* WES-STEL Exposure Stds triethanolamine 5mg/m³ data unavailable

Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

Personal Protective Equipment

General

Personal Protective Equipment (PPE) should not be used as the primary means of exposure protection, except in the event of an accident or emergency situation or where all other means of protection have proven to inadequate.

Clean PPE after use or dispose of as appropriate. Store PPE for re-use in a clean place. Regular training on the correct use of PPE should be provided. In particular the correct fitting and use of respirators and where applicable the cleaning of respirators should be undertaken.

Eyes



Avoid contact with eyes. Use safety glasses and or chemical splash goggles if splashes are possible.

Skin



Protective gloves are recommended. Impervious gloves such as nitrile gloves are recommended. Replace frequently. Gloves should be checked for tears or holes before use.

Respiratory

Respirator is not required under normal use. Ensure adequate natural ventilation. If product is being used in confined conditions, the use of a mask or respirator may be preferred.

WES Additional Information

Not applicable

9. Physical & Chemical Properties

Appearance blue liquid Odour no odour pН <11.5 Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data

Solubility soluble in water
Specific gravity / density ~1g/cm³ at 23°C
Flash point not flammable
Danger of explosion not explosive

Page 3 of 6 November 2021

Product Name: Move-It Moss & Mould

Auto-ignition temperature no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

10. Stability & Reactivity

Stability Stable

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

Fire may cause evolution of: Hydrogen chloride gas, nitrogen oxides.

heat and open flames.

Incompatible groups Strong oxidisers **Substance Specific** none known

Incompatibility

Hazardous decomposition

products

Hazardous reactions none known

Toxicological Information

Summary

IF SWALLOWED: may cause irritation to mouth and throat. Large quantities may cause stomach pains, nausea, vomiting and diarrhoea.

IF IN EYES: undiluted product may cause eye irritation. IF ON SKIN: undiluted product may cause skin irritation.

IF INHALED: no effects are anticipated, due to the low vapour pressure.

Supporting Data

Acute	Oral Using LD ₅₀ 's for ingredients, the calculated LD ₅₀ (oral, rat) for the mixture is >5,0	
		mg/kg. Data considered includes: Benzododecinium chloride 400mg/kg (rat), 240mg (rat,
		redox SDS), surfactant 2100 mg/kg (rat).
	Dermal	No evidence of dermal toxicity.
	Inhaled	No evidence of inhalation toxicity.
	Eye	The mixture is considered to be an eye irritant. Sum of eye irritants >10%.
	Skin	The mixture is not considered to be a skin irritant. Sum of skin irritants >10%.
Chronic	Sensitisation	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	Mutagenicity	No ingredient present at concentrations > 0.1% is considered a mutagen.
	Carcinogenicity	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	Reproductive /	No ingredient present at concentrations > 0.1% is considered a reproductive or
	Developmental	developmental toxicant or have any effects on or via lactation.
	Systemic	No ingredient present at concentrations > 1% is considered a target organ toxicant.
	Aggravation of	None known.
	existing conditions	

Ecological Data 12.

Summary

This mixture is not classed as ecotoxic under GHS 7. In cases prevent run-off to drains, sewers and waterways.

Supporting Data

Aquatic Using EC₅₀'s for ingredients, the calculated EC₅₀ for the mixture is >1mg/L. Data

considered includes:

Benzododecinium chloride 0.560mg/L (fish, as 50%), 0.12mg/L (aquatic invertebrates,

as 50%),

Biodegradable surfactant 0.29 mg/L (48hr, Daphnia magna), 0.05 mg/L (96hr, algae),

3.7 mg/l (96hr, Bluegill fish), LD₅₀ 900 mg/kg (Red-winged blackbird).

Bioaccumulation This mixture is not considered bioaccumulative.

Degradability Benzododecinium chloride is considered biodegradable.

Soil No evidence of soil toxicity.

No evidence of ecotoxicity towards terrestrial vertebrates. **Terrestrial vertebrate** Terrestrial invertebrate No evidence of ecotoxicity towards terrestrial invertebrates.

Biocidal no data

Environmental effect levels No EELs are available for this mixture or ingredients

Page 4 of 6 November 2021

Product Name: Move-It Moss & Mould

13. Disposal Considerations

Restrictions There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

Disposal methodDisposal of this product must comply with the Hazardous Substances (Disposal) Notice

2020 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packagingDisposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2020 clause 12. Ensure that the package is renedered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

14. Transport Information

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020.

Specific Controls

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2020.

Emergency plan Not required. Certified handler Not required. Tracking Not required. Bunding & secondary containment Not required. Signage Not required. Location compliance certificate Not required. Flammable zone Not required. Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

16. Other Information

Abbreviations

Approval Code Approval HSR002530, Cleaning Products (Subsidiary Hazard) Group Standard 2020

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

EC₅₀ Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

EPA Environmental Protection Authority (New Zealand)

Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised

edition, 2017, published by the United Nations.

HAZCHEM Code Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

Page 5 of 6

November 2021 Product Name: Move-It Moss & Mould

HSNO Hazardous Substances and New Organisms (Act and Regulations)

International Agency for Research on Cancer

LEL Lower Explosive Limit

LD₅₀ Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

LC₅₀ Lethal Concentration 50% − concentration in air which is fatal to 50% of a test population

(usually rats)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

STOT RESystem Target Organ Toxicity – Repeated Exposure
STOT SE
System Target Organ Toxicity – Single Exposure

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

UEL Upper Explosive Limit
UN Number United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

EPA Notices www.epa.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS

Review

DateReason for reviewJanuary 2018Not applicable – new SDSNovember 2021HSNO to GHS, Group Standard.

Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 21 1040951.

