



SAFETY DATA SHEET

According to
HSNO Hazardous Substances (Safety Data Sheets) Notice 2017

Section 1. Identification of the material and the supplier

Product: **Care4 PlusD Red Disinfectant**
Other Names: PlusD Red Disinfectant
Product Use: Disinfectant Cleaner
Restriction of Use: Refer to Section 15

New Zealand Supplier: **2CARE PRODUCTS**
Address: 39 Business Parade North
East Tamaki
Auckland

Telephone: 0800 753 753
Fax: 09 574 5999
Emergency No: 0800 764 766 (National Poison Centre)

Date of SDS Preparation: 23 July 2024 v2

Section 2. Hazards Identification

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Cleaning Products (Corrosive) – HSR002526

Pictograms



Signal Word: **DANGER**

GHS Classification and Category	HSNO Classification	Hazard Code	Hazard Statement
Skin corrosion Cat. 1B	8.2B	H314	Causes severe skin burns and eye damage.
Serious eye damage Cat. 1	8.3A	H318	Causes serious eye damage.
Hazardous to the aquatic environment acute Cat. 1	9.1A	H400	Very toxic to aquatic life.

Prevention Code	Prevention Statement
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P260	Do not breathe fumes, vapours or spray.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective clothing as detailed in SDS Section 8.

Response Code	Response Statement
P101	If medical advice is needed, have product container or label at hand.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P301 + P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage Code	Storage Statement
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Dispose of according to Local Regulations or Authorities

Section 3. Composition / Information on Hazardous Ingredients

Ingredients	Wt%	CAS NUMBER.
Benzalkonium Chloride	1-5	68424-85-1
Isopropyl IPA	1-3	67-63-0
Hazardous products not triggering final classification and Non-hazardous ingredients	To bal	

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes	Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
If on Skin	Take off contaminated clothing and wash before re-use. Wash skin with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
If Swallowed	Do not induce vomiting. Wash out mouth thoroughly with water. Never give anything to the mouth of an unconscious person. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs. Call a POISON CENTER or doctor/physician if you feel unwell.
If Inhaled	Remove person to fresh air. Remove contaminated clothing and loosen remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Apply artificial respiration if not breathing. Get medical advice if breathing becomes difficult.

Most important symptoms and effects, both acute and delayed

Symptoms:

Ingestion:	Not applicable
Inhalation:	Not applicable
Skin:	Causes skin burns.
Eye:	Causes serious eye damage.

Notes to Doctor: Treat symptomatically based on judgement of doctor and individual reactions of patient. Give 100% humidified supplemental oxygen with artificial respiration if patient breathing is compromised.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable and Non Combustible
Hazards from combustion products	The product is non-combustible; however, the packaging material may burn to emit noxious fumes. Contact with metals may liberate hydrogen gas which is extremely flammable.
Suitable Extinguishing media	Use extinguishing media appropriate for surrounding fire.
Precautions for firefighters and special protective clothing	Wear positive pressure self-contained breathing apparatus (SCBA) and protective firefighting clothing (including Helmet, Coat, Trousers, Boots and Gloves or chemical splash suit). DO NOT allow spillage or firefighting water to reach waterways, drains or sewers.
HAZCHEM CODE	2X

Section 6. Accidental Release Measures

General Response Procedures:

Clear area of all unprotected personnel. Allow only trained personnel wearing appropriate protective equipment to be involved in spill response. Contain spill, avoid accidents, clean up immediately. Increase ventilation.

Environmental Precautionary Measures:

Prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise the Environmental Protection Authority and/or your local Waste Authority.

Clean Up Procedures:

Mechanically collect as much of the spill as possible. Absorb with sand, earth or clay. Transfer to suitable, labelled containers and dispose of promptly as hazardous waste as per Section 13. Spill on areas other than pavement (e.g. dirt and sand) may be handled by removing the affected soils and placing in approved containers. Wash area down with water and collect washings for disposal.

Section 7. Handling and Storage

Precautions for Handling:

- Read carefully and follow all instructions.
- Do not breathe fumes, mist, vapours or spray.
- Wash hands thoroughly after handling.
- Avoid release to the environment.
- Wear protective clothing as detailed in Section 8.
- Ensure an eye bath is available and ready for use.
- Avoid contact with eyes, skin and clothing.
- Do not inhale product.
- Always remove contaminated clothing and wash hands after handling or before eating, drinking, smoking or using the toilet.
- Wash contaminated clothing and other protective equipment before storage or re-use.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Keep out of reach of children.
- Store locked up.
- Store upright in the original container in a cool, dry, well-ventilated protected area out of direct sunlight and away from foodstuffs.
- Keep containers tightly closed when not in use.
- Inspect regularly for deficiencies such as damage or leaks.
- Do not combine part containers of the same product.

- Emergency eye-washes must be available.
- Store in original packaging as approved by manufacturer.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

Substance	TWA		STEL	
	ppm	mg/m ³	ppm	mg/m ³
Isopropyl alcohol [67-63-0]	400	983	500	1230

Workplace Exposure Standard – Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard – Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA; both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices NOV 2023 14TH EDITION.

Engineering Controls

General exhaust is adequate under normal operating conditions. Provide eyewash stations.

Personal Protection Equipment



Eyes	Use splash proof safety goggles, and/or if necessary an appropriate full-face shield that conform to AS1336/1337.
Hands	Any Gloves approved for chemical hazards that conform to AS2161.
Skin	Trousers, Long sleeved shirt and closed shoes.
Respiratory	If determined an inhalation risk is present. Use a P2 grade valved disposable mask which is suitable for organic vapours and conforms to the requirements of AS1715/1716).

Section 9 Physical and Chemical Properties

Appearance	Free flowing liquid
Colour	Red
Odour	Raspberry
Odour Threshold	Not available
pH	7.5 – 8.5
Boiling Point	Not available
Melting Point	Not available
Freezing Point	Not available
Flash Point	Not available
Flammability	Not available
Upper and Lower Explosive Limits	Not available
Vapour Pressure	Not available
Vapour Density	Not available
Specific Gravity	Not available
Water Solubility	Complete in water
Partition Coefficient:	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Kinematic Viscosity	Not available
Particle Characteristics	Not available

Shelf life	Not available
-------------------	---------------

Section 10. Stability and Reactivity

Stability of Substance	This product is stable under normal conditions.
Possibility of hazardous reactions	Not available
Conditions to Avoid	Avoid contact with foodstuffs. Do not combine part drums of the same product.
Incompatible Materials	No data available.
Hazardous Decomposition Products	The packaging material may burn to emit noxious fumes.

Section 11 Toxicological Information

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes serious eye damage.
Skin	Causes skin burns.

Chronic Effects:

Carcinogenicity	Not applicable.
Reproductive Toxicity	Not applicable.
Germ Cell Mutagenicity	Not applicable.
Aspiration	Not applicable.
STOT/SE	Not applicable.
STOT/RE	Not applicable.

Individual component information:

Acute Toxicity:

Chemical Name	Oral – LD50	Dermal – LD50	Inhalation – LC50
Benzalkonium Chloride (68424-85-1)	397.5 mg/kg (rat)	-	-

Section 12. Ecotoxicological Information

Very toxic to aquatic life.

Product:	
Persistence and degradability	Readily biodegradable.
Bioaccumulation	Low risk of Bioaccumulation.
Mobility	Completely soluble in water.
Other adverse effects	No data available.

Benzalkonium Chloride LC₅₀ (Fathead Minnow Chronic, 34d): 0.0322mg/L (Pimephales promelas)
 LC₅₀ (Fathead Minnow Acute, 96h): 0.28 mg/L (Pimephales promelas)
 EC₅₀ (Water Flea, 48h): 0.0059 mg/L (Daphnia magna)
 EC₅₀ (Green Algae, 72h): 0.08mg/L (Scenedesmus pannonicus)

All data from NZ Chemical Classification and Information Database

Do not allow to enter waterways.

Section 13. Disposal Considerations

Disposal Method:

Spent media that has removed toxic chemicals should be examined for specific hazards. Spilled product may be recovered for use if it has not come in contact with liquids or been exposed to significant amounts of gaseous contaminants. Dispose of according to Local Regulations.

Ensure any container holding waste product or contaminated spill media is labelled "Hazardous Waste – Corrosive, Ecotoxic" and that the label also has the Corrosive, Ecotoxic Pictogram, waste type identifier, and the business name, address, and phone number.

Precautions or methods to avoid: Avoid release to the environment.

Section 14 Transport Information

This product is classified as a Dangerous Good for transport in NZ ; NZS 5433:2020



Road, Rail, Sea and Air Transport

UN No	1903
Class - Primary	8
Packing Group	II
Proper Shipping Name	DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
Marine Pollutant	Yes
Special Provisions	If the product's individual container is below 5L/kg, it can be transported as a non-DG as long as the product packaging is still labelled as per DG requirements and the driver is given safety information in accordance with Chapter 3.4 of the UNRTDG.

Section 15 Regulatory Information

This substance is classified hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval Code: Cleaning Products (Corrosive) – HSR002526

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	250L
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	100L
Emergency Response Plan	100L
Secondary Containment	100L
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

Cat	Category
EC ₅₀	Median effective concentration.
EEL	Environmental Exposure Limit.
EPA	Environmental Protection Authority
HSNO	Hazardous Substances and New Organisms.
HSW	Health and Safety at Work.

LC ₅₀	Lethal concentration that will kill 50% of the test organisms inhaling or ingesting it.
LD ₅₀	Lethal dose to kill 50% of test animals/organisms.
LEL	Lower explosive level.
OSHA	American Occupational Safety and Health Administration.
TEL	Tolerable Exposure Limit.
TLV	Threshold Limit Value-an exposure limit set by responsible authority.
UEL	Upper Explosive Level
WES	Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017
2. Workplace Exposure Standards and Biological Exposure Indices Nov 2023 14th edition.
3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
4. Transport of Dangerous goods on land NZS 5433:2020
5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 23 July 2024 Review Date: 23 July 2029