According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier : Duck Liquid Rim Block - Pine

Other means of Identification 350000010660

Recommended use : Toilet Cleaner

**Restrictions on use** : Use only as directed on label

Australia : S.C. Johnson & Son Pty. Ltd.

ABN 71.000 021 009

160 Epping Road, Lane Cove, N.S.W. 2066. Australia

Telephone: +61 2 9428 9111

New Zealand : S.C. Johnson & Son Pty. Ltd

79 Queen Street Auckland 1010 New Zealand

Telephone: +64 9 573 2850

**Emergency telephone** 

numbers

: Australia: (8:30am – 17:30pm Mon-Thurs, 8:30am – 17:00pm Fri AEST)

+61 2 9428 9111

New Zealand: (9:00am - 14:00pm Mon-Fri NZDT) +64 9 573 2850

**Poison Information** 

Contacts

: Australia: 13 11 26

New Zealand: 0800 764 766 or 0800 POISON

#### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

### **Statement of Hazardous Nature (Australia)**

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin irritation	Category 3	Causes mild skin irritation.
Serious eye damage	Category 1	Causes serious eye damage.
Skin sensitisation^	Category 1	May cause an allergic skin reaction.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

Long-term (chronic) aquatic	Category 3 *	Harmful to aquatic life with long lasting
hazard		effects.

<sup>\*</sup> Classification not adopted by Australia

## **Statement of Hazardous Nature (New Zealand)**

HSNO Classification (NZ): : 6.3B, 8.3A, 6.5B

9.1C

### Labelling - Australia \*\*

#### **Hazard symbols**





Corrosion Exclamation mark

## Signal word

Danger

#### **Hazard statements**

(H316) Causes mild skin irritation.

(H318) Causes serious eye damage.

(H317) May cause an allergic skin reaction.

(H412) Harmful to aquatic life with long lasting effects.

### **Precautionary statements**

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P310) Immediately call a POISON CENTER/doctor.

(P302 + P352) IF ON SKIN: Wash with plenty of soap and water.

<sup>^</sup> Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P501) Dispose of contents/ container to an approved incineration plant.

(P280) Wear protective gloves. (P280) Wear eye protection.

Other hazards : None identified

### Labelling- New Zealand

Refer Australian labelling above.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Sodium lauryl ether sulfate	68891-38-3	10.00 - 20.00
Alcohols, C13-15-branched and linear, ethoxylated EO=8	157627-86-6	5.00 - 10.00
Dipropylene glycol	25265-71-8	1.00 - 5.00
2,6-dimethyloct-7-en-2-ol	18479-58-8	1.00 - 5.00
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	54464-57-2	0.10 - 0.50
Octabenzone	1843-05-6	0.10 - 0.50
2-METHYLUNDECANAL	110-41-8	0.10 - 0.50
Bronopol	52-51-7	0.00 - 0.10
Other non-hazardous ingredients	various	Balance to 100

### 4. FIRST AID MEASURES

Description of first aid measures

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Immediately call a POISON CENTER/doctor.

**Skin contact** : Wash off with plenty of water. If skin irritation or rash occurs:

Get medical advice/ attention.

3/16

<sup>\*\*</sup> The information supplied is designed for products predominately used in workplaces; whereas consumer product labels comply with the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) labelling requirements, under The Australian CoP Labelling of Workplace Hazardous Chemicals (March 2015).

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

: See Description of first aid measures unless otherwise stated.

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards arising

from substance

: Container may melt and leak in heat of fire.

Special protective equipment and precautions for fire

fighters

: Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

apparatus.

### **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures Environmental

precautions

Wear personal protective equipment. Wash thoroughly after handling.

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

Dike large spills.

Clean residue from spill site.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

#### 7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Contaminated work clothing should not be allowed out of the

workplace.

Avoid breathing vapours, mist or gas.

Advice on protection against fire and explosion

Normal measures for preventive fire protection.

**Storage** 

Requirements for storage

areas and containers

Keep container closed when not in use.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : Wear suitable gloves.

**Eye protection** : Wear splash-resistant Chemical goggles.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : light green

Odor : green

Odour Threshold : Test not applicable for this product type

**pH** : 4.8

Melting point/freezing point : 0 °C

Initial boiling point and

boiling range

: > 100 °C

Flash point : does not flash

Evaporation rate :

Flammability (solid, gas) : Does not sustain combustion.

Upper/lower flammability or

explosive limits

: Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 1.03 g/cm3 at 20 °C

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

**Auto-ignition temperature** : Test not applicable for this product type

**Decomposition temperature** : Test not applicable for this product type

Viscosity, dynamic : 2,500 mPa.s

at 20 °C

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties :

Other information : None identified :

### 10. STABILITY AND REACTIVITY

**Reactivity** : No dangerous reaction known under conditions of normal use.

**Chemical stability** : No decomposition if stored normally.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Direct sources of heat.

**Incompatible materials** : None known.

7/16

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 5.1 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin irritation	Category 3	-
Skin irritation	No classification proposed	-
Serious eye damage	Category 1	-
Serious eye damage	No classification proposed	-
Skin sensitisation^	Category 1	-
Skin sensitisation^	No classification proposed	-

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

Respiratory sensitisation^	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : Condition

: None known.

#### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

#### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Sodium lauryl ether sulfate	LC50	Fish	7.1 mg/l	96 h

<sup>\*</sup> Classification not adopted by Australia

<sup>^</sup> Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



# **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

	flow- through test NOEC	Oncorhynchus mykiss (rainbow trout)	0.14 mg/l	28 d
Alcohols, C13-15-branched and linear, ethoxylated EO=8	LC50	Oncorhynchus mykiss (rainbow trout)	> 1 - < 10 mg/l	48 h
Dipropylene glycol	static test LC50 Read- across (Analogy)	Pimephales promelas (fathead minnow)	46,500 mg/l	96 h
2,6-dimethyloct-7-en-2-ol	static test LC50 Read- across (Analogy)	Oncorhynchus mykiss (rainbow trout)	27.8 mg/l	96 h
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	static test LC50 flow- through test NOEC	Lepomis macrochirus (Bluegill sunfish) Danio rerio (zebra fish)	1.3 mg/l 0.16 mg/l	96 h 30 d
Octabenzone	static test LC50	Danio rerio (zebra fish)	> 100 mg/l	96 h
2-METHYLUNDECANAL	semi- static test LC50	Oncorhynchus mykiss (rainbow trout)	0.35 mg/l	96 h
Bronopol	flow- through test LC50	Lepomis macrochirus	35.7 mg/l	96 h

## Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium lauryl ether sulfate	EC50	Daphnia magna (Water	7.2 mg/l	48 h

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



# **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

		flea)		
	NOEC	Daphnia magna	0.27 mg/l	21 d
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Daphnia magna (Water flea)	> 1 - < 10 mg/l	48 h
Dipropylene glycol	static test EC50	Daphnia magna (Water flea)	> 100 mg/l	48 h
2,6-dimethyloct-7-en-2-ol	static test EC50	Daphnia magna (Water flea)	38 mg/l	48 h
	NOEC Read- across (Analogy)	Daphnia magna	9.5 mg/l	21 d
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	static test EC50 Measured	Daphnia magna (Water flea)	1.38 mg/l	48 h
	flow- through test NOEC	Daphnia magna	0.028 mg/l	21 d
Octabenzone	EC50 Measured	Daphnia magna (Water flea)	52 mg/l	24 h
2-METHYLUNDECANAL	semi- static test EC50	Daphnia magna (Water flea)	0.21 mg/l	48 h
Bronopol	static test EC50	Daphnia magna (Water flea)	1.4 mg/l	48 h
	flow- through	Daphnia	0.27 mg/l	21 d

11/16

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



# **Duck Liquid Rim Block - Pine**

Version 1.1 F	Print Date	28.04.	2021
---------------	------------	--------	------

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

test NOEC		

## Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium lauryl ether sulfate	EC50	Algae	7.5 mg/l	96 h
Alcohols, C13-15-branched and linear, ethoxylated EO=8	EC50	Desmodesmus subspicatus (green algae)	> 1 - < 10 mg/l	72 h
Dipropylene glycol	EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	72 h
2,6-dimethyloct-7-en-2-ol	static test EC50	Desmodesmus subspicatus (green algae)	80 mg/l	72 h
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	NOEC	Desmodesmus subspicatus (green algae)	2.6 mg/l	72 h
Octabenzone	EC50	Desmodesmus subspicatus (green algae)	> 100 mg/l	72 h
2-METHYLUNDECANAL	static test EC50	Pseudokirchneriella subcapitata (green algae)	0.18 mg/l	72 h
Bronopol	static test NOEC	Pseudokirchneriella subcapitata (green algae)	0.1 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium lauryl ether sulfate	No data available		
Alcohols, C13-15-branched and linear, ethoxylated EO=8	60 %	28 d	Readily biodegradable.
Dipropylene glycol	84.4 %	28 d	Readily biodegradable.
2,6-dimethyloct-7-en-2-ol	72 %	28 d	Readily biodegradable.
1-(Octahydro-Tetramethyl-2-	0 %	28 d	Not readily

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



# **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

Naphthyl)Ethan-1-one			biodegradable.
Octabenzone	5 %	28 d	Not readily biodegradable.
2-METHYLUNDECANAL	68 %	22 d	Readily biodegradable.
Bronopol	70 - 80 %	28 d	Readily biodegradable.

## **Bioaccumulative potential**

Component	Bioconcentration	Partition Coefficient n-
	factor (BCF)	Octanol/water (log)
Sodium lauryl ether sulfate	No data available	0.3
Alcohols, C13-15-branched	No data available	No data available
and linear, ethoxylated EO=8		
Dipropylene glycol	0.3 - 1.4	-0.462
2,6-dimethyloct-7-en-2-ol	64.8 QSAR	3
1-(Octahydro-Tetramethyl-2-	850 Measured	5.18 - 6.86
Naphthyl)Ethan-1-one		
Octabenzone	89 - 190 Measured	7.6 Calculated
2-METHYLUNDECANAL	No data available	4.9
Bronopol	3.19 QSAR	0.22

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



# **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

### **Mobility**

Component	End point	Value
Sodium lauryl ether sulfate	No data available	
Alcohols, C13-15-branched and linear, ethoxylated EO=8	No data available	
Dipropylene glycol	No data available	
2,6-dimethyloct-7-en-2-ol	log Koc	2.25
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	No data available	
Octabenzone	Koc	63750 Calculated
2-METHYLUNDECANAL	log Koc	3.6
Bronopol	Кос	36.8 - 1486 Measured

### PBT and vPvB assessment

Component	Results
Sodium lauryl ether sulfate	Not fulfilling PBT and vPvB criteria
Alcohols, C13-15-branched and linear, ethoxylated EO=8	Not fulfilling PBT and vPvB criteria
Dipropylene glycol	Not fulfilling PBT and vPvB criteria
2,6-dimethyloct-7-en-2-ol	Not fulfilling PBT and vPvB criteria
1-(Octahydro-Tetramethyl-2- Naphthyl)Ethan-1-one	Not fulfilling PBT and vPvB criteria
Octabenzone	Not fulfilling PBT and vPvB criteria
2-METHYLUNDECANAL	Not fulfilling PBT and vPvB criteria
Bronopol	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

### 13. DISPOSAL CONSIDERATIONS

Safe handling and disposal

methods

Consumer may discard empty container in trash, or recycle

where facilities exist.

Disposal of any

contaminated packaging

Do not re-use empty containers.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

#### Land transport

Not classified as dangerous in the meaning of transport regulations.

#### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

§ Land transport: Classification based on UN Recommendations on the Transport of Dangerous Goods. Local regulations under the Australian Dangerous Goods Code (ADG) and/or the New Zealand Land Transport Rule Dangerous Goods should be applied prior to transportation of goods.

### 15. REGULATORY INFORMATION

**Poisons Schedule** 

: NOT SCHEDULED

(Australia):

HSNO Classification (NZ): : 6.3B, 8.3A, 6.5B

9.1C

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Feb 2016 and New Zealand HSNO CoP 8-1 09-06



## **Duck Liquid Rim Block - Pine**

Version 1.1 Print Date 28.04.2021

Revision Date 02.05.2019 SDS Number 350000010660

GEN\_SOF Number 65815

**HSNO Approval Number** 

(NZ):

: Cleaning Products (Subsidiary Hazard) Group 2017 -

HSR002530

#### 16. OTHER INFORMATION

Revision Date: 02.05.2019

### Key abbreviations or acronyms used

ADG: The Australian Code for the Transport of Dangerous Goods by Road and Rail

NZ LTR: The New Zealand Land Transport Rule: Dangerous Goods 2005

HSNO: Hazardous Substances and New Organisms Act 1996 (New Zealand)

IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons (Australia)

#### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs
	(GSARA)