

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier	: Drano Kitchen Max Gel (liquid)
Other means of Identification	: 350000038411
Recommended use	: Drain Cleaner
Restrictions on use	: Use only as directed on label
Australia	: S.C. Johnson & Son Pty. Ltd. ABN 71. 000 021 009 160 Epping Road, Lane Cove, N.S.W. 2066. Australia Telephone: +61 2 9428 9111
New Zealand	: S.C. Johnson & Son Pty. Ltd 79 Queen Street Auckland 1010 New Zealand Telephone: +64 9 573 2850
Emergency telephone numbers	: Australia: (8:30am – 17:30pm Mon-Thurs, 8:30am – 17:00pm Fri AEST) +61 2 9428 9111 New Zealand: (9:00am – 14:00pm Mon-Fri NZDT) +64 9 573 2850
Poison Information Contacts	: Australia: 13 11 26 New Zealand : 0800 764 766 or 0800 POISON

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Statement of Hazardous Nature (Australia)

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Skin corrosion	Category 1B	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.
Short-term (acute) aquatic	Category 1 *	Very toxic to aquatic life.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

hazard		
Long-term (chronic) aquatic hazard	Category 2 *	Toxic to aquatic life with long lasting effects.

* Classification not adopted by Australia

^ Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

Statement of Hazardous Nature (New Zealand)

HSNO Classification (NZ): : Skin corrosion CAT 1B, Serious Eye damage CAT 1
Haz. to aqua Env. acute CAT 1, Haz. to aqua Env.chronic CAT 2

Labelling - Australia **

Hazard symbols



Corrosion
Environment

Signal word
Danger

Hazard statements

(H314) Causes severe skin burns and eye damage.
(H410) Very toxic to aquatic life with long lasting effects.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.
(P102) Keep out of reach of children.
(P310) Immediately call a POISON CENTER/doctor.
(P304 + P340) IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
(P303 + P361 + P353) IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P405) Store locked up.

(P501) Dispose of contents/ container to an approved incineration plant.

(P280) Wear protective gloves.

(P260) Do not breathe spray.

(P264) Wash hands thoroughly after handling.

Other hazards : None identified

** The information supplied is designed for products predominately used in workplaces; whereas consumer product labels comply with the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) labelling requirements, under The Australian CoP Labelling of Workplace Hazardous Chemicals (March 2015).

Labelling- New Zealand

Refer Australian labelling above.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Sodium hypochlorite	7681-52-9	1.00 - 5.00
Sodium hydroxide	1310-73-2	1.00 - 5.00
Myristamine oxide	68955-55-5	0.50 - 1.00
Palmitamine Oxide	68955-55-5	0.10 - 0.50
Other non-hazardous ingredients	various	Balance to 100

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Get medical attention immediately.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Inhalation : IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed : See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards arising from substance : Container may melt and leak in heat of fire.

Special protective equipment and precautions for fire fighters : Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Wear personal protective equipment.
Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : Dike large spills.
Clean residue from spill site.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

7. HANDLING AND STORAGE

Handling

Precautions for safe handling : Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

Requirements for storage areas and containers : Keep container closed when not in use.
Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	AU_OESCEIL
Sodium hydroxide	1310-73-2	2 mg/m3	-	-	NZ_WELCEIL

Personal protective equipment

Respiratory protection : Substantial amounts of mist/vapors can be controlled with local exhaust ventilation or respiratory protection.

Hand protection : Rubber gloves

Eye protection : Wear splash-resistant Chemical goggles.

Skin and body protection : Protective footwear.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Odor : odourless

Odour Threshold : Test not applicable for this product type

pH : 12.6 - 13.4
at (20 C)

Melting point/freezing point : 0 C

Initial boiling point and boiling range : 100 C

Flash point : does not flash

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Test not applicable for this product type

Upper/lower flammability or explosive limits : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Vapour density : Test not applicable for this product type

Relative density : 1.12 g/cm³ at 20 C

Solubility(ies) : completely soluble

Partition coefficient: n-octanol/water : Test not applicable for this product type

Auto-ignition temperature : Test not applicable for this product type

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : 1,500 mPa.s
at 20 C

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Other information : None identified :

10. STABILITY AND REACTIVITY

Reactivity : Do not mix with bleach or any other household cleaners.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous : If accidental mixing occurs and toxic gas is formed, exit area

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

reactions	immediately. Do not return until well ventilated.
Conditions to avoid	: Direct sources of heat.
Incompatible materials	: Do not mix with bleach or any other household cleaners. Strong bases None known.
Hazardous decomposition products	: Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity	: LD50 > 5000 mg/kg
Acute inhalation toxicity	: LC50 > 5.1 mg/L
Acute dermal toxicity	: LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion	Category 1B	-
Serious eye damage	Category 1	-
Skin sensitisation^	No classification proposed	-

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Respiratory sensitisation [^]	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.

* Classification not adopted by Australia

[^] Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure
------------	-----------	---------	-------	----------

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

				time
Sodium hypochlorite	LC50 NOEC	Fish	0.06 mg/l 0.01 - < 0.1 mg/l	96 h 28 d
Sodium hydroxide	LC50	Fish	35 - 189 mg/l	96 h
Myristamine oxide	LC50 NOEC Read- across (Analogy)	Danio rerio (zebra fish) Pimephales promelas (fathead minnow)	2.4 mg/l 0.495 mg/l	96 h 15 d
Palmitamine Oxide	LC50 Measured	Danio rerio (zebra fish)	0.6 - 0.8 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
Sodium hydroxide	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
Myristamine oxide	EC50	Daphnia magna (Water flea)	2.64 mg/l	48 h
	NOEC Read- across (Analogy)	Daphnia magna	0.7 mg/l	21 d
Palmitamine Oxide	EC50 Measured	Daphnia magna (Water flea)	0.65 - 0.73 mg/l	48 h

Toxicity to aquatic plants

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	72 h
Sodium hydroxide	No data available			
Myristamine oxide	EC50	Pseudokirchneriella subcapitata (green algae)	0.19 mg/l	72 h
Palmitamine Oxide	EC50 Measured	Pseudokirchneriella subcapitata (green algae)	0.06 - 0.3 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
Sodium hydroxide	No data available		
Myristamine oxide	67.5 %	28 d	Readily biodegradable.
Palmitamine Oxide	94 %	7 d	Readily biodegradable.

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	No data available	-3.42
Sodium hydroxide	0.89 estimated	-1.38
Myristamine oxide	No data available	< 2.7
Palmitamine Oxide	814 QSAR	6.64 estimated

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

Mobility

Component	End point	Value
Sodium hypochlorite	Koc	0.001075 - 13.22
Sodium hydroxide	No data available	
Myristamine oxide	Koc	> 2113 Read-across (Analogy)
Palmitamine Oxide	Koc	215774 QSAR -

PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
Sodium hydroxide	Not fulfilling PBT and vPvB criteria
Myristamine oxide	Not fulfilling PBT and vPvB criteria
Palmitamine Oxide	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Safe handling and disposal methods : Consumer may discard empty container in trash, or recycle where facilities exist.

Disposal of any contaminated packaging : Do not re-use empty containers.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

	Land transport §	Sea transport	Air transport
UN number or identification number	1760	1760	1760
UN proper shipping name	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)
Transport hazard class(es)	8	8	8
Packing group	II	II	II
Environmental hazards	-	Marine pollutant	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

§ **Land transport:** Classification based on UN Recommendations on the Transport of Dangerous Goods. Local regulations under the Australian Dangerous Goods Code (ADG) and/or the New Zealand Land Transport Rule Dangerous Goods should be applied prior to transportation of goods.

15. REGULATORY INFORMATION

Poisons Schedule : S5
(Australia):

Safety Data Sheet

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



Drano Kitchen Max Gel (liquid)

Version 1.1

Print Date 10.04.2025

Revision Date 04.04.2024

SDS Number 350000038411

GEN_SOF Number 68399

HSNO Classification (NZ): : Skin corrosion CAT 1B, Serious Eye damage CAT 1
Haz. to aqua Env. acute CAT 1, Haz. to aqua Env.chronic CAT 2

HSNO Approval Number (NZ): : Cleaning Products (Corrosive) Group Standard 2020 | HSR002526

16. OTHER INFORMATION

Revision Date: 04.04.2024

Key abbreviations or acronyms used

ADG: The Australian Code for the Transport of Dangerous Goods by Road and Rail

NZ LTR: The New Zealand Land Transport Rule: Dangerous Goods 2005

HSNO: Hazardous Substances and New Organisms Act 1996 (New Zealand)

IATA: International Air Transport Association

IMDG: International Maritime Dangerous Goods

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons (Australia)

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by

SC Johnson Global Safety Assessment & Regulatory Affairs
(GSARA)