



Shenzhen Toby Technology Co., Ltd.

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang
Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www.tobylab.cn

MATERIAL SAFETY DATA SHEETS

Section 1-SAMPLE INFORMATION

1. Sample Name: Air freshener refill
2. Brand Name: ----
3. Sample Model: SBF-167P
4. Manufacturer: Shenzhen Pingdi AOLQ Bathroom Supply Co.,Ltd
5. Manufacturer Address: No.50 Hutian Road, Pingdi Town, Longgang District, Shenzhen, China
6. Suggest use and restricted: Freshen the air

CLIENT INFORMATION

1. Applicant: Shenzhen Pingdi AOLQ Bathroom Supply Co.,Ltd
2. Applicant Address: No.50 Hutian Road, Pingdi Town, Longgang District, Shenzhen, China
3. Applicant Post Code: 518117

TEST INFORMATION:

1. Applicant No: 201227125
2. Test Items and Request: MATERIAL SAFETY DATA SHEETS
3. Date of Receipt: Dec.07, 2020
4. Date of Test: Dec.08-14, 2020

SUMMARY:


As per request, the contents and formats of the MSDS are prepared in accordance with European Commission Directives 67/548/EEC, 1999/45/EC, Regulation (EC) No 1907/2006, Regulation (EC) No 1272/2008 and Regulation (EU) No 453/2010, and is provided per attached.

REMARKS:

1. Report on important information is provided by the applicant.
2. This MSDS report for your reference.

Signed for Shenzhen TOBY

Justin Zhang
Manager



Identification of the substance /preparation and of the company/undertaking

Report No.: TB-CHE177694

TB-RF-081-3.0

Page 1 of 6

**Shenzhen Toby Technology Co., Ltd.**

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang

Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www. tobylab.cn

MATERIAL SAFETY DATA SHEETS

Identification of the preparation	:	Air freshener refill
Company Identification	:	Shenzhen Pingdi AOLQ Bathroom Supply Co.,Ltd
Company Address	:	No.50 Hutian Road, Pingdi Town, Longgang District, Shenzhen, China
Tel	:	0086-89924421
Emergency Contact No.	:	13682568950
Fax	:	0086-89924112
e-mail	:	Sales2@szaolq.com

Section 2 - Hazards Identification

Preparation hazards and classification: Not dangerous with normal use.

Health hazards: Cough, headache, fatigue, drowsiness, dry skin, burning sensation. If you are allergic to this product, please do not use it. People with ocular keratitis, conjunctivitis, eye damage and other eye diseases, people with other systemic diseases cannot wear contact lenses, and those with contact lens contraindications.

Environment hazards: It can be diluted discharge or qualified effluent discharge.

Section 3 - Composition/ Information on Ingredients

Component/Substance	Percentage by weight %	CAS No.
Oxo Methyl amylcyclopentaacetate	20-25%	24851-98-7
Dioxetane Diketone	5-10%	105-95-3
(Octahydro, tetramethyl, naphthyl)ethyl ketone	2.5-5%	54464-57-2
(Dimethylethyl)methyl, phenylpropanal	3-5%	80-54-6
Dimethyl, octadiene, alcohol	2.5-5%	78-70-6
Methyl, (methyl vinyl) cyclohexene	2.5-5%	5989-27-5
Methyl cedarenone	1-2.5%	32388-55-9
(Dimethylethyl) cyclohexyl acetate	1-2.5%	88-41-5
Linalyl Acetate	0.25-1%	115-95-7
Dimethyl, methylene-bicyclo, heptane	0.25-1%	127-91-3
Pinene	0.1-0.25%	80-56-8
Solvent (Water)	37.75%	



Shenzhen Toby Technology Co., Ltd.

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang

Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www. tobylab.cn

MATERIAL SAFETY DATA SHEETS

Section 4 – First Aid Measures

Skin contact: Contact with skin, no need for first aid

Eye contact: If in contact with eyes, rinse with water for at least 15 minutes and take to hospital.

Inhalation: it canbe inhaled

Ingestion: Do not induce vomiting, unless you do so under the guidance of medical staff, give the patient two glasses of water, and seek medical attention immediately.

Section 5 – Fire-Fighting Measures

Flammability Properties: It is not flammable.

Suitable extinguishing Media: Fog water, foam, dry powder, sand.

Hazardous combustion products: carbon monoxide, carbon dioxide.

Protective Equipment and precautions for firefighters:

Firefighters wore protective masks before entering the scene.

Section 6 – Accidental Release Measures

Personal Precautions: Beware of vapor build-up. It is recommended that emergency personnel wear positive pressure self-contained breathing apparatus, anti-toxic and anti-static clothing, and chemically impervious gloves. Ensure adequate ventilation and remove all ignition sources. Take antistatic measures. Quickly evacuate personnel to a safe area, away from the leak area and in an upwind direction. Use personal protective equipment to avoid inhalation of vapors, fumes, gases or wind and dust.

Environmental Precautions: Take measures to prevent further leakage or spillage while ensuring safety. Avoid release to the surrounding environment.

Section 7 – Handling and Storage

Operation precautions: Wear suitable personal protective equipment

Storage Requirements: Keep container tightly closed. Store in a dry, cool and ventilated place. Keep away from incompatible materials and food containers.

Section 8 – Exposure Controls/ Personal Protection

Engineering Control: Seal the package and keep it dry and ventilated.

Respiratory Protection: If the vapor concentration exceeds the occupational exposure limit or if symptoms such as irritation occur, use a full-faceted



Shenzhen Toby Technology Co., Ltd.

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang

Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www. tobylab.cn

MATERIAL SAFETY DATA SHEETS

multi-functional respirator (US) or AXBEK (EN14387) respirator tube.

Eye Protection: Chemical safety protective glasses.

Skin and body Protection: Wear chemical resistant glove as a standard procedure to prevent injury.

Section 9 – Physical and Chemical Properties

Appearance	Pale yellow liquid
Odor	Perfume of fruity,floral
Boiling Point, initial boiling point and Boiling range	--
PH	<9
Density/relative density	0.99
Vapor Density:(Air = 1)	Not applicable
Solubility in Water	100%
Auto-ignition temperature	Not applicable
n-octanol/water partition coefficient	Not applicable
Evaporation rate	Not applicable
Decomposition temperature (°C)	Not applicable
Vapor Pressure	Not applicable
Flash Point	87°C
Viscosity	Not applicable
Specific gravity	Not applicable

Section 10 – Stability and Reactivity

Stability: The product is stable under normal conditions.

Conditions to Avoid: Avoid incompatible materials, and avoid contact with food.

Section 11 – Toxicological Information

Inhalation: it canbe inhaled.

Ingestion: Do not induce vomiting, unless you do so under the guidance of medical staff, give the patient two glasses of water, and seek medical attention immediately.

Skin: Contact with skin.

Eyes: If in contact with eyes, rinse with water for at least 15 minutes and take to hospital.

Section 12 – Ecological Information



Shenzhen Toby Technology Co., Ltd.

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang

Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www. tobylab.cn

MATERIAL SAFETY DATA SHEETS

General note	It must pass environmental protection treatment before discharge.
Mobility in soil	Not Available
Persistence and Degradability	Not Available
Bioaccumulation potential	Not Available
Other Adverse Effects	Not Available

Section 13 – Disposal Considerations

Product disposal recommendation:

- 1.Refer to relevant national and local regulations before disposal.
- 2.After the packaging is emptied, there may still be residual hazards. and return to the supplier for recycling if possible.

Section 14 – Transport Information

All ingredients are registered under the Toxic Substances Control Act (TSCA) or under polymer exemption.

Road regulations:

The substance is not subject to GB12268-2005.

Packaging Requirements: the goods are package according to the packaging requirement of ordinary goods.

Air transport ICAO-TI and IATA-DGR:

The substance is not subject to IATA DGR

Packaging Requirements: the goods are package according to the packaging requirement of ordinary goods.

Sea transport IMDG:

The substance is not subject to IMDG Code. Packaging Requirements: the goods are package according to the packaging requirement of ordinary goods.

Rail regulations:

The substance is not subject to list of dangerous goods by rail.

Packaging Requirements: the goods are package according to the packaging requirement of ordinary goods.

Section 15 – Regulatory Information

《Hazardous chemicals transport custody system》

Section 16 – Other Information

Date: Dec.14, 2020

Department: Quality department.



Shenzhen Toby Technology Co., Ltd.

1A/F., Bldg.6, Yusheng Industrial Zone, The National Road No.107 Xixiang
Section 467, Xixiang, Bao'an, Shenzhen, Guangdong, China

Tel: (86) 755-26509301/02 Fax: (86) 755-26509195 Http: //www. tobylab.cn

MATERIAL SAFETY DATA SHEETS

Data Audit Units: Shenzhen Toby Technology Co., Ltd.

Disclaimer: The information in this Material Safety Data Sheets (MSDS) was obtained from sources which we believe are reliable; However, the information is provided without any representation of warranty, expressed or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use, or disposal of this product. All information, recommendations, and suggestions appearing herein concerning this product are taken from sources or based upon data believed to be reliable.

***** END OF REPORT *****