According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier : InstantFOAM™

Other means of Identification

: 350000046724

Recommended use : Sanitizer

Restrictions on use : Use only as directed on label

Australia : SC Johnson Professional Pty Ltd

160 Epping Road, Lane Cove, NSW

2066, Australia

Telephone: 1800 090 330

New Zealand : SC Johnson Professional NZ Limited

79 Queen Street, Auckland 1010

New Zealand

Telephone: 0800 332 695

Poison Information

Contacts

: Australia: 13 11 26

New Zealand: 0800 764 766 or 0800 POISON

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Statement of Hazardous Nature (Australia)

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 1	Extremely flammable liquid and vapour.
Serious eye damage	Category 2A	Causes serious eye irritation.

^{*} Classification not adopted by Australia

Statement of Hazardous Nature (New Zealand)

[^] Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

HSNO Classification (NZ): : Flammable liquids CAT 2

Eye irritation CAT 2

Labelling - Australia **

Hazard symbols



Exclamation mark

Signal word

Warning

Hazard statements

(H319) Causes serious eye irritation.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.

(P102) Keep out of reach of children.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P337 + P313) If eye irritation persists: Get medical advice/ attention.

Other hazards : None identified

Labelling- New Zealand

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	50.00 - 75.00
1-PROPANOL	71-23-8	5.00 - 10.00

^{**} The information supplied is designed for products predominately used in workplaces; whereas consumer product labels comply with the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) labelling requirements, under The Australian CoP Labelling of Workplace Hazardous Chemicals (March 2015).

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Siloxanes and Silicones, dimethyl, 3- hydroxypropyl group-terminated, ethoxylated (12 EO)	102783-01-7	1.00 - 5.00
Other non-hazardous ingredients	various	Balance to 100

4. FIRST AID MEASURES

Description of first aid measures

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed

: See Description of first aid measures unless otherwise stated.

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards arising

from substance

: Container may melt and leak in heat of fire.

Special protective equipment and precautions for fire

: Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing

fighters apparatus.

• •

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and

emergency procedures

Environmental precautions

: Wash thoroughly after handling.

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

: Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with eyes and clothing. For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

: Normal measures for preventive fire protection.

Storage

Requirements for storage

areas and containers

: Keep container closed when not in use.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Components	CAS-No.	mg/m3	ppm	Non-	Basis
				standard	
				units	

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Ethyl alcohol	64-17-5	1,880 mg/m3	1,000 ppm	-	AU_OESTWAS
Ethyl alcohol	64-17-5	1,520 mg/m3	800 ppm	-	NZ_WELSTEL
Ethyl alcohol	64-17-5	380 mg/m3	200 ppm	-	NZ_WELTWA
1-PROPANOL	71-23-8	614 mg/m3	250 ppm	-	AU_OESSTEL
1-PROPANOL	71-23-8	492 mg/m3	200 ppm	-	AU_OESTWAS
1-PROPANOL	71-23-8	614 mg/m3	250 ppm	-	NZ_WELSTEL
1-PROPANOL	71-23-8	492 mg/m3	200 ppm	-	NZ_WELTWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : Safety glasses with side-shields

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Color : colourless

Odor : Alcoholic

Odour Threshold : Test not applicable for this product type

pH : 6.25

5/13

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Melting point/freezing point : -20°C - 0°C

Initial boiling point and

boiling range

Flash point : 20 °C

68 °F

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : Sustains combustion

Upper/lower flammability or

explosive limits

Vapour pressure : Not applicable

Vapour density : Not applicable

Relative density : 0.8495 g/cm3 at 25 °C

Solubility(ies) : completely soluble

Partition coefficient: n-

octanol/water

: Not applicable

Auto-ignition temperature : not auto-flammable

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : similar to water

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Viscosity, kinematic : similar to water

Oxidizing properties : Test not applicable for this product type

Other information : None identified

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical stability : No decomposition if stored normally.

Possibility of hazardous

reactions

: If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Conditions to avoid : Direct sources of heat.

Incompatible materials : Do not mix with bleach or any other household cleaners.

Strong bases None known.

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 5.1 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage	Category 2A	-
Skin sensitisation^	No classification proposed	-
Respiratory sensitisation^	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical : None known. Condition

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h
1-PROPANOL	flow- through test LC50 Measured	Pimephales promelas (fathead minnow)	4,555 mg/l	96 h
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test LC50	Ceriodaphnia dubia	5,012 mg/l	48 h
	NOEC	Daphnia magna	9.6 mg/l	9 d
1-PROPANOL				

^{*} Classification not adopted by Australia

[^] Classification only triggered in Australia if 'Schedule 6 of WHS Regulations' met. Contact SCJ Consumer Advice number listed on product label if required.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available				
---	----------------------	--	--	--	--

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
1-PROPANOL	No data available			
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available			

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	84 %	20 d	Readily biodegradable.
1-PROPANOL	75 %	20 d	Not readily biodegradable.
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
1-PROPANOL		
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available	No data available

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

Mobility

Component	End point	Value
Ethyl alcohol	Кос	1
1-PROPANOL		-
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	No data available	

PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
1-PROPANOL	Not fulfilling PBT and vPvB criteria
Siloxanes and Silicones, dimethyl, 3-hydroxypropyl group-terminated, ethoxylated (12 EO)	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Safe handling and disposal

methods

: Consumer may discard empty container in trash, or recycle

where facilities exist.

Disposal of any

contaminated packaging

Do not re-use empty containers.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

	Land transport §	Sea transport	Air transport
UN number or identification number	1987	1987	1987
UN proper shipping name	ALCOHOLS, N.O.S. (Ethanol, Propyl Alcohol)	ALCOHOLS, N.O.S. (Ethanol, Propyl Alcohol)	ALCOHOLS, N.O.S. (Ethanol, Propyl Alcohol)
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

[§] Land transport: Classification based on UN Recommendations on the Transport of Dangerous Goods. Local regulations under the Australian Dangerous Goods Code (ADG) and/or the New Zealand Land Transport Rule Dangerous Goods should be applied prior to transportation of goods.

15. REGULATORY INFORMATION

Poisons Schedule

(Australia):

: NOT SCHEDULED

HSNO Classification (NZ): : Flammable liquids CAT 2

Eye irritation CAT 2

According to Australian CoP Preparation of Safety Data Sheets for Hazardous Chemicals, Jul 2020 and New Zealand HSNO



InstantFOAM™

Version 2.0 Print Date 26.11.2024

Revision Date 26.11.2024 SDS Number 350000046724

GEN_SOF Number 79478

HSNO Approval Number

(NZ):

: Cosmetic Products Group Standard 2020

16. OTHER INFORMATION

Revision Date: 26.11.2024

Key abbreviations or acronyms used

ADG: The Australian Code for the Transport of Dangerous Goods by Road and Rail

NZ LTR: The New Zealand Land Transport Rule: Dangerous Goods 2005

HSNO: Hazardous Substances and New Organisms Act 1996 (New Zealand)

IATA: International Air Transport Association
IMDG: International Maritime Dangerous Goods

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons (Australia)

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs
	(GSARA)