

VIRTUE

# Suma Ambassador

## Safety Data Sheet

Phone: 1 300 255 546  
Email: [sales@virtueplus.com.au](mailto:sales@virtueplus.com.au)



Connect online  
@ Virtue Plus



# Safety Data Sheet

## SUMA AMBASSADOR

Revision: 22.07.2025

Version: 01.0

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** SUMA AMBASSADOR

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Beer Line Cleaner

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited  
29 Chifley St, Smithfield, NSW, 2164, Australia  
Telephone: 1800 647 779 (toll free)  
Fax: (02) 9725 5767  
Email: aucustserv@diversey.com  
Website: www.diversey.com/

#### 1.4 Emergency telephone number

Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin corrosion, Category 1A  
Acute toxicity, oral, Category 4  
Corrosive to metals, Category 1

#### 2.2 Label elements



**Signal word:** Danger

#### Hazard statements:

H314 - Causes severe skin burns and eye damage.

H302 - Harmful if swallowed.

H290 - May be corrosive to metals.

#### Prevention statement(s):

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves, protective clothing and eye or face protection.

#### Response statement(s):

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P330 - Rinse mouth.

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

**Storage statement(s):**

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

**Disposal statement(s):**

P501 - Dispose of unused content as chemical waste.

**2.3 Other hazards**

No other hazards known.

**2.4 Classification diluted product:**

Recommended maximum concentration (%): 7.7

Skin corrosion, Category 1B

Corrosive to metals, Category 1

**2.5 Label elements diluted product**

Danger.

H314 - Causes severe skin burns and eye damage.

H290 - May be corrosive to metals.

P233 - Keep container tightly closed.

P234 - Keep only in original packaging.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P363 - Wash contaminated clothing before reuse.

P390 - Absorb spillage to prevent material damage.

P405 - Store locked up.

P406 - Store in corrosive-resistant container with a resistant inner liner.

P501 - Dispose of unused content as chemical waste.

**SECTION 3: Composition/information on ingredients****3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
potassium hydroxide	1310-58-3	215-181-3	10-30
sodium hydroxide	1310-73-2	215-185-5	10-30
disodium metasilicate pentahydrate	10213-79-3	229-912-9	3-10
tetrasodium ethylene diamine tetraacetate	64-02-8	200-573-9	3-10

[4] Polymer.

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

**SECTION 4: First aid measures****4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident. If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

**Inhalation:**

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if

**SUMA AMBASSADOR**

<b>Skin contact:</b>	you feel unwell. Take off immediately all contaminated clothing and wash it before re-use. Immediately call a POISON CENTRE, doctor or physician.
<b>Eye contact:</b>	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.
<b>First aid facilities:</b>	Shower and eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	Causes severe burns.
<b>Eye contact:</b>	Causes severe or permanent damage.
<b>Ingestion:</b>	Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code**

2R 2X

2 - Fine water spray.

R - Liquid-tight chemical protective clothing and breathing apparatus. Dilute. X - Liquid-tight chemical protective clothing and breathing apparatus. Contain.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Use neutralising agent. Absorb onto dry sand or similar inert material.

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

**7.2 Conditions for safe storage, including any incompatibilities**

## SUMA AMBASSADOR

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
potassium hydroxide			2 mg/m <sup>3</sup>
sodium hydroxide			2 mg/m <sup>3</sup>

Biological limit values, if available:

**8.2 Exposure controls**

*The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.*

*Recommended safety measures for handling the undiluted product:*

*Covering activities such as filling and transfer of product to application equipment, flasks or buckets*

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required. Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:**

Should not reach sewage water or drainage ditch undiluted or unneutralised.

*Recommended safety measures for handling the diluted product:*

**Recommended maximum concentration (%): 7.7**

**Appropriate engineering controls:** Where possible: use in automated/closed system and cover open containers. Transport over pipes. Filling with automatic systems. Use tools for manual handling of product.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment****Eye / face protection:**

Safety glasses or goggles (EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).

## SUMA AMBASSADOR

**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Colourless	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> > 12 (neat)	ISO 4316
<b>Dilution pH:</b> > 11 (1%)	ISO 4316
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	
<b>Flammability (liquid):</b> Not flammable.	
<b>Flash point (°C):</b> Not applicable.	
<b>Sustained combustion:</b> Not applicable.	
<i>( UN Manual of Tests and Criteria, section 32, L.2 )</i>	
<b>Evaporation rate:</b> Not determined	Not relevant to classification of this product
<b>Flammability (solid, gas):</b> Not applicable to liquids	
<b>Upper/lower flammability limit (%):</b> Not determined	
<b>Vapour pressure:</b> Not determined	
<b>Vapour density:</b> Not determined	Not relevant to classification of this product
<b>Relative density:</b> ≈ 1.4 (20 °C)	OECD 109 (EU A.3)
<b>Solubility in / Miscibility with Water:</b> Fully miscible	
<b>Partition coefficient: n-octanol/water</b> No information available.	
Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3	
<b>Autoignition temperature:</b> Not determined	
<b>Decomposition temperature:</b> Not applicable.	
<b>Viscosity:</b> Not determined	
<b>Explosive properties:</b> Not explosive.	
<b>Oxidising properties:</b> Not oxidising	

### 9.2 Other information

<b>Surface tension (N/m):</b> Not determined	
<b>Corrosion to metals:</b> Corrosive	Weight of evidence

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1800

ATE - Inhalatory, mists (mg/l): >5

Substance data, where relevant and available, are listed below:.

### Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
potassium hydroxide	LD <sub>50</sub>	333	Rat	OECD 425	
sodium hydroxide		No data available			
disodium metasilicate pentahydrate	LD <sub>50</sub>	1152	Rat	Method not given	
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	≥ 1780	Rat	Non guideline test	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
potassium hydroxide		No data available			
sodium hydroxide	LD <sub>50</sub>	1350	Rabbit	Method not given	
disodium metasilicate pentahydrate	LD <sub>50</sub>	> 5000	Rat	Method not given	
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	> 5000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide		No data available			
sodium hydroxide		No data available			
disodium metasilicate pentahydrate	LC <sub>50</sub>	> 2.06 (mist)	Rat	Method not given	4
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	≥ 1 (dust)	Rat	OECD 403 (EU B.2)	6

### Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	Corrosive	Rabbit	Draize test	
sodium hydroxide	Corrosive	Rabbit	Method not given	
disodium metasilicate pentahydrate	Corrosive	Rabbit	OECD 404 (EU B.4)	
tetrasodium ethylene diamine tetraacetate	Not irritant	Rabbit	Non guideline test	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	Corrosive	Rabbit	Method not given	
sodium hydroxide	Corrosive	Rabbit	Method not given	
disodium metasilicate pentahydrate	Corrosive	Rabbit	Method not given	
tetrasodium ethylene diamine tetraacetate	Severe damage		Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	No data available			
sodium hydroxide	No data available			
disodium metasilicate pentahydrate	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

### Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
potassium hydroxide	Not sensitising	Guinea pig	Method not given	
sodium hydroxide	Not sensitising		Human repeated patch test	
disodium metasilicate pentahydrate	Not sensitising		Method not given	
tetrasodium ethylene diamine tetraacetate	Not sensitising	Guinea pig	OECD 406 (EU B.6) / GPMT	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
potassium hydroxide	No data available			
sodium hydroxide	No data available			
disodium metasilicate pentahydrate	No data available			
tetrasodium ethylene diamine tetraacetate	No data available			

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
potassium hydroxide	No evidence for mutagenicity, negative test results	Method not given	No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)
disodium metasilicate pentahydrate	No evidence of genotoxicity, negative test results		No evidence of genotoxicity, negative test results	
tetrasodium ethylene diamine tetraacetate	No evidence for mutagenicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given

## Carcinogenicity

Ingredient(s)	Effect
potassium hydroxide	No evidence for carcinogenicity, negative test results
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence
disodium metasilicate pentahydrate	No data available
tetrasodium ethylene diamine tetraacetate	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
potassium hydroxide			No data available				No evidence for reproductive toxicity
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity
disodium metasilicate pentahydrate			No data available				No evidence for reproductive toxicity No evidence for developmental toxicity
tetrasodium ethylene diamine tetraacetate			No data available				No evidence for reproductive toxicity

## Repeated dose toxicity

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
potassium hydroxide		No data available				
sodium hydroxide		No data available				
disodium metasilicate pentahydrate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
potassium hydroxide		No data available				
sodium hydroxide		No data available				
disodium metasilicate pentahydrate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
potassium hydroxide		No data available				
sodium hydroxide		No data available				
disodium metasilicate pentahydrate		No data available				
tetrasodium ethylene diamine tetraacetate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
potassium hydroxide			No data available					
sodium hydroxide			No data available					
disodium metasilicate pentahydrate		NOAEL	227	Rat	Method not given			
tetrasodium ethylene			No data					

diamine tetraacetate			available					
----------------------	--	--	-----------	--	--	--	--	--

## STOT-single exposure

Ingredient(s)	Affected organ(s)
potassium hydroxide	No data available
sodium hydroxide	No data available
disodium metasilicate pentahydrate	Respiratory tract
tetrasodium ethylene diamine tetraacetate	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
potassium hydroxide	No data available
sodium hydroxide	No data available
disodium metasilicate pentahydrate	No data available
tetrasodium ethylene diamine tetraacetate	Respiratory tract

## Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

## Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

## SECTION 12: Ecological information

## 12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

## Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide	LC <sub>50</sub>	80	<i>Various species</i>	Weight of evidence	24
sodium hydroxide	LC <sub>50</sub>	35	<i>Various species</i>	Method not given	96
disodium metasilicate pentahydrate	LC <sub>50</sub>	210	<i>Brachydanio rerio</i>	Method not given	96
tetrasodium ethylene diamine tetraacetate	LC <sub>50</sub>	> 100	<i>Lepomis macrochirus</i>	OPP 72-1, static (EPA)	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide	EC <sub>50</sub>	30 - 1000	<i>Daphnia magna Straus</i>	Weight of evidence	-
sodium hydroxide	EC <sub>50</sub>	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48
disodium metasilicate pentahydrate	EC <sub>50</sub>	216	<i>Daphnia magna Straus</i>	Method not given	96
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	DIN 38412, Part 11	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
potassium hydroxide		10		Weight of evidence	-
sodium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25
disodium metasilicate pentahydrate	EC <sub>50</sub>	207	<i>Desmodesmus subspicatus</i>	Method not given	72
tetrasodium ethylene diamine tetraacetate	EC <sub>50</sub>	> 100	<i>Scenedesmus obliquus</i>	88/302/EEC, Part C, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
potassium hydroxide		No data available			-
sodium hydroxide		No data available			-
disodium metasilicate pentahydrate		No data available			-

tetrasodium ethylene diamine tetraacetate		No data available			-
---	--	-------------------	--	--	---

## Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
potassium hydroxide	EC <sub>50</sub>	22	<i>Photobacterium phosphoreum</i>	Method not given	15 minute(s)
sodium hydroxide		No data available			
disodium metasilicate pentahydrate	EC <sub>0</sub>	> 1000	<i>Pseudomonas putida</i>	Method not given	0.5 hour(s)
tetrasodium ethylene diamine tetraacetate	EC <sub>20</sub>	> 500	<i>Activated sludge</i>	OECD 209	0.5 hour(s)

## Aquatic long-term toxicity

## Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
potassium hydroxide		No data available				
sodium hydroxide		No data available				
disodium metasilicate pentahydrate		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	≥ 36.9	<i>Brachydanio rerio</i>	OECD 210	35 day(s)	

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
potassium hydroxide		No data available				
sodium hydroxide		No data available				
disodium metasilicate pentahydrate		No data available				
tetrasodium ethylene diamine tetraacetate	NOEC	25	<i>Daphnia magna</i>	OECD 211	21 day(s)	

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate	LD <sub>50</sub>	156	<i>Eisenia fetida</i>	OECD 207	14	

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate	NOEC	0.25 - 1.25			21	

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
---------------	----------	-------	---------	--------	----------	------------------

					time (days)	
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
potassium hydroxide		No data available			-	
sodium hydroxide		No data available			-	
disodium metasilicate pentahydrate		No data available			-	
tetrasodium ethylene diamine tetraacetate		No data available			-	

## 12.2 Persistence and degradability

### Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

### Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
potassium hydroxide					Not applicable (inorganic substance)
sodium hydroxide					Not applicable (inorganic substance)
disodium metasilicate pentahydrate					Not applicable (inorganic substance)
tetrasodium ethylene diamine tetraacetate					Not readily biodegradable.

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

## 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
potassium hydroxide	No data available		Not relevant, does not bioaccumulate	
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	
disodium metasilicate pentahydrate	No data available		No bioaccumulation expected	
tetrasodium ethylene diamine tetraacetate	-13	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
potassium hydroxide	No data available				
sodium hydroxide	No data available				
disodium metasilicate pentahydrate	No data available				

## SUMA AMBASSADOR

tetrasodium ethylene diamine tetraacetate	1.8	<i>Lepomis macrochirus</i>	Method not given	Low potential for bioaccumulation	
---	-----	----------------------------	------------------	-----------------------------------	--

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
potassium hydroxide	No data available				Low potential for adsorption to soil
sodium hydroxide	No data available				Mobile in soil
disodium metasilicate pentahydrate	No data available				Potential for mobility in soil, soluble in water
tetrasodium ethylene diamine tetraacetate	No data available				Adsorption to solid soil phase is not expected

**12.5 Other adverse effects**

No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

**Suitable cleaning agents:**

Water, if necessary with cleaning agent.

**SECTION 14: Transport information****ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 1719**14.2 UN proper shipping name:**

Caustic alkali liquid, n.o.s. ( potassium hydroxide , sodium hydroxide )

**14.3 Transport hazard class(es):****Transport hazard class (and subsidiary risks):** 8**14.4 Packing group:** II**14.5 Environmental hazards:****Environmentally hazardous:** No**Marine pollutant:** No**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** 2R

2X

**IMO/IMDG****EmS:** F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADG and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

**Poison schedule**

Classified as a Schedule 6 (S6) Poison using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Classification**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

## SUMA AMBASSADOR

## Inventory listing(s)

AICS (Australian Inventory of Chemical Substances): All components are listed on AICS, or are exempt.

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS31000863

**Version:** 01.0

**Revision:** 01.06.2024

**Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ):** Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- DNEL - Derived No Effect Limit
- AUH - GHS Specific hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

**End of Safety Data Sheet**