

OPTIMO LAUNDRY POWDER (TOP LOADER)

Revision: 2026-06-01

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: OPTIMO LAUNDRY POWDER (TOP LOADER)

1.2 Recommended use and restrictions on use

Identified uses:

Laundry powder

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited
1612 Centre Road, Springvale,
VIC 3171, AUSTRALIA
Telephone: 1800 647 779 (toll free)

Product information:

Email: aucustserv@solenis.com

Website: products.solenis.com/en-AU

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Serious eye damage, Category 1

Skin irritation, Category 2

2.2 Label elements



Signal word: Danger

Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Prevention statement(s):

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P280 - Wear protective gloves, protective clothing and eye or face protection.

Response statement(s):

P332 + P313 - If skin irritation occurs: Get medical advice or attention.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P321 - Specific treatment (see supplemental first aid instructions on this label).

P362 - Take off contaminated clothing.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

OPTIMO LAUNDRY POWDER (TOP LOADER)

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

SECTION 4: First aid measures**4.1 Description of first aid measures**

Inhalation:	Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.
Skin contact:	Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.
Eye contact:	Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
Ingestion:	Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Get medical attention or advice if you feel unwell.
Self-protection of first aider:	Consider personal protective equipment as indicated in subsection 8.2.
First aid facilities:	Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:	No known effects or symptoms in normal use.
Skin contact:	Causes irritation.
Eye contact:	Causes severe or permanent damage.
Ingestion:	No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center: Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

None allocated

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Wear suitable protective clothing, gloves and eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Collect mechanically.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Measures to prevent fire and explosions:

OPTIMO LAUNDRY POWDER (TOP LOADER)

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Store in a closed container.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls:

The product is intended to be used in closed systems.

Appropriate organisational controls:

Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection:

Safety glasses or goggles (AS/NZS 1337.1).

Hand protection:

Chemical-resistant protective gloves (AS/NZS 2161.10). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

Body protection:

Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN ISO 13982-1).

Respiratory protection:

No special requirements under normal use conditions.

Environmental exposure controls:

No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Solid

Appearance: Powder

Colour: White

Odour: Product specific

Odour threshold: Not applicable

pH: Not applicable

Dilution pH: ≤ 11 (1%)

Melting point/freezing point (°C): Not determined

Initial boiling point and boiling range (°C): Not determined

Method / remark

Not relevant to classification of this product

Flammability (liquid): Not applicable.

Flash point (°C): Not applicable.

Sustained combustion: Not applicable.

(UN Manual of Tests and Criteria, section 32, L.2)

OPTIMO LAUNDRY POWDER (TOP LOADER)

Evaporation rate: Not determined
Flammability (solid, gas): Not determined
Lower and upper explosion limit/flammability limit (%): Not determined
Vapour pressure: Not determined
Relative density: Not determined
Relative vapour density: No data available.
Particle characteristics: Not determined.
Solubility in / Miscibility with water: Soluble
Partition coefficient: n-octanol/water No information available.

Not applicable to solids
 Not relevant to classification of this product.

Autoignition temperature: Not determined
Decomposition temperature: Not applicable.
Kinematic viscosity: Not determined
Explosive properties: Not explosive.
Oxidising properties: Not oxidising.

9.2 Other information

Surface tension (N/m): Not determined
Corrosion to metals: Not determined

Not applicable to solids or gases

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

Reacts with acids.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data: .

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >5000

Substance data, where relevant and available, are listed below:.

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate	LD ₅₀	> 1470	Rat	OECD 401 (EU B.1)	
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LD ₅₀	> 2000	Rat	OECD 401 (EU B.1)	
sodium silicate	LD ₅₀	3400	Rat	Method not given	
Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate		No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LD ₅₀	6300	Rabbit	OECD 402 (EU B.3)	
sodium silicate	LD ₅₀	> 5000	Rat	Method not given	
Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate		No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LC ₅₀	> 52 (mist)	Rat	OECD 403 (EU B.2)	4
sodium silicate	LC ₅₀	> 2.06	Rat	Method not given	

OPTIMO LAUNDRY POWDER (TOP LOADER)

Ingredient(s)		Result		Species	Method	Exposure time		
sodium alkylbenzenesulphonate		Irritant		Rabbit	OECD 404 (EU B.4)			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		Irritant		Rabbit	OECD 404 (EU B.4)			
sodium silicate		Irritant			Method not given			
Ingredient(s)		Result		Species	Method	Exposure time		
sodium alkylbenzenesulphonate		Severe damage		Rabbit	OECD 405 (EU B.5)			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		Severe damage		Rabbit	OECD 405 (EU B.5)			
sodium silicate		Irritant			Method not given			
Ingredient(s)		Result		Species	Method	Exposure time		
sodium alkylbenzenesulphonate		No data available						
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		No data available						
sodium silicate		Irritating to respiratory tract			Method not given			
Ingredient(s)		Result		Species	Method	Exposure time (h)		
sodium alkylbenzenesulphonate		Not sensitising		Guinea pig	OECD 406 (EU B.6) / GPMT			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		Not sensitising		Guinea pig	OECD 406 (EU B.6) / GPMT			
sodium silicate		Not sensitising			Method not given			
Ingredient(s)		Result		Species	Method	Exposure time		
sodium alkylbenzenesulphonate		No data available						
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		No data available						
sodium silicate		No data available						
Ingredient(s)		Result (in-vitro)		Method (in-vitro)	Result (in-vivo)		Method (in-vivo)	
sodium alkylbenzenesulphonate		No data available			No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		No evidence for mutagenicity, negative test results		Method not given	No evidence for mutagenicity, negative test results		Method not given	
sodium silicate		No evidence for mutagenicity, negative test results			No data available			
Ingredient(s)		Effect						
sodium alkylbenzenesulphonate		No data available						
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts		No evidence for carcinogenicity, negative test results						
sodium silicate		No evidence for carcinogenicity, negative test results						
Ingredient(s)	Endpoint	Specific effect		Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium alkylbenzenesulphonate				No data available				
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts				No data available				No evidence for teratogenic effects
sodium silicate				No data available				No evidence for reproductive toxicity
Ingredient(s)		Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected	
sodium alkylbenzenesulphonate			No data available					
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available					
sodium silicate		NOAEL	> 159	Rat	Method not given			
Ingredient(s)		Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected	
sodium alkylbenzenesulphonate			No data available					
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available					
sodium silicate			No data available					
Ingredient(s)		Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected	
sodium alkylbenzenesulphonate			No data available					
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available					
sodium silicate			No data available					
Ingredient(s)		Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	
sodium alkylbenzenesulphonate			No data available					
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available					
sodium silicate			No data available					
Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium alkylbenzenesulphonate			No data available					
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Oral	NOAEL	259	Rat	Method not given	24 month(s)		

OPTIMO LAUNDRY POWDER (TOP LOADER)

sodium salts								
sodium silicate			No data available					
Ingredient(s)					Affected organ(s)			
sodium alkylbenzenesulphonate					No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts					No data available			
sodium silicate					No data available			
Ingredient(s)					Affected organ(s)			
sodium alkylbenzenesulphonate					No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts					No data available			
sodium silicate					No data available			

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Ingredient(s)			Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate			LC ₅₀	1.67	<i>Lepomis macrochirus</i>	EPA-OPPTS 850.1075	96
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			LC ₅₀	4.2	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
sodium silicate			LC ₅₀	260 - 310	<i>Oncorhynchus mykiss</i>	Method not given	96
Ingredient(s)			Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate			EC ₅₀	1.62	<i>Daphnia magna</i> Straus		48
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			EC ₅₀	4.53	<i>Ceriodaphnia</i> sp.	OECD 202 (EU C.2)	48
sodium silicate			EC ₅₀	1700	<i>Daphnia magna</i> Straus	OECD 202, static	48
Ingredient(s)			Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium alkylbenzenesulphonate			EC ₅₀	29	<i>Selenastrum capricornutum</i>		96
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			EC ₅₀	5.2		OECD 201 (EU C.3)	72
sodium silicate			EC ₅₀	207	<i>Desmodesmus subspicatus</i>	OECD 201 (EU C.3)	72
Ingredient(s)			Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium alkylbenzenesulphonate				No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts				No data available			
sodium silicate				No data available			
Ingredient(s)			Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium alkylbenzenesulphonate				No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			EC ₅₀	230		OECD 209	
sodium silicate				No data available			
Ingredient(s)		Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate		NOEC	> 2.5-1		Method not given		
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available				
sodium silicate		NOEC	348	<i>Brachydanio rerio</i>	Method not given	96 hour(s)	
Ingredient(s)		Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium alkylbenzenesulphonate			No data available				
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts			No data available				

OPTIMO LAUNDRY POWDER (TOP LOADER)

sodium silicate		No data available				
-----------------	--	-------------------	--	--	--	--

12.2 Persistence and degradability

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium alkylbenzenesulphonate	Activated sludge, aerobe	CO ₂ production	85% in 29 day(s)	OECD 301B	Readily biodegradable
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Activated sludge, aerobe	CO ₂ production	> 80 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium silicate					Not applicable (inorganic substance)

12.3 Bioaccumulative potential

Ingredient(s)	Value	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available			
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	-1.3	(EC) 440/2008, A.8	No bioaccumulation expected	
sodium silicate	No data available		Low potential for bioaccumulation	

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium alkylbenzenesulphonate	No data available				
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	No data available				
sodium silicate	No data available				

12.4 Mobility in soil

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
sodium alkylbenzenesulphonate	No data available				
sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	No data available				Low potential for adsorption to soil
sodium silicate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Dispose of observing national or local regulations.

SECTION 14: Transport information**Land transport, Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods

14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods

14.6 Special precautions for user: Non-dangerous goods

14.7 Maritime transport in bulk according to IMO instruments: Non-dangerous goods

Hazchem code: None allocated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

OPTIMO LAUNDRY POWDER (TOP LOADER)**National regulations**

Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.

Poison schedule

A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

SECTION 16: Other information

SDS code: MS3100284

Version: 01.1

Revision: 2026-06-01

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number

End of Safety Data Sheet